

2007 2008

Haldex



European Aftermarket Catalogue



Introduction to the Haldex European Aftermarket Catalogue 2007/2008

This catalogue covers the Haldex product range available to the European aftermarket. We include detailed information on every range of product, making identification of the required item the most straightforward to date. Find enclosed a detailed search by product description; a search by part number; the main section includes product pictures, detailed product data, and an explanation of what the product is used for. At the back of the catalogue you will find a comprehensive, single cross-reference list.

If you have internet access, we suggest you refer to the Findex section of our website, on **www.brake-eu.haldex.com**. Here you will find the most up to date information, additional items, product data that could not fit on the printed page, additional product photographs with the possibility of full format download, detailed application data (search by application), and an available documentation listing. A Findex CD is also available from your local Haldex representative.

For the complete list of prices, please refer to the Haldex European Price List, or the website mentioned above.

Haldex hopes this catalogue proves of great use, and we remain open to suggestion.

Catalogue Index

Page

Search by Product Group	1
Search by Description	2-6
Search by Part Number	7-21
Product Information (main section)	22-221
Cross Reference	222-269

	Page
FOUNDATION BRAKE	
Automatic Brake Adjuster - AA1	22-61
Automatic Brake Adjuster - S-ABA	62-63
Manual Slack Adjuster	64-68
Disc Brake	69
Lining Wear Indicator	70
Spares & Repair Kits	71-75
Tools & Test Equipment	76

ABS/EBS SYSTEM	
Electronic Control Unit (ECU)	80
Info-Centre	81
ABS/EBS Valve	82-83
Sensor	84
Exciter	85
Cables, Looms, Plugs & Sockets	86-93
Miscellaneous	94-95
Spares & Repair Kits	96-98
Tools & Test Equipment	99

AIR SUSPENSION/LIFT-AXLE	
Raise/Lower Valve	100-101
Levelling Valve	102-103
Pressure Limiting Valve	104
ILAS® (Integrated Lift-Axle System)	105-106
Multi-Way Valve	107-108
Shut-Off Cock	109
Miscellaneous	110
Spares & Repair Kits	111-114
Tools & Test Equipment	115

AIR TREATMENT	
Air Drier, Single (SDX)	116-118
Air Drier, Single (SD)	119
Air Drier, Twin (TD)	120
ECAM®	121
Drain Valve	122-123
Consep Condenser	124
In-Line Filter	125
Anti-Freeze Injector	126
Miscellaneous	127
Spares & Repair Kits	128-135
Tools & Test Equipment	136

AIR BRAKE	
Compressor	137
Unloader Valve	138
Governor Valve	139
Safety Valve	140
Multi-Circuit Protection Valve	141
Pressure Protection Valve	142
Service Brake Valve	143-144
Hand Brake Valve	145

	Page
Trailer Control Valve, pneumatic	146
Trailer Control Valve, hydraulic	147
Couplings	148-150
	151
3/2-Way Valve	152-153
Relay Valve	154
Relay Emergency Valve (REV)	155-156
Electronic Proportioning Valve (EPV)	157
Check Valve	158
Quick Release Valve (QRV)	159
Electric Solenoid Valve	160
Switch	161
Load Sensing Valve	162
Variable Load Valve	163
Regulating Valve	164
Hydrair Clutch Servo	165
Miscellaneous	166-167
Spares & Repair Kits	168-179
Tools & Test Equipment	180

ACTUATION	
Brake Chamber	181-184
Spring Brake	185-186
Piston Cylinder	187-188
Control Cylinder	189
Spring Brake Actuator	190-191
Air over Hydraulic Servo	192
Pressure Converter	193
Spares & Repair Kits	194-199

HYDRAULICS	
Gear Pump	200
DC-Motor	201
Brush Set & Rocker	202
GC Flow Divider	203
Electromagnetic Operated Valve	204
Solenoid	205
Pressure Switch	206
Reservoir	207
Cover	208
Starter Solenoid	209
Valves (various)	210-211
Spares & Repair Kits	212

AIR DISTRIBUTION (GRAU)	
Polyamide Tube	213-214
Air Tank (Steel)	215
Air Tank (Aluminium)	216
Saddle, for Air Tank	217

MISCELLANEOUS	
Miscellaneous	218
Spares & Repair Kits	219-221

Description	Group	Page
3/2-Way Solenoid Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-708
3/2-Way Valve	AIR BRAKE - 3/2-Way Valve	152-153
3/2-Way Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
3-Way Pilot Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
4-Way Protection Valve	AIR BRAKE - Multi-Circuit Protection Valve	141
AA1	FOUNDATION BRAKE - Automatic Brake Adjuster	22-61
ABA	FOUNDATION BRAKE - Automatic Brake Adjuster	22-77
ABS & Air Brake Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
ABS Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
ABS Module	ABS/EBS SYSTEM - Electronic Control Unit (ECU)	80
ADV (Automatic Drain Valve)	AIR TREATMENT - Drain Valve	122-123
Air Brake & ABS Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
Air Brake Kit	AIR BRAKE - Miscellaneous	166-167
Air Drier Cartridge	AIR TREATMENT - Spares & Repair Kits	128-135
Air Drier, Areo II	AIR TREATMENT - Miscellaneous	127
Air Drier, Pure Air	AIR TREATMENT - Miscellaneous	127
Air Drier, Single (SD)	AIR TREATMENT - Air Drier, Single (SD)	119
Air Drier, Single (SDX)	AIR TREATMENT - Air Drier, Single (SDX)	116-118
Air Drier, Twin (TD)	AIR TREATMENT - Air Drier, Twin (TD)	120
Air Management System - Electronically Controlled (ECAM®)	AIR TREATMENT - ECAM®	121
Air Over Hydraulic Servo	ACTUATION - Air over Hydraulic Servo	192
Air Pressure Gauge, Dual	AIR BRAKE - Tools & Test Equipment	180
Air Pressure Gauge, Single	AIR BRAKE - Tools & Test Equipment	180
Air Tank (Aluminium)	AIR DISTRIBUTION - Air Tank (Aluminium)	216
Air Tank (Steel)	AIR DISTRIBUTION - Air Tank (Steel)	215
Anchor Bracket	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Anti-Compound Valve	AIR BRAKE - Check Valve	158
Anti-Freeze Injector	AIR TREATMENT - Anti-Freeze Injector	126
Armoured Hose Connection	AIR BRAKE - Miscellaneous	166-167
Automatic Brake Adjuster	FOUNDATION BRAKE - Automatic Brake Adjuster	22-77
Automatic Drain Valve (ADV)	AIR TREATMENT - Drain Valve	122-123
Barrier Seal	MISCELLANEOUS - Miscellaneous	218
Bend Protection Spring	AIR BRAKE - Miscellaneous	166-167
Black Box	AIR TREATMENT - Spares & Repair Kits	128-135
Brake Adjuster - automatic	FOUNDATION BRAKE - Automatic Brake Adjuster	22-77
Brake Adjuster - manual	FOUNDATION BRAKE - Manual Slack Adjuster	64-68
Brake Chamber	ACTUATION - Brake Chamber	181-184
Brake Pad	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Brush Set & Rocker	HYDRAULICS - Brush Set & Rocker	202
C Coupling	AIR BRAKE - Couplings	148-150
CA Coupling	AIR BRAKE - Couplings	148-150
Cable	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Callipers	FOUNDATION BRAKE - Disc Brake	69
Cartridge - Air Drier	AIR TREATMENT - Spares & Repair Kits	128-135
Charge Valve	AIR BRAKE - Pressure Protection Valve	142
Chassis Loom	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Check Valve	AIR BRAKE - Check Valve	158
Check Valve	HYDRAULICS - Valves (various)	210-211
Circuit Protection Valve	AIR BRAKE - Multi-Circuit Protection Valve	141
Clevis Pin	ACTUATION - Spares & Repair Kits	194-199
Clutch Booster	ACTUATION - Air over Hydraulic Servo	192
Clutch Booster	AIR BRAKE - Hydrair Clutch Servo	165
Clutch Servo - Hydrair	AIR BRAKE - Hydrair Clutch Servo	165
Colas®	AIR SUSPENSION / LIFT-AXLE - Raise/Lower Valve	100-101
Combined LSV/REV	AIR BRAKE - Load Sensing Valve	162
Compressor	AIR BRAKE - Compressor	137
Con Rod	AIR BRAKE - Spares & Repair Kits	168-179
Condenser	AIR TREATMENT - Consep Condenser	124
Consep Condenser	AIR TREATMENT - Consep Condenser	124
Container Valve	AIR SUSPENSION / LIFT-AXLE - Raise/Lower Valve	100-101
Control Cylinder	ACTUATION - Control Cylinder	189
Control Unit	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Control Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Couplings	AIR BRAKE - Couplings	148-150
Crankcase	AIR BRAKE - Spares & Repair Kits	168-179

Description	Group	Page
Crankshaft	AIR BRAKE - Spares & Repair Kits	168-179
Cylinder Block	AIR BRAKE - Spares & Repair Kits	168-179
Cylinder Head	AIR BRAKE - Spares & Repair Kits	168-179
Cylinder Tube	AIR BRAKE - Spares & Repair Kits	168-179
Dash Valve	MISCELLANEOUS - Miscellaneous	218
Data Plate	ACTUATION - Spares & Repair Kits	194-199
Data Plate	AIR BRAKE - Miscellaneous	166-167
Data Plate	AIR SUSPENSION / LIFT-AXLE - Miscellaneous	110
DC-Motor	HYDRAULICS - DC-Motor	201
DDU	ABS/EBS SYSTEM - Tools & Test Equipment	99
Depot Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Dessicant Air Drier Cartridge	AIR TREATMENT - Spares & Repair Kits	128-135
Diagnostic Cable	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Diagnostic Display Unit (DDU)	ABS/EBS SYSTEM - Tools & Test Equipment	99
Diagnostic PC Interface Software Kit	ABS/EBS SYSTEM - Tools & Test Equipment	99
Diagnostic Unit (Info-Centre)	ABS/EBS SYSTEM - Info-Centre	81
Diaphragm	ACTUATION - Spares & Repair Kits	194-199
Disc Brake	FOUNDATION BRAKE - Disc Brake	69
Disc Brake Pads	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Double Check Valve	AIR BRAKE - Check Valve	158
Drain Tap	AIR TREATMENT - Drain Valve	122-123
Drain Valve	AIR TREATMENT - Drain Valve	122-123
Drain Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Dummy Palm Coupling	AIR BRAKE - Couplings	148-150
Dump Valve	AIR SUSPENSION / LIFT-AXLE - Spares & Repair Kits	111-114
EBS Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
ECAM®	AIR TREATMENT - ECAM®	121
ECU	ABS/EBS SYSTEM - Electronic Control Unit (ECU)	80
EGP Levelling Valve	AIR SUSPENSION / LIFT-AXLE - Levelling Valve	102-103
Electric Solenoid Valve	AIR BRAKE - Electric Solenoid Valve	160
Electro-compressor	AIR BRAKE - Compressor	137
Electromagnetic Operated Valve	HYDRAULICS - Electromagnetic Operated Valve	204
Electronic Control Unit	ABS/EBS SYSTEM - Electronic Control Unit (ECU)	80
Electronic Lining Wear Sensor	FOUNDATION BRAKE - Lining Wear Indicator	70
Electronic Proportioning Relay Valve (EPRV)	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Electronic Proportioning Valve (EPV)	AIR BRAKE - Electronic Proportioning Valve (EPV)	157
Electronically Controlled Air Management System (ECAM®)	AIR TREATMENT - ECAM®	121
ELWS (Electronic Lining Wear Sensor)	FOUNDATION BRAKE - Lining Wear Indicator	70
Emergency Relay Valve (REV)	AIR BRAKE - Relay Emergency Valve (REV)	155-156
End Of Line Test (EOLT)	AIR BRAKE - Tools & Test Equipment	180
EPRV	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
EPV (Electronic Proportioning Valve)	AIR BRAKE - Electronic Proportioning Valve (EPV)	157
Exciter	ABS/EBS SYSTEM - Exciter	85
Female C Coupling	AIR BRAKE - Couplings	148-150
Female CA Coupling	AIR BRAKE - Couplings	148-150
Flex Coil (Suzie)	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Flexastik	AIR BRAKE - Miscellaneous	166-167
Flow Control Valve	ABS/EBS SYSTEM - Spares & Repair Kits	96-98
Flow Control Valve	HYDRAULICS - Valves (various)	210-211
Flow Divider GC	HYDRAULICS - GC Flow Divider	203
Foot Brake Valve	AIR BRAKE - Service Brake Valve	143-144
Framatone Connector Kit	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
GC Flow Divider	HYDRAULICS - GC Flow Divider	203
Gear Pump	HYDRAULICS - Gear Pump	200
Gladhand	AIR BRAKE - Couplings	148-150
Governor	AIR BRAKE - Governor Valve	139
Governor Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Hand Brake Valve	AIR BRAKE - Hand Brake Valve	145
Hand Control Valve	AIR BRAKE - Hand Brake Valve	145
Hand Lever Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Handle Kit	AIR SUSPENSION / LIFT-AXLE - Spares & Repair Kits	111-114
HCV (Height Control Valve)	AIR SUSPENSION / LIFT-AXLE - Levelling Valve	102-103
Heat Shrink Sleeve	ABS/EBS SYSTEM - Spares & Repair Kits	96-98
Heating Element	AIR TREATMENT - Spares & Repair Kits	128-135
Height Control Valve	AIR SUSPENSION / LIFT-AXLE - Levelling Valve	102-103

Description	Group	Page
Hose	MISCELLANEOUS - Miscellaneous	218
Hose Clamp	AIR BRAKE - Miscellaneous	166-167
Hydrair Clutch Servo	AIR BRAKE - Hydrair Clutch Servo	165
Hydraulic Reservoir	MISCELLANEOUS - Miscellaneous	218
Hydraulic Trailer Control Valve	AIR BRAKE - Trailer Control Valve, hydraulic	147
Identification Tag	AIR BRAKE - Miscellaneous	166-167
ILAS* (Integrated Lift-Axle System)	AIR SUSPENSION / LIFT-AXLE - ILAS* (Integrated Lift-Axle System)	105-106
Info-Centre	ABS/EBS SYSTEM - Info-Centre	81
Information Label	AIR SUSPENSION / LIFT-AXLE - Miscellaneous	110
In-line Crimp	ABS/EBS SYSTEM - Spares & Repair Kits	96-98
In-Line Filter	AIR TREATMENT - In-Line Filter	125
Integrated Lift-Axle System (ILAS*)	AIR SUSPENSION / LIFT-AXLE - ILAS* (Integrated Lift-Axle System)	105-106
Junction Box	ABS/EBS SYSTEM - Miscellaneous	94-95
Knob	AIR SUSPENSION / LIFT-AXLE - Spares & Repair Kits	111-114
Leak Detection Spray	MISCELLANEOUS - Miscellaneous	218
Levelling Valve	AIR SUSPENSION / LIFT-AXLE - Levelling Valve	102-103
Lever Operated On-Off Valve	AIR BRAKE - 3/2-Way Valve	152-153
Lever Operated Pressure Regulator	AIR BRAKE - 3/2-Way Valve	152-153
Lift Axle Valve (Control Valve)	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Light Laden Valve	AIR BRAKE - Variable Load Valve	163
Line Filter	AIR TREATMENT - In-Line Filter	125
Lining Wear Indicator	FOUNDATION BRAKE - Lining Wear Indicator	70
Lining Wear Sensor	FOUNDATION BRAKE - Lining Wear Indicator	70
Load Sensing Valve	AIR BRAKE - Load Sensing Valve	162
Loom	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Low Pressure Check Valve	AIR BRAKE - Check Valve	158
Low Pressure Switch	AIR BRAKE - Switch	161
LSV	AIR BRAKE - Load Sensing Valve	162
LSV/REV Combined	AIR BRAKE - Load Sensing Valve	162
LWI (Lining Wear Indicator)	FOUNDATION BRAKE - Lining Wear Indicator	70
LWS (Lining Wear Sensor)	FOUNDATION BRAKE - Lining Wear Indicator	70
Male C Coupling	AIR BRAKE - Couplings	148-150
Male CA Coupling	AIR BRAKE - Couplings	148-150
Manifold Dash Valve	MISCELLANEOUS - Miscellaneous	218
Manual Brake Adjuster	FOUNDATION BRAKE - Manual Slack Adjuster	64-68
Manual Drain Valve	AIR TREATMENT - Drain Valve	122-123
Manual Light Laden Valve	AIR BRAKE - Variable Load Valve	163
Manual Slack Adjuster	FOUNDATION BRAKE - Manual Slack Adjuster	64-68
Maxibrake	ACTUATION - Spring Brake	185-186
MCER Valve	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
MCR Valve	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Memory Controlled Emergency Relay Valve (MCER)	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Memory Controlled Relay Valve (MCR)	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
MLSV (Mechanical Load Sensing Valve)	AIR BRAKE - Load Sensing Valve	162
Modulator Valve	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Monitor Unit	ABS/EBS SYSTEM - Miscellaneous	94-95
Motor - DC	HYDRAULICS - DC-Motor	201
MSA	FOUNDATION BRAKE - Manual Slack Adjuster	64-68
MTC	AIR TREATMENT - Spares & Repair Kits	128-135
Multi-Circuit Protection Valve	AIR BRAKE - Multi-Circuit Protection Valve	141
Multi-Treatment Cartridge - Air Drier SDX	AIR TREATMENT - Spares & Repair Kits	128-135
Multi-Way Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Non-return Valve	AIR BRAKE - Check Valve	158
Overflow Valve	AIR BRAKE - Pressure Protection Valve	142
Pad Retainer	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Pad Spring	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Pads - Disc Brake	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Palm Coupling	AIR BRAKE - Couplings	148-150
Park & Shunt Valve Combined	AIR BRAKE - 3/2-Way Valve	152-153
Park Valve	AIR BRAKE - 3/2-Way Valve	152-153
Parking Socket	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
PC Interface Software Kit	ABS/EBS SYSTEM - Tools & Test Equipment	99
Pedal	AIR BRAKE - Spares & Repair Kits	168-179
Permanent Power Tractor Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
Piston	AIR BRAKE - Spares & Repair Kits	168-179

Description	Group	Page
Piston Cylinder	ACTUATION - Piston Cylinder	187-188
Piston Indicator	ACTUATION - Spares & Repair Kits	194-199
Piston Kit	ACTUATION - Spares & Repair Kits	194-199
Piston Spring Brake	ACTUATION - Spring Brake	185-186
PLSV (Pneumatic Load Sensing Valve)	AIR BRAKE - Load Sensing Valve	162
Plug	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Pneumatic Trailer Control Valve	AIR BRAKE - Trailer Control Valve, pneumatic	146
Polyamide Tube	AIR DISTRIBUTION - Polyamide Tube	213-214
Power Cable	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Pressure Control Test Box	AIR BRAKE - Tools & Test Equipment	180
Pressure Control Tool Box	AIR BRAKE - Tools & Test Equipment	180
Pressure Converter	ACTUATION - Pressure Converter	193
Pressure Gauge	AIR BRAKE - Tools & Test Equipment	180
Pressure Limiting Valve	AIR SUSPENSION / LIFT-AXLE - Pressure Limiting Valve	104
Pressure Protection Valve	AIR BRAKE - Pressure Protection Valve	142
Pressure Reducing Valve	AIR SUSPENSION / LIFT-AXLE - Pressure Limiting Valve	104
Pressure Regulator	AIR SUSPENSION / LIFT-AXLE - Pressure Limiting Valve	104
Pressure Relief Valve	AIR BRAKE - Safety Valve	140
Pressure Safeguard Valve	AIR BRAKE - Pressure Protection Valve	142
Pressure Switch	AIR BRAKE - Switch	161
Pressure Switch	HYDRAULICS - Pressure Switch	206
Purge Valve	AIR SUSPENSION / LIFT-AXLE - Spares & Repair Kits	111-114
Push Button Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Push Pull Valve	AIR BRAKE - 3/2-Way Valve	152-153
Push Pull Valve	AIR SUSPENSION / LIFT-AXLE - Multi-Way Valve	107-108
Push Rod	ACTUATION - Spares & Repair Kits	194-199
QRV (Quick Release Valve)	AIR BRAKE - Quick Release Valve (QRV)	159
Quadruple Protection Valve	AIR BRAKE - Multi-Circuit Protection Valve	141
Quick Release Valve (QRV)	AIR BRAKE - Quick Release Valve (QRV)	159
Rack	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Raise/Lower Valve	AIR SUSPENSION / LIFT-AXLE - Raise/Lower Valve	100-101
Reed Valve	AIR BRAKE - Spares & Repair Kits	168-179
Regeneration Tank	AIR TREATMENT - Spares & Repair Kits	128-135
Regeneration Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Regulating Valve	AIR BRAKE - Regulating Valve	164
Relay Emergency Valve (REV)	AIR BRAKE - Relay Emergency Valve (REV)	155-156
Relay Valve	AIR BRAKE - Relay Valve	154
Release Valve	AIR BRAKE - 3/2-Way Valve	152-153
Relief Valve	HYDRAULICS - Valves (various)	210-211
Reservoir	HYDRAULICS - Reservoir	207
Reservoir (Aluminium Air Tank)	AIR DISTRIBUTION - Air Tank (Aluminium)	216
Reservoir (Steel Air Tank)	AIR DISTRIBUTION - Air Tank (Steel)	215
REV (Relay Emergency Valve)	AIR BRAKE - Relay Emergency Valve (REV)	155-156
REV/LSV Combined	AIR BRAKE - Load Sensing Valve	162
Rotary Distributor	MISCELLANEOUS - Miscellaneous	218
Rotational Air Control Switch	AIR BRAKE - Switch	161
S-ABA	FOUNDATION BRAKE - Automatic Brake Adjuster	62-63
Saddle, for Air Tank	AIR DISTRIBUTION - Saddle, for Air Tank	217
Safety Valve	AIR BRAKE - Safety Valve	140
Safety Valve	AIR TREATMENT - Spares & Repair Kits	128-135
SDX Air Drier, Single	AIR TREATMENT - Air Drier, Single (SDX)	116-118
Sensor	ABS/EBS SYSTEM - Sensor	84
Sensor & Exciter Kit	ABS/EBS SYSTEM - Miscellaneous	94-95
Sensor Extension Cable	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Service Brake Valve	AIR BRAKE - Service Brake Valve	143-144
Service Manual	ABS/EBS SYSTEM - Miscellaneous	94-95
Shock Absorber	MISCELLANEOUS - Miscellaneous	218
Shunt Valve	AIR BRAKE - 3/2-Way Valve	152-153
Shut-Off Cock	AIR SUSPENSION / LIFT-AXLE - Shut-Off Cock	109
Single Air Drier (SD)	AIR TREATMENT - Air Drier, Single (SD)	119
Single Air Drier (SDX)	AIR TREATMENT - Air Drier, Single (SDX)	116-118
Single Check Valve	AIR BRAKE - Check Valve	158
Skid Pressure Sensitive Valve (SPS)	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Slack Adjuster - automatic	FOUNDATION BRAKE - Automatic Brake Adjuster	22-63
Slack Adjuster - manual	FOUNDATION BRAKE - Manual Slack Adjuster	64-68

Description	Group	Page
Socket	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Solenoid	AIR SUSPENSION / LIFT-AXLE - Spares & Repair Kits	111-114
Solenoid	HYDRAULICS - Solenoid	205
Solenoid Valve - Electric	AIR BRAKE - Electric Solenoid Valve	160
Spade Connector	ABS/EBS SYSTEM - Spares & Repair Kits	96-98
Spray Leak Detection	MISCELLANEOUS - Miscellaneous	218
Spring Brake	ACTUATION - Spring Brake	185-186
Spring Brake Actuator	ACTUATION - Spring Brake Actuator	190-191
SPS Valve	ABS/EBS SYSTEM - ABS/EBS Valve	82-83
Starter Solenoid	HYDRAULICS - Starter Solenoid	209
Stoplight Switch	AIR BRAKE - Switch	161
Suzie	ABS/EBS SYSTEM - Cables, Looms, Plugs & Sockets	86-93
Switch	AIR BRAKE - Switch	161
TCV (Trailer Control Valve, hydraulic)	AIR BRAKE - Trailer Control Valve, hydraulic	147
TCV (Trailer Control Valve, pneumatic)	AIR BRAKE - Trailer Control Valve, pneumatic	146
TD Air Drier (TD)	AIR TREATMENT - Air Drier, Twin (TD)	120
Test Pipe	MISCELLANEOUS - Miscellaneous	218
Timer Relay Kit	MISCELLANEOUS - Miscellaneous	218
Trailer Brake Control Valve	AIR BRAKE - 3/2-Way Valve	152-153
		151
Trailer Control Valve, hydraulic	AIR BRAKE - Trailer Control Valve, hydraulic	147
Trailer Control Valve, pneumatic	AIR BRAKE - Trailer Control Valve, pneumatic	146
		151
Tube	MISCELLANEOUS - Miscellaneous	218
Tube - Polyamide	AIR DISTRIBUTION - Polyamide Tube	213-214
Tube Clamp	AIR BRAKE - Miscellaneous	166-167
Tube Coil	AIR BRAKE - Miscellaneous	166-167
Turbo Protection Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Twin Air Drier (TD)	AIR TREATMENT - Air Drier, Twin (TD)	120
Unloader Valve	AIR BRAKE - Unloader Valve	138
Unloading Valve	AIR TREATMENT - Spares & Repair Kits	128-135
Variable Load Sensing Valve	AIR BRAKE - Load Sensing Valve	162
Variable Load Valve	AIR BRAKE - Variable Load Valve	163
Visual Lining Wear Indicator	FOUNDATION BRAKE - Lining Wear Indicator	70
VLWI (Visual Lining Wear Indicator)	FOUNDATION BRAKE - Lining Wear Indicator	70
Warning Lamp	ABS/EBS SYSTEM - Miscellaneous	94-95
Warning Lamp Controller	ABS/EBS SYSTEM - Miscellaneous	94-95
Wedge Brake	ACTUATION - Brake Chamber	181-184
Wedge Brake	ACTUATION - Piston Cylinder	187-188
Worm Wheel	FOUNDATION BRAKE - Spares & Repair Kits	71-75
Yoke	ACTUATION - Spares & Repair Kits	194-199

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
000 700 042	94	003 854 509	86	021 010 409	194	023 014 809	111
000 700 080	94	003 855 209	86	021 011 609	194	023 015 609	111
002 0526 090	168	003 863 709	86	021 013 009	194	023 015 809	170
002 0527 090	168	003 892 709	86	021 013 209	194	024 000 109	170
002 0530 090	111	003 918 409	96	021 014 009	194	024 001 709	195
003 000 809	217	009 002 509	218	021 015 109	195	024 002 109	170
003 000 909	217	009 405 709	218	021 016 309	169	024 002 609	219
003 001 009	217	009 408 909	180	021 017 109	195	024 002 709	195
003 001 109	217	011 003 609	168	021 018 809	195	024 002 909	219
003 005 209	168	011 009 319	168	021 021 419	195	024 003 009	219
003 005 919	168	011 013 809	168	021 021 509	195	024 003 409	219
003 009 309	168	011 085 109	219	021 038 309	195	024 003 709	219
003 033 609	194	011 100 009	168	021 040 909	195	024 004 609	219
003 038 009	168	011 102 409	168	021 041 509	195	024 004 809	219
003 038 609	168	011 128 209	168	021 048 309	111	024 005 109	219
003 400 819	194	012 010 409	168	021 051 109	195	024 005 609	170
003 402 009	194	012 038 919	168	021 051 809	195	024 005 709	195
003 402 109	194	012 0540 090	194	021 060 809	195	024 005 809	219
003 416 119	168	013 0503 090	166	021 061 609	195	024 006 109	170
003 437 909	194	013 0504 090	166	021 064 509	169	024 006 609	219
003 480 209	168	014 000 809	168	021 067 609	111	024 006 709	170
003 485 509	168	014 009 209	168	021 067 709	111	024 006 809	219
003 500 409	168	014 062 109	168	021 069 809	195	024 006 909	170
003 508 909	168	014 062 309	168	022 000 109	128	024 007 409	111
003 535 309	168	014 083 409	194	022 0004 090	195	024 007 509	170
003 561 409	194	014 100 209	168	022 0005 090	195	024 007 909	170
003 567 809	194	014 101 509	169	022 0007 090	195	024 008 009	219
003 567 909	194	014 111 109	169	022 0015 090	195	024 008 509	170
003 568 009	194	014 114 309	70	022 0021 090	195	024 008 809	170
003 568 309	194	014 700 809	96	022 0035 090	195	024 009 109	195
003 575 709	111	014 700 909	96	022 0036 090	195	024 009 709	219
003 587 409	111	014 705 709	96	022 0037 090	195	024 010 009	170
003 591 709	71	014 707 109	110	022 006 109	169	024 010 209	219
003 591 809	71	014 707 209	110	022 007 609	195	024 010 309	170
003 603 309	111	014 717 109	96	022 009 219	195	024 010 709	170
003 607 009	111	014 718 309	169	022 014 709	169	024 011 209	219
003 607 619	110	015 018 109	194	022 014 809	169	024 011 609	195
003 607 709	111	015 052 609	169	022 017 009	195	024 013 509	219
003 607 909	111	015 102 609	111	022 017 409	195	024 013 709	219
003 614 419	111	015 502 909	96	022 018 009	195	024 014 509	170
003 614 509	111	016 015 119	169	022 018 309	166	024 015 009	170
003 616 009	94	016 025 219	128	022 018 909	169	024 015 109	219
003 616 409	194	016 167 409	169	022 020 609	195	024 016 309	219
003 624 309	111	016 186 509	169	022 020 909	195	024 016 509	128
003 733 509	86	016 188 609	169	022 0501 090	169	024 017 209	170
003 755 509	84	016 197 809	194	022 0503 090	219	024 018 709	170
003 760 509	84	016 258 009	219	022 0508 090	169	024 020 509	170
003 768 209	94	016 278 909	194	023 000 109	195	024 020 709	195
003 774 009	86	016 310 709	169	023 001 919	169	024 020 909	170
003 786 109	94	016 313 309	111	023 002 209	169	024 023 309	170
003 787 409	96	016 354 509	111	023 002 409	169	024 023 609	170
003 787 509	96	016 357 909	111	023 003 709	195	024 023 909	219
003 791 909	96	016 358 409	111	023 003 909	169	024 024 709	170
003 792 009	96	016 700 809	96	023 004 009	169	024 024 809	219
003 792 109	96	016 705 509	85	023 004 209	169	024 025 219	170
003 794 209	94	017 008 009	169	023 004 609	169	024 025 509	111
003 824 309	86	018 500 309	85	023 004 909	169	024 026 509	195
003 825 809	71	018 500 409	85	023 005 209	169	024 026 609	195
003 825 909	71	018 500 509	85	023 011 209	169	024 026 909	195
003 839 109	158	021 001 909	194	023 011 409	169	024 027 609	128
003 843 309	86	021 004 109	194	023 011 809	170	024 027 709	111
003 846 709	86	021 005 809	194	023 011 909	170	024 030 109	170
003 852 809	86	021 006 509	194	023 012 009	170	024 030 709	219
003 852 909	86	021 009 209	194	023 014 109	170	024 030 809	170

Part Number	Page
024 031 109	195
024 031 409	219
024 032 309	170
024 032 809	170
024 033 509	170
024 036 009	196
024 038 209	170
024 038 309	170
024 039 609	196
024 040 109	196
024 040 209	196
024 040 509	219
024 041 709	219
024 043 109	196
024 044 309	128
024 047 409	170
024 052 809	196
024 053 809	196
024 055 009	111
024 055 109	111
024 055 209	219
024 055 509	111
024 060 109	196
024 062 009	111
024 063 409	219
024 063 509	111
024 063 609	111
024 064 109	128
024 065 609	111
024 072 309	219
024 500 309	96
025 001 209	170
025 002 109	170
025 003 209	170
025 006 709	170
025 007 509	112
025 009 109	196
025 009 709	196
025 010 209	196
025 011 809	196
025 011 909	112
025 012 009	196
025 012 209	112
025 013 109	170
025 013 409	196
025 014 109	170
025 014 209	171
025 014 409	171
025 015 409	128
025 015 519	196
025 015 629	196
025 015 719	196
025 015 819	196
025 017 509	196
025 021 309	171
025 022 609	196
025 025 109	171
025 030 209	196
025 031 309	112
025 031 409	171
025 033 409	218
025 033 609	196
025 033 709	112
025 033 809	171

Part Number	Page
025 033 909	171
025 034 009	196
025 034 109	171
025 034 409	171
025 034 709	171
025 034 809	171
025 034 909	171
025 035 209	196
025 035 709	171
025 037 909	219
025 038 209	196
025 040 209	219
025 040 509	219
025 040 609	219
025 040 709	196
025 040 809	196
025 040 909	196
025 044 719	196
025 045 209	196
025 045 309	196
025 045 409	196
025 045 509	171
025 046 609	112
025 046 909	196
025 047 809	171
025 048 209	171
025 049 209	96
025 050 009	171
025 0501 090	166
025 0503 090	166
025 050 809	196
025 052 309	171
025 052 409	112
025 052 819	196
025 053 209	196
025 053 709	112
025 054 309	196
025 056 409	196
025 056 509	112
025 062 209	219
026 000 509	171
026 000 709	171
026 003 209	171
026 003 309	128
026 003 409	171
026 004 709	171
026 005 319	171
026 006 509	171
026 012 009	172
026 012 109	172
026 012 909	172
026 013 709	112
026 015 409	112
026 015 609	112
026 016 709	172
026 500 009	96
027 001 309	128
027 002 409	172
027 004 809	172
027 009 829	172
027 010 109	172
027 010 209	172
027 010 909	128
027 011 019	128

Part Number	Page
027 014 209	172
027 018 009	172
027 018 010	172
027 020 909	196
027 022 209	172
027 023 309	172
027 042 109	172
027 044 509	128
027 047 009	172
027 047 109	172
027 049 009	112
027 050 209	112
027 0502 090	172
027 050 309	112
027 0510 090	172
027 053 009	112
027 054 409	112
027 055 309	112
027 056 509	172
027 056 609	172
027 059 409	172
027 066 509	112
027 503 109	96
027 503 209	96
027 503 309	96
027 503 509	96
027 504 309	96
027 504 409	97
027 504 509	97
027 507 809	71
027 509 409	71
027 526 009	97
028 002 609	166
028 003 009	166
028 003 109	166
028 021 609	166
028 023 509	112
028 027 909	166
028 028 009	166
028 029 419	172
028 030 309	110
028 035 509	110
028 037 909	166
028 038 309	166
028 040 509	166
028 041 019	110
028 042 309	166
028 042 409	94
028 044 309	166
028 506 809	94
028 518 909	94
028 525 709	94
028 526 209	94
028 527 609	94
028 527 709	94
028 530 109	94
029 000 109	172
029 000 309	128
029 000 409	172
029 006 009	196
029 006 409	172
03003	71
030 1003 9612C	216
030 1020 615C	216

Part Number	Page
030 1520 615C	216
030 200 109	217
030 200 109F	217
030 200 209	217
030 200 309	217
030 200 309F	217
030 200 409	217
030 200 409F	217
030 200 609	217
030 2024 615C	216
030 2524 615C	216
030 3024 615C	216
030 3030 014C	216
030 350 209	215
030 350 509	215
030 350 609	215
030 350 909	215
030 351 209	215
030 351 309	215
030 351 509	215
030 351 609	215
030 351 709	215
030 351 809	215
030 352 009	215
030 352 109	215
030 352 209	215
030 360 809	215
030 362 009	215
030 363 609	215
030 4027 615C	216
030 4031 013C	216
030 512 515D	216
030 515 215A	216
030 515 215B	216
030 520 615F	216
030 6027 615C	216
030 6031 013C	216
030 6039 612C	216
030 8039 612C	216
031 000 109	172
031 000 209	172
031 000 909	112
031 001 209	172
031 001 309	112
032 071 409	112
032 253 013S	215
032 304 513S	215
032 306 013S	215
032 308 013S	215
032 400 001S	217
032 500 001S	217
033 001 409	166
033 001 509	166
033 016 009	166
033 016 509	166
035 005 609	218
035 014 609	218
037 002 309	180
037 002 429	180
038 000 619	219
039 001 909	172
039 002 109	173
039 005 309	173
039 005 509	173

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
039 005 709	173	056 028 909	113	067 001 702R	213	100 101 070	65
039 005 909	173	056 501 009	97	067 001 702Y	213	100 101 071	65
039 006 109	173	056 501 109	97	067 001 703	213	100 101 072	65
039 006 509	173	057 000 109	197	067 001 801	213	100 101 145	65
039 006 709	173	057 009 309	197	067 001 802	213	100 101 364	66
041 009 809	112	057 012 109	197	067 001 802R	213	100 101 365	66
041 011 009	112	057 012 209	197	067 001 802Y	213	100 101 366	66
041 011 509	112	057 018 009	197	067 001 803	213	100 101 367	66
041 011 909	112	057 029 809	197	067 001 901	213	100 101 741	66
041 013 609	128	058 010 709	220	067 001 902	213	100 101 743	66
041 013 709	128	059 003 209	128	067 002 001	213	100 106 005	66
042 002 009	112	059 008 009	173	067 002 002	213	100 114 075	66
042 011 309	97	059 008 109	173	067 002 002R	213	100 213 749	66
042 011 409	97	059 008 609	173	067 002 002Y	213	100 215 921	66
042 018 009	112	059 009 009	173	067 002 101	213	100 313 749	66
042 021 009	113	059 009 109	173	067 002 102	213	100 315 921	66
042 021 209	173	059 018 309	173	067 002 102R	214	100 401 204	66
042 022 709	86	059 040 909	173	067 002 102Y	214	100 501 204	66
042 022 809	86	059 043 809	173	067 002 201	214	101977P	197
042 507 409	94	059 043 909	173	067 002 202	214	102 060 001	66
042 507 709	86	059 044 009	173	067 002 203	214	102 060 031	66
042 507 809	86	059 044 809	173	067 006 001	214	102 060 291	66
042 507 909	97	059 046 009	113	067 006 002	214	102 062 201	66
042 516 609	97	059 046 409	113	067 006 003	214	102 066 001	66
042 516 709	97	059 507 609	86	067 006 501	214	102 172 001	66
042 516 809	97	059 507 709	86	067 006 502	214	102 172 031	66
042 548 009	97	059 507 809	87	067 006 502R	214	102 315 271	66
042 548 109	97	059 508 809	87	067 006 502Y	214	102 315 291	66
042 549 509	97	059 508 909	87	067 006 801	214	102 315 341	66
042 566 409	97	059 509 409	87	067 006 802	214	102 317 201	67
042 572 209	97	059 509 809	87	073 0501 090	218	102428AA	174
043 0533 090	166	059 510 109	87	100 000 003	85	10283C	22
045 006 309	113	059 510 409	87	100 001 021	64	10284C	22
048 007 609	71	059 510 609	87	100 001 023	64	102 904 281	67
049 000 809	197	059 511 409	97	100 001 025	64	102 915 351	67
049 001 409	173	059 511 509	97	100 001 027	64	102 916 351	67
049 004 009	173	059 511 609	97	100 001 030	64	102 917 371	67
050 001 909	218	059 511 709	97	100 001 122	64	102 922 291	67
05001	128	059 511 809	97	100 001 125	64	102 923 341	67
051 004 909	113	059 511 909	97	100 001 128	64	102 925 111	67
051 009 909	113	059 512 309	97	100 001 721	65	102 925 394	67
051 026 709	173	059 512 409	97	100 001 760	65	103 001 001	67
051 063 009	113	059 512 509	97	100 002 163	65	103 002 001	67
051 063 109	113	059 515 609	87	100 002 166	65	103 003 001	67
053 002 209	173	059 521 709	113	100 002 167	65	103 004 001	67
054 000 709	173	059 521 909	87	100 002 568	65	103 005 001	67
054 001 309	219	065 000 109	218	100 012 345	65	103 006 001	67
054 001 409	220	065 000 109/40	218	100 012 346	65	103 007 001	67
054 002 209	173	065 001 009/40	218	100 012 901	65	103 009 001	67
054 002 309	220	067 001 101	213	100 012 911	65	103 010 001	67
054 002 409	220	067 001 102	213	100 014 750	65	103 011 001	67
054 002 509	113	067 001 103	213	100 014 753	65	103 012 001	67
054 002 909	220	067 001 501	213	100 016 170	65	103 013 001	67
054 003 009	220	067 001 502	213	100 016 970	65	103 014 001	67
054 009 409	113	067 001 502R	213	100 101 003	65	103 016 001	67
054 010 409	220	067 001 502Y	213	100 101 006	65	103 017 001	67
054 011 509	173	067 001 503	213	100 101 007	65	103 018 001	67
055 002 809	113	067 001 601	213	100 101 008	65	103 019 001	67
056 000 709	173	067 001 602	213	100 101 009	65	103 020 001	67
056 003 309	173	067 001 602R	213	100 101 040	65	103 021 001	67
056 007 409	220	067 001 602Y	213	100 101 041	65	10420	71
056 016 409	197	067 001 603	213	100 101 042	65	10421	71
056 020 209	197	067 001 701	213	100 101 045	65	104 401 051	67
056 020 909	197	067 001 702	213	100 101 047	65	104 401 053	67

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
104 401 201	67	120 916 318	182	125 200 405	183	135 1624 008	185
104 401 401	68	120 916 319	182	125 200 406	183	135 1624 010	185
104 406 401	68	120 920 314	182	125 200 407	183	135 1624 011	185
104 407 401	68	120 920 315	182	125 200 408	183	135 2024 003	185
104 414 402	68	120 920 322	182	125 240 001	183	135 2024 004	185
104 501 051	68	120 920 323	182	125 240 400	183	135 2024 005	185
104 501 053	68	120 920 324	182	125 240 401	183	135 2024 006	185
104 501 201	68	120 920 325	182	125 240 402	183	135 2024 010	185
104 501 401	68	120 920 326	182	125 240 403	183	135 2024 011	185
104 506 401	68	120 920 330	182	125 240 404	183	136 2030 001	185
104 507 401	68	120 920 331	182	125 240 405	183	136 2430 001	185
104 514 402	68	120 920 334	182	125 240 406	184	136 2430 002	185
10519C	22	120 920 335	183	125 240 407	184	136 3030 001	185
10714C	22	120 924 306	183	125 240 408	184	173709	128
10715C	22	120 924 315	183	12EM10VE125	204	18FJ3	212
10868C	22	120 924 322	183	12EM15S	205	200 015 001	148
10869C	22	120 924 323	183	12EM15VE124	204	200 016 011	148
10911C	22	120 924 327	183	12EM15VE125	204	200 017 041	148
10912C	22	120 924 330	183	12EM15VE127	204	200 018 001	148
10937C	22	120 924 332	183	12EM15VE21AH	204	200 019 001	174
10938C	22	120 924 333	183	12EM15VE36AH	204	200 020 001	174
10939C	22	120 927 303	183	12EM15VE80H	204	200 020 011	174
11011C	23	120 936 301	183	12MA42THSWA	201	20099-01	208
11547	166	12112C	23	12MB12TP	201	20099-02	208
12001	71	12113C	23	12MB12TWA	201	20099-03	208
120 311 101	181	121 140 003	183	1300095	203	20099-04	208
120 330 201	181	121 150 003	183	1300096	203	20099-05	208
120 331 101	181	121 234 003	183	1300159	203	20099-06	208
120 331 201	181	121 254 003	183	1300315	203	20099-07	208
120 331 201AC	181	121 264 003	183	1300323	203	20099-08	208
120 331 291	181	12132C	23	1300352	203	20099-09	208
120 335 100	181	12141C	23	1300484	203	20099-10	208
120 340 203	181	12142C	23	1300636	203	20099-11	208
120 341 101	181	12194C	23	1300637	203	20099-12	208
120 341 201	181	12195C	23	1303144	203	20099-13	208
120 341 201AC	181	12206C	23	1303147	203	205 001 001	158
120 341 203	181	12207C	23	1303149	203	205 001 011	158
120 350 201	181	12243C	23	1303157	203	205 004 001	158
120 350 203	181	12244C	23	1303166	203	206 001 001	122
120 350 204	181	12254C	23	1303435	200	206 001 011	122
120 351 101	181	12255C	23	1303436	200	206 001 401	122
120 351 201	181	12256C	23	1303437	200	206 001 601	122
120 351 201AC	181	12258C	23	1303438	200	206 001 611	122
120 351 291	181	12307C	23	1303439	200	206 002 001	122
120 356 201	181	12310C	23	1303440	200	206 002 401	122
120 360 201	181	12311C	23	1303441	200	206 004 001	122
120 360 291	181	12312C	23	1303442	200	206 005 401	122
120 361 101	181	12313C	23	1303443	200	206 005 751	122
120 361 201	182	12314C	23	1303444	200	207 012 001	152
120 361 201AC	182	12350C	23	1303455	201	207 012 021	152
120 361 203	182	12351C	23	1303456	201	207 013 001	152
120 361 291	182	12356C	23	1303457	201	207 013 021	152
120 376 102	182	12363C	23	1303460	201	23400	212
120 434 203	182	12364C	23	1303462	201	24EM10VE125	204
120 444 203	182	124 100 101	197	1303464	201	24EM15S	205
120 454 203	182	124 100 121	197	1303465	201	24EM15VE124	204
120 464 203	182	124 100 301	197	1303510	207	24EM15VE125	204
120 912 305	182	124 100 321	197	1303519	209	24EM15VE127	204
120 912 307	182	124 135 321	197	1303525	210	24EM15VE21AH	204
120 916 306	182	125 150 001	183	135 1624 003	185	24EM15VE36AH	204
120 916 309	182	125 160 001	183	135 1624 004	185	24EM15VE80H	204
120 916 310	182	125 160 003	183	135 1624 005	185	24MA42THSP	201
120 916 311	182	125 160 400	183	135 1624 006	185	24MA42THSPR	201
120 916 312	182	125 200 001	183	135 1624 007	185	24MA42THSWA	201

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
24MA42TP	201	314 014 005	142	329 006 341	146	336 000 06	174
24MA42TWA	201	314 014 008	142	329 006 361	146	336 000 07	174
24MB22TP	201	314 014 012	142	329 007 001	152	336 000 16	174
24MB22TPR	201	314 014 031	142	329 015 001	152	336 000 25	174
24MB22TWA	201	314 059 001	141	329 017 241	147	336 000 33	174
24MF22S-HWA	201	314 060 001	141	329 020 201	147	336 000 48	174
24MG32THE	201	314 067 001	141	329 020 241	147	336 000 49	174
26016709	174	314 096 501	141	329 020 251	147	336 000 51	174
30001-00	210	314 110 001	142	329 020 261	147	336 002 36	174
301 109 003	137	315 004 001	140	329 020 271	147	336 002 44	174
301 110 028	137	315 004 002	140	329 020 281	147	336 002 60	174
301 111 011	137	315 004 003	140	329 020 291	147	336 002 61	174
301 112 003	137	315 004 022	140	329 020 301	147	336 002 62	174
301 114 001	137	315 004 031	140	329 020 311	147	336 002 63	174
301 205 101	137	315 004 121	140	329 020 321	147	336 002 64	174
30260-00-###-A	206	315 016 001	122	329 020 331	147	336 002 65	174
30260-01-###-A	206	315 016 011	122	329 020 341	147	336 002 67	174
303 002 001	161	315 016 021	122	329 020 371	147	336 002 69	174
30325-00-###-A	206	315 018 001	123	329 020 401	147	337 002 001	165
30325-01-###-A	206	315 019 001	123	329 020 421	147	337 002 84	174
30355-00-###-A	206	315 019 011	123	329 020 471	147	338 021 001	100
30355-01-###-A	206	315 031 001	123	329 024 071	146	338 031 611	100
30356-00-###-A	206	315TNK1A	207	330 600 06	137	338 032 001	100
30356-01-###-A	206	315TNK1B	207	330 600 07	137	338 047 001	100
306 012 011	137	315TNK2A	207	330 600 32	137	338 050 101	100
310 005 001	125	315TNK2B	207	330 600 39	137	338 051 001	100
310 005 011	125	315TNK3A	207	330 900 00	193	338 051 002	100
311 067 007	94	315TNK3B	207	330 900 01	218	338 051 101	100
312 013 012	138	320 003 103	143	330 900 09	193	338 051 102	100
312 013 014	138	320 052 011	143	332 005 021	107	338 051 111	100
312 013 015	138	320 053 001	143	332 005 141	107	338 051 112	100
312 013 031	138	320 059 001	143	333 001 101	158	338 051 121	100
312 017 012	138	320 060 101	143	333 004 001	158	338 051 122	100
312 017 014	138	320 060 102	143	333 007 001	158	338 051 131	100
312 017 041	138	320 060 103	143	334 004 001	148	338 051 132	100
312 019 011	138	320 060 111	143	334 007 001	148	338 051 141	100
312 019 012	138	320 060 112	143	334 025 031	148	338 052 101	100
312 029 014	138	320 060 113	143	334 026 031	148	338 052 102	100
312 030 001	138	320 060 121	143	334 028 001	148	338 053 002	100
312 030 002	138	320 060 122	143	334 043 001	148	338 053 101	100
312 040 011	139	320 060 123	143	334 047 001	109	338 054 001	100
312 041 001	138	320 062 111	143	334 053 201	148	338 054 002	101
312 041 002	138	320 063 101	143	334 053 211	148	338 055 002	101
312 042 001	138	320 063 102	143	334 053 221	149	338 055 101	101
313 019 011	126	320 063 103	143	334 053 231	149	338 056 001	101
313 019 021	126	320 063 104	143	334 053 261	149	338 056 002	101
314 001 001	158	320 063 111	143	334 053 301	149	338 057 001	101
314 012 001	142	320 063 112	143	334 053 311	149	338 057 002	101
314 012 002	142	320 063 113	143	334 054 201	149	338 057 101	101
314 012 003	142	320 063 114	143	334 054 211	149	338 058 101	101
314 012 004	142	320 063 121	144	334 054 231	149	338 059 101	101
314 012 005	142	320 063 122	144	334 054 241	149	339 000 01	197
314 012 104	142	320 063 123	144	334 055 201	149	339 000 09	197
314 013 001	142	320 065 001	144	334 055 211	149	339 000 49	197
314 013 002	142	320 066 001	144	334 055 231	149	339 000 54	174
314 013 003	142	321 010 101	165	334 055 401	149	339 000 82	197
314 013 005	142	321 015 001	165	334 063 001	149	339 018 001	149
314 013 006	142	321 019 001	165	334 063 011	149	339 019 001	149
314 013 008	142	321 020 001	165	334 064 001	149	339 020 001	149
314 013 012	142	321 023 001	165	334 064 011	149	339 021 001	149
314 013 023	142	321 024 001	165	334 066 001	149	339 022 001	150
314 014 001	142	328 008 031	145	334 071 001	149	339 023 001	150
314 014 002	142	328 026 001	145	334 072 001	149	340 005 001	187
314 014 003	142	329 006 121	146	334 077 001	109	340 008 001	187

Part Number	Page
340 010 031	187
340 011 001	187
340 011 021	187
340 013 001	187
340 026 001	187
340 026 011	187
340 027 001	187
340 027 011	187
340 029 001	187
340 029 011	187
340 029 031	187
340 029 041	187
340 034 201	187
340 034 211	187
340 035 201	187
340 053 001	187
340 058 001	187
340 071 001	187
340 076 001	188
340 076 002	188
340 079 001	188
340 079 002	188
340 079 003	188
341 004 011	189
341 011 021	189
341 032 011	189
343 001 001	192
343 031 061	192
343 031 062	192
343 101 001	192
343 102 001	192
343 201 001	192
343 251 001	192
343 252 001	192
343 314 001	192
343 315 001	192
343 410 501	192
343 411 001	192
344 008 051	190
344 008 201	190
344 008 221	190
344 008 231	190
344 008 251	190
344 008 261	190
344 008 361	190
344 008 501	190
344 008 521	190
344 008 531	190
344 008 561	190
344 010 001	190
344 017 101	190
344 019 101	190
344 019 151	190
344 024 001	190
344 024 101	190
344 024 501	190
344 024 601	190
344 025 001	190
344 026 101	190
344 028 001	190
344 028 011	191
344 028 021	191
344 028 031	191
344 030 101	191

Part Number	Page
344 032 101	191
344 044 001	191
344 046 001	191
344 047 101	191
344 048 101	191
344 050 001	191
344 051 001	191
345 019 001	184
345 019 002	184
345 020 001	184
345 020 002	184
345 100 168	184
345 125 110	184
345 228 158	184
345 403 157	184
345 403 158	184
346 022 001	185
346 100 002	185
346 101 001	185
346 101 002	185
346 140 001	186
346 184 001	186
346 185 001	186
346 186 001	186
346 187 001	186
350 001 101	155
350 019 001	155
350 020 201	155
350 023 101	155
350 026 002	155
350 026 003	155
350 026 102	155
350 027 002	155
350 027 202	155
350 028 001	155
350 028 101	155
350 036 001	159
350 036 011	159
350 037 001	159
350 037 011	159
351 001 141	155
351 001 611	155
351 006 021	155
351 008 022	155
351 008 023	156
351 008 024	156
351 008 111	156
351 008 122	156
351 008 124	156
351 009 021	156
351 009 121	156
351 011 011	174
351 012 001	162
351 014 001	162
351 022 001	156
351 032 031	157
351 033 001	156
352 001 001	152
352 005 401	152
352 006 201	152
352 007 401	152
352 011 101	163
352 011 102	163
352 011 121	163

Part Number	Page
352 011 122	163
352 011 141	163
352 011 171	163
352 012 001	152
352 012 101	152
352 018 001	153
352 018 011	153
352 018 021	153
352 018 031	153
352 019 001	153
352 019 011	153
352 019 031	153
352 019 041	153
352 022 001	107
352 022 011	107
352 025 011	153
352 026 011	153
352 028 001	105
352 028 011	105
352 028 012	105
352 028 013	105
352 028 014	105
352 029 001	153
352 030 001	153
352 032 030	105
352 032 035	105
352 032 045	105
352 035 A35	105
352 035 C42	105
352 035 H30	105
352 035 P36	105
352 037 I32	105
352 037 Z51	105
352 039 001	163
352 042 001	107
352 042 011	107
352 044 001	153
352 045 001	153
352 046 001	153
352 047 025	105
352 047 030	105
352 047 032	105
352 047 035	105
352 047 040	105
352 047 045	105
352 047 048	105
352 047 100	105
352 047 200	105
352 049 000	105
352 049 100	105
352 049 200	105
352 051 000	105
352 051 100	105
352 051 200	106
352 051 I40	106
352 053 001	107
352 054 E35	106
352 054 I33	106
352 054 X53	106
352 057 001	107
352 057 011	107
352 058 001	153
352 061 101	106
352 061 111	106

Part Number	Page
352 062 101	106
352 062 111	106
355 018 001	154
355 018 011	154
355 018 071	154
355 023 061	154
355 029 501	146
355 093 001	154
355 094 001	146
355 094 011	146
356 001 001	159
356 001 011	159
356 005 101	164
356 005 102	164
356 005 103	164
356 005 104	164
356 006 011	159
356 009 011	164
356 009 012	164
356 010 011	164
356 010 031	164
356 012 061	159
356 013 011	159
356 022 001	159
356 022 011	159
356 022 021	159
356 022 031	159
356 023 001	159
356 023 011	159
356 023 021	159
356 023 031	159
357 001 002	104
357 001 004	104
357 004 021	104
357 004 024	104
357 004 025	104
357 004 051	104
357 012 021	104
357 012 022	104
357 012 031	104
357 012 032	104
360 009 141	107
360 009 241	107
360 009 341	107
360 014 001	113
361 006 102	161
361 006 201	161
361 006 302	161
361 006 305	161
361 006 306	161
361 007 001	161
361 007 103	161
361 007 104	161
361 007 201	161
361 007 301	161
361 007 302	161
361 007 305	161
364 077 021	87
364 077 031	87
364 094 031	84
364 096 102	87
364 096 112	87
364 143 001	87

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
364 157 021	82	364 453 001	175	51420	72	612 048 171	103
364 161 021	82	364 454 001	175	52717	72	612 048 181	103
364 175 101	87	364 454 011	175	531 040 001	218	612 048 191	103
364 193 001	87	376102	220	531 049 021	218	613 005 001	162
364 194 001	87	378723	197	531 049 041	218	61TT	212
364 194 021	87	378731	197	532 132 011	218	6202-2Z	212
364 212 001	87	378763	220	533HL1	212	6203-2Z	212
364 212 011	87	380 073 490	166	533HL2	212	6204-2Z	212
364 212 021	87	380 351 007	157	53600	212	63008	72
364 212 031	87	393 477 001	113	541 033 011	188	684 700 20	220
364 212 041	87	393 670 001	94	54183S	128	70510C	23
364 212 051	87	400TNK2A	207	551 018 001	107	70511C	24
364 215 001	87	400TNK2B	207	554 005 001	107	70512C	24
364 251 001	82	400TNK3A	207	554 020 001	108	70518C	24
364 295 001	87	400TNK3B	207	560 002 133	144	70519C	24
364 307 001	88	400TNK4A	207	560 025 041	144	70526C	24
364 307 011	88	400TNK4B	207	560 030 001	144	70530C	24
364 307 021	88	40135	161	560 035 001	144	70532C	24
364 307 031	88	40139-01	212	560 037 001	144	70542C	24
364 317 001	81	40288-00	212	567 002 002	104	70543C	24
364 317 011	81	40288-01	212	567 006 001	104	70544C	24
364 317 021	81	40292-00	212	570 299 09	197	70545C	24
364 328 001	94	40356-00	212	570TNK	207	70571C	24
364 329 001	88	417606	212	60035-00	212	70572C	24
364 329 011	88	445TNK2A	207	60078-00	212	70573C	24
364 329 021	88	445TNK2B	207	60087-00	202	70576C	24
364 329 031	88	445TNK3A	207	60087-01	202	70582C	24
364 329 041	88	445TNK3B	207	60087-02	202	70583C	24
364 338 001	88	445TNK4A	207	600TNK	207	70608C	24
364 338 011	88	445TNK4B	207	601 002 001	162	70609C	24
364 338 021	88	45424	71	601 002 021	162	70615C	24
364 339 001	88	45425	71	601 013 001	162	70619C	24
364 340 001	88	45908	71	601 013 011	162	70620C	24
364 340 011	88	46355	71	60194-00	202	70621C	24
364 341 001	88	46390	71	60194-01	202	70622C	24
364 341 011	88	46555	71	602 005 001	162	70624C	24
364 343 001	88	47200	212	60294-00	212	70626C	24
364 343 011	88	47263	71	612 017 001	102	70627C	24
364 344 001	88	47268	71	612 017 061	102	70634C	24
364 344 021	88	47359	72	612 017 071	102	70641C	25
364 345 001	88	48000	212	612 017 091	102	70642C	25
364 346 001	88	481 002 00	175	612 025 001	113	70643C	25
364 347 001	88	481 002 24	113	612 031 001	102	70660C	25
364 347 011	89	481 002 25	113	612 031 011	102	70678C	25
364 348 001	89	481 002 67	113	612 032 001	102	70687C	25
364 349 001	89	481 002 87	113	612 035 001	102	70702C	25
364 357 001	89	481 003 67	113	612 035 011	102	70706C	25
364 357 011	89	48MB82LX-PR	201	612 035 021	102	70708C	25
364 358 001	89	48MB82LX-WA	201	612 035 031	102	70716C	25
364 359 001	89	50002-00	209	612 035 041	102	70717C	25
364 359 011	89	50131-00	209	612 035 051	102	70718C	25
364 362 011	89	50132-00	209	612 035 061	102	70719C	25
364 362 021	89	50216-00	209	612 035 071	102	70720C	25
364 364 031	89	50275-00	209	612 036 001	102	70726C	25
364 366 021	89	50448-00	212	612 046 011	102	70752C	25
364 374 001	89	50464-00	212	612 046 031	102	70753C	25
364 377 001	89	509RR	212	612 046 111	102	70754C	25
364 377 011	89	510401	210	612 048 101	102	70759C	25
364 384 001	89	510RR	212	612 048 111	103	70762C	25
364 385 001	81	512FKS3	212	612 048 121	103	70764C	25
364 385 011	81	51326	72	612 048 131	103	70768C	25
364 450 001	174	51360	72	612 048 141	103	70771C	25
364 450 011	174	51362	72	612 048 151	103	70772C	25
364 452 001	175	514 007 011	142	612 048 161	103	70775C	25

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
70785C	25	70952C	28	71847S	129	72157C	31
70786C	25	70953C	28	71868S	129	72168C	31
70787C	26	70954C	28	72007C	29	72173C	31
70789C	26	70955C	28	72008C	29	72174C	31
70799C	26	70956C	28	72014C	29	72177C	32
70800C	26	70957C	28	72015C	29	72178C	32
70802C	26	70959C	28	72016C	29	72179C	32
70803C	26	70969C	28	72017C	29	72180C	32
70804C	26	70970C	28	72018C	29	72181C	32
70809C	26	70975C	28	72019C	29	72182C	32
70810C	26	70976C	28	72028C	29	72189C	32
70823C	26	70977C	28	72029C	29	72190C	32
70824C	26	70978C	28	72030C	29	72191C	32
70825C	26	70979C	29	72031C	29	72192C	32
70832C	26	70980C	29	72033C	29	72195C	32
70833C	26	70986C	29	72034C	29	72198C	32
70838C	26	70989C	29	72035C	29	72199C	32
70839C	26	70990C	29	72036C	29	72203C	32
70840C	26	70991C	29	72037C	30	72204C	32
70841C	26	70992C	29	72038C	30	72205C	32
70851C	26	70993C	29	72039C	30	72207C	32
70852C	26	70996C	29	72040C	30	72208C	32
70854C	26	71020	128	72041C	30	72211C	32
70855C	26	71034	128	72046C	30	72212C	32
70856C	26	71036	128	72053C	30	72213C	32
70859C	26	71038	128	72054C	30	72214C	32
70865C	26	71039	128	72055C	30	72215C	32
70866C	27	71053	128	72056C	30	72216C	32
70867C	27	71054	129	72059C	30	72217C	32
70869C	27	71057	129	72060C	30	72218C	32
70870C	27	71058	129	72061C	30	72223C	32
70871C	27	71059	129	72062C	30	72234C	33
70872C	27	71060	129	72063C	30	72235C	33
70880C	27	71136S	129	72064C	30	72238C	33
70881C	27	71137S	129	72065C	30	72239C	33
70882C	27	71139S	129	72069C	30	72249C	33
70883C	27	71200	120	72070C	30	72250C	33
70884C	27	71201	120	72085C	30	72251C	33
70886C	27	71202	120	72086C	30	72253C	33
70887C	27	71203	120	72096C	30	72254C	33
70891C	27	71206	120	72097C	31	72255C	33
70892C	27	71208	120	72103C	31	72256C	33
70893C	27	71209	120	72104C	31	72259C	33
70894C	27	71215	120	72105C	31	72260C	33
70896C	27	71216	120	72106C	31	72261C	33
70897C	27	71230	119	72114C	31	72262C	33
70899C	27	71232	119	72115C	31	72265C	33
70903C	27	71233	119	72120C	31	72266C	33
70905C	27	71239	119	72121C	31	72267C	33
70917C	27	71240	119	72127C	31	72268C	33
70918C	27	71247	119	72128C	31	72269C	33
70919C	27	71311	123	72137C	31	72270C	33
70926C	27	71313	123	72138C	31	72271C	33
70927C	28	71315	123	72140C	31	72272C	34
70928C	28	71317	123	72141C	31	72273C	34
70930C	28	71318	123	72143C	31	72303C	34
70931C	28	71323	123	72144C	31	72308C	34
70932C	28	71325	123	72145C	31	72315C	34
70943C	28	71327	129	72147C	31	72320C	34
70944C	28	71341	123	72148C	31	72321C	34
70945C	28	71345	123	72149C	31	72326C	34
70946C	28	71347	123	72150C	31	72327C	34
70949C	28	71376	129	72151C	31	72329C	34
70950C	28	71378	129	72154C	31	72330C	34

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
72333C	34	72507C	36	72603C	39	72724C	42
72337C	34	72509C	36	72604C	39	72725C	42
72338C	34	72517C	36	72608C	39	72726C	42
72344C	34	72521C	36	72609C	39	72727C	42
72353C	34	72522C	36	72614C	39	72728C	42
72354C	34	72523C	36	72616C	39	72729C	42
72355C	34	72524C	37	72617C	39	72730C	42
72356C	34	72525C	37	72618C	39	72731C	42
72357C	34	72526C	37	72633C	39	72732C	42
72358C	34	72527C	37	72634C	39	72733C	42
72359C	34	72529C	37	72641C	39	72742C	42
72361C	34	72530C	37	72643C	39	72743C	42
72362C	34	72531C	37	72644C	40	72744C	42
72363C	34	72532C	37	72645C	40	72745C	42
72364C	34	72533C	37	72646C	40	72746C	42
72367C	35	72534C	37	72647C	40	72747C	42
72370C	35	72535C	37	72651C	40	72750C	42
72371C	35	72536C	37	72654C	40	72751C	42
72372C	35	72537C	37	72655C	40	72752C	42
72373C	35	72538C	37	72656C	40	72758C	42
72374C	35	72539C	37	72657C	40	72759C	42
72375C	35	72540C	37	72658C	40	72760C	42
72376C	35	72541C	37	72660C	40	72761C	42
72385C	35	72542C	37	72661C	40	72763C	42
72393C	35	72543C	37	72662C	40	72768C	42
72401C	35	72544C	37	72663C	40	72769C	43
72402C	35	72545C	37	72664C	40	72778C	43
72403C	35	72546C	37	72665C	40	72779C	43
72404C	35	72547C	37	72666C	40	72782C	43
72405C	35	72548C	37	72667C	40	72783C	43
72406C	35	72550C	38	72668C	40	72784C	43
72407C	35	72551C	38	72669C	40	72785C	43
72408C	35	72553C	38	72670C	40	72788D	43
72416C	35	72554C	38	72671C	40	72788S	43
72417C	35	72558C	38	72672C	40	72791C	43
72418C	35	72559C	38	72673C	40	72792C	43
72419C	35	72560C	38	72674C	40	72794C	43
72420C	35	72563C	38	72675C	41	72795C	43
72421C	35	72566C	38	72676C	41	72802C	43
72422C	35	72567C	38	72677C	41	72803C	43
72425C	35	72568C	38	72678C	41	72804C	43
72426C	35	72569C	38	72679C	41	72805C	43
72427C	36	72570C	38	72680C	41	72806C	43
72428C	36	72576C	38	72688C	41	72809C	43
72429C	36	72578C	38	72689C	41	72810C	43
72430C	36	72581C	38	72695C	41	72811C	43
72431C	36	72582C	38	72696C	41	72812C	43
72432C	36	72583C	38	72698C	41	72815C	43
72433C	36	72584C	38	72702C	41	72816C	43
72438C	36	72585C	38	72703C	41	72817C	43
72439C	36	72586C	38	72704C	41	72821C	44
72440C	36	72587C	38	72705C	41	72825C	44
72441C	36	72588C	38	72710C	41	72826C	44
72446C	36	72591C	39	72713C	41	72827C	44
72447C	36	72592C	39	72714C	41	72828C	44
72448C	36	72593C	39	72715C	41	72833C	44
72452C	36	72594C	39	72716C	41	72834C	44
72453C	36	72596C	39	72717C	41	72837C	44
72457C	36	72597C	39	72718C	41	72853C	44
72459C	36	72598C	39	72719C	41	72854C	44
72460C	36	72599C	39	72720C	41	72855C	44
72461C	36	72600C	39	72721C	41	72856C	44
72462C	36	72601C	39	72722C	42	72857C	44
72506C	36	72602C	39	72723C	42	72858C	44

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
72861C	44	72945C	47	750 613 74	99	76916	73
72862C	44	72946C	47	756 102 45	97	76918	73
72863C	44	72947C	47	756 108 28	85	76921	73
72864C	44	72948D	47	756 113 39	97	76922	73
72865C	44	72948S	47	756 113 84	85	76924	70
72867C	44	72949C	47	756 116 75	95	76925	70
72868C	44	72950C	47	756 117 15	97	76952	76
72869C	44	72951C	47	756 117 59	98	76953	76
72870C	44	72952C	47	756 118 17	85	76979	73
72871C	44	72953C	47	756 118 18	98	76980	73
72872C	44	72954C	47	756 118 20	98	76986	73
72875D	44	72955C	47	756 119 01	85	76987	76
72875S	45	72956C	47	756 120 02	82	76994	73
72876D	45	72957C	47	756 121 08	95	76995	73
72876S	45	72958C	47	756 121 09	95	76996	73
72877C	45	72959C	47	756 121 27	89	76997	73
72878C	45	72962C	47	756 121 28	89	76998	73
72879C	45	72963C	47	756 123 02	98	77055	116
72880C	45	72999C	47	756 124 09	98	77112S	131
72881C	45	73084S	129	756 124 11	98	77244S	131
72882C	45	73096	129	756 126 35	84	77278	124
72883C	45	73148S	129	756 126 53	98	77304	116
72884C	45	73176S	129	756 130 41	98	77316	116
72885C	45	73183S	139	756 130 56	98	77359S	131
72886C	45	73198	129	756 130 57	98	77362	131
72887C	45	73200S	129	756 132 18	98	77362S	131
72888C	45	73268S	129	759 610 02	98	77411S	131
72892C	45	73314S	129	759 610 04	98	77412S	131
72893C	45	73316S	129	759 611 12	95	77434S	131
72894C	45	73333S	129	76000	72	77435S	131
72895C	45	73340S	129	76012	70	77484S	131
72896C	45	73342	129	76014	72	77497	116
72901C	45	73343S	129	76025	76	77885	73
72902C	45	73351	129	76026	76	77900	73
72903C	45	73354S	129	76035	76	77975	73
72904C	45	73436S	130	76046	72	78104S	131
72905C	46	73444	130	76050	72	78106S	131
72906C	46	73481S	130	76078	72	78124	116
72907C	46	73482S	130	76080	72	78127	116
72908C	46	73483S	130	76086	72	78128	116
72909C	46	73492S	130	76087	72	78130	116
72910C	46	73561S	130	76281S	130	78133S	131
72912C	46	73568	130	76282S	130	78140S	131
72913C	46	73574S	130	76283S	130	78141S	131
72914C	46	73582S	130	76284S	131	78150S	131
72915C	46	73589S	130	76493	76	78164	131
72916C	46	73614	130	76660	72	78165	131
72917C	46	73615	130	76668	72	78166	131
72918C	46	73616	130	76670	72	78169S	131
72919C	46	73618	130	76671	72	78170S	131
72920C	46	73620	130	76672	72	78171S	131
72921C	46	73622	130	76804	72	78175S	131
72922C	46	73651S	136	76805	72	78186S	131
72928C	46	73653S	136	76832	72	78190	131
72929C	46	73654S	136	76842	72	78193	131
72930C	46	73666S	130	76846	72	78199S	132
72931C	46	73686S	130	76850	72	78209	116
72932C	46	73687S	130	76859	72	78210	116
72937C	46	73716S	130	76862	72	78211	116
72938C	46	73775	130	76867	72	78217	116
72939C	46	74***S	72	76878	72	78219	116
72942C	46	748KTS3	212	76882	73	78223S	132
72943C	46	750 612 98	94	76896	76	78240	132
72944C	47	750 613 34	94	76902	73	78286	116

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
78303	73	79014C	48	79102C	51	79196C	53
78333	76	79015C	48	79103C	51	79197C	53
78340	76	79016C	48	79105C	51	79198C	53
78380	76	79017C	48	79106C	51	79199C	53
78396	76	79018C	48	79107C	51	79200C	53
78402	76	79019C	48	79108C	51	79201C	53
78403	76	79020C	48	79109C	51	79202C	53
78480	73	79021C	48	79111C	51	79203C	53
78481	73	79022D	48	79112D	51	79204C	53
78568	76	79022S	48	79112S	51	79205C	53
78648	116	79023D	49	79114C	51	79206C	53
78649	116	79023S	49	79121C	51	79207C	53
78682S	132	79024C	49	79126C	51	79208C	53
78699S	132	79025C	49	79127C	51	79209C	54
78701S	132	79028C	49	79132C	51	79210C	54
78703S	132	79029C	49	79133C	51	79211C	54
78704S	132	79030C	49	79136C	51	79212C	54
78705S	132	79031C	49	79137C	51	79213C	54
78706S	132	79035C	49	79138C	51	79214C	54
78707S	132	79035D	49	79139C	51	79215C	54
78708S	132	79035S	49	79140C	51	79216C	54
78712S	132	79038C	49	79141C	52	79217C	54
78716S	132	79039C	49	79142C	52	79218C	54
78717S	132	79040C	49	79143C	52	79219C	54
78720S	132	79041C	49	79144C	52	79220C	54
78728S	132	79043C	49	79145C	52	79221C	54
78730S	132	79044C	49	79146C	52	79222C	54
78752	116	79051C	49	79147C	52	79223C	54
78753	116	79051S	49	79148C	52	79224C	54
78754	116	79052C	49	79149C	52	79225C	54
78757	116	79053C	49	79150C	52	79226C	54
78758	116	79055C	49	79151C	52	79227C	54
78780S	132	79056C	49	79152C	52	79228C	54
78800	132	79057C	49	79153C	52	79229C	54
78801S	132	79058C	50	79156C	52	79240C	54
78831S	132	79059C	50	79157C	52	79241C	54
78840S	132	79060C	50	79158C	52	79242C	54
78945S	132	79061C	50	79159C	52	79250C	55
78947S	132	79062C	50	79160C	52	79251C	55
78949S	132	79063C	50	79160S	52	79255C	55
78954S	132	79064C	50	79162C	52	79258C	55
78964	132	79065C	50	79163C	52	79259C	55
78968	124	79066C	50	79165C	52	79260C	55
78982	116	79067C	50	79166C	52	79261C	55
78983	116	79071C	50	79167C	52	79265C	55
78984	117	79073C	50	79168C	52	79266C	55
78985	117	79074C	50	79169C	52	79267C	55
78986	117	79079C	50	79170C	52	79268C	55
78988	117	79080C	50	79171C	52	79269C	55
78990	117	79082C	50	79177C	53	79270C	55
79002C	47	79086C	50	79178C	53	79271C	55
79003C	47	79087C	50	79179C	53	79272C	55
79004D	47	79088C	50	79180C	53	79273C	55
79004S	48	79089C	50	79181C	53	79282C	55
79005D	48	79090C	50	79182C	53	79283C	55
79005S	48	79091C	50	79183C	53	79286C	55
79006C	48	79092C	50	79184C	53	79287C	55
79007C	48	79094C	50	79185C	53	79288C	55
79008C	48	79095C	50	79186C	53	79289C	55
79009C	48	79097C	50	79188C	53	79290C	55
79010C	48	79098C	51	79192C	53	79291C	55
79011C	48	79099C	51	79193C	53	79292C	55
79012C	48	79100C	51	79194C	53	79293C	55
79013C	48	79101C	51	79195C	53	79294C	55

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
79295C	55	79463C	58	79692C	60	815 001 101	81
79296C	56	79474C	58	79693C	60	815 001 111	81
79297C	56	79475C	58	79694C	60	815 001 121	81
79298C	56	79476C	58	79695C	60	815 001 401	90
79299C	56	79477C	58	79696C	60	815 010 001	81
79300C	56	79478C	58	79697C	60	815 012 001	95
79301C	56	79479C	58	79698C	60	815 013 001	81
79302C	56	79491C	58	79713C	60	815 014 001	81
79303C	56	79492C	58	79714C	60	815 015 001	95
79304C	56	79493C	58	79724C	61	815 016 001	95
79305C	56	79494C	58	79725C	61	815 018 001	90
79306C	56	79499C	58	79726C	61	81658S	73
79307C	56	79500C	58	79786C	61	81918	76
79308C	56	79501C	58	79787C	61	81921	76
79309C	56	79503C	58	79799C	61	81922	76
79310C	56	79504C	58	79800C	61	81927	73
79311C	56	79510C	59	80000C	62	81928	73
79312C	56	79511C	59	80001C	62	83165	76
79313C	56	79514C	59	80008C	62	83166	76
79344C	56	79515C	59	80009C	62	83167	76
79345C	56	79520C	59	80010C	62	83248S	132
79347C	56	79521C	59	80011C	62	83327	117
79348C	56	79535C	59	80012C	62	83341S	133
79349C	56	79536C	59	80013C	62	83376S	133
79350C	56	79542C	59	80014C	62	83377	120
79351C	57	79543C	59	80019D	62	83378	120
79359C	57	79546C	59	80019S	62	83379	120
79360C	57	79550C	59	80020D	62	83392	117
79364C	57	79551C	59	80020S	62	83493	117
79365C	57	79564C	59	80021D	62	84076	76
79366C	57	79574C	59	80021S	62	84423	73
79367C	57	79577C	59	80022D	62	84579	73
79368C	57	79578C	59	80022S	62	84672	73
79369C	57	79579C	59	80023D	62	850 000 001	166
79371C	57	79581C	59	80023S	62	86512	133
79372C	57	79582C	59	80024D	62	86575S	133
79393C	57	79585C	59	80024S	62	86576	117
79394C	57	79586C	59	80030C	62	86583S	133
79395C	57	79593C	59	80032C	62	86791S	133
79396C	57	79594C	59	80037C	62	86792S	133
79397C	57	79619D	59	80039C	63	86907S	133
79398C	57	79620C	59	80040C	63	86993	73
79399C	57	79625C	59	80041C	63	86994	74
79402C	57	79628C	59	80109C	63	87004	74
79403C	57	79629C	60	80126C	63	87005	74
79407C	57	79630C	60	80163C	63	87006	74
79408C	57	79639C	60	80164C	63	87189	117
79428C	57	79640C	60	80165C	63	87194	117
79429C	57	79641C	60	80166C	63	87219S	133
79430C	57	79642C	60	80167C	63	87255	133
79431C	57	79643C	60	80176C	63	87282	117
79432C	57	79649C	60	80177C	63	87295	117
79440C	57	79650C	60	80178C	63	87296	117
79441C	58	79651C	60	80179C	63	87297	117
79442C	58	79662C	60	80180C	63	87298	117
79443C	58	79663C	60	80181C	63	87332S	133
79444C	58	79674C	60	80183C	63	87333S	133
79453C	58	79675C	60	81374	73	87337	117
79454C	58	79677C	60	814 001 601	89	87342	133
79455C	58	79678C	60	814 001 611	89	87346S	133
79456C	58	79682C	60	814 001 621	89	87347S	133
79459C	58	79683C	60	814 011 001	90	87348S	133
79461C	58	79684C	60	814 011 011	90	87405	74
79462C	58	79691C	60	815 001 001	99	87406	74

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
87408	74	90453S	134	91804	75	92997S	134
87680	74	90474	117	91805	75	93030	69
87833	74	90475	117	91806	75	93096	118
87916S	74	90498	117	91818	75	93100	134
89104	117	905 002 001	218	91917	134	93179	118
89125S	133	905 030 001	99	91918	134	93299	75
89179	123	90548	118	91919	134	93337S	134
89180	123	90549S	134	91935	70	93362S	134
89184S	133	905 540 78	158	91936	70	93363	118
89185S	133	905 541 07	142	92003S	134	93440S	134
89203	133	905 541 14	103	92008	75	93522	134
89274	117	905 541 47	103	92009	75	93572	118
89275S	133	905 541 48	113	920097	212	93680	118
89446S	133	905 541 51	142	92010	75	93729	118
89454	133	905 541 74	142	92050	70	93734S	134
89455	133	905 541 83	103	92051	70	93735S	134
89464	117	905 542 41	103	92060	118	93835	69
89477S	133	905 542 66	142	92078	134	93836	69
89541	74	905 542 73	103	92101	212	93837	69
89723	74	905 543 34	103	92196	118	93839	69
89724	74	905 543 35	113	92200	69	93840	69
89765	74	905 544 57	103	92201	69	940 000 030	166
89794	74	905 544 61	113	92202	69	950 035 004	175
89795	74	905 546 14	108	92203	69	950 035 008	197
89796	74	905 546 15	108	92223S	134	950 301 003	175
89924	74	905 546 48	103	92502	69	950 301 014	175
89925	74	905 546 60	103	92503	69	950 301 015	175
89927	74	905 546 63	103	92534S	134	950 301 018	175
90026	117	905 549 02	113	92559	69	950 301 030	175
90027	133	905 549 77	108	92560	69	950 301 031	175
90028	120	905 549 90	108	92569S	134	950 310 009	134
90039S	133	90571	70	92573	124	950 310 014	121
900 540 07	103	90572	70	92573S	124	950 312 001	175
900 540 74	160	90673	74	92671	124	950 312 002	175
900 540 75	160	90693	74	92692S	134	950 312 003	175
900 540 82	164	90821	134	92693	124	950 312 005	175
900 540 83	175	90968	134	92695	124	950 312 006	175
900 540 88	161	90969	134	92729	70	950 312 007	175
900 541 23	175	90994	118	92730	70	950 312 008	175
900 542 11	175	90995S	134	92731	75	950 312 009	175
900 545 20	113	90996	118	92750S	134	950 313 001	134
900 546 10	160	90997S	134	92751	124	950 313 002	134
900 546 30	113	91010	70	92752	124	950 313 003	134
90066	127	91011	74	92790S	134	950 314 003	175
90201	117	91012	74	92791S	134	950 314 004	175
90215	117	91013	75	92793	124	950 314 005	175
90216S	133	91014	75	92794	124	950 314 007	175
90268	117	91015	75	92794S	134	950 314 009	175
90269S	133	91018	75	92795	124	950 320 001	175
903 030 001	99	91019	75	92796	124	950 320 002	176
903 045 001	99	91133	75	92797	124	950 320 003	176
903 046 001	99	91134	75	92808	69	950 320 008	176
903 054 241	180	91164	134	92826	134	950 320 010	176
903 101 001	180	91216	75	92832	134	950 320 012	176
903 351 001	180	91236	75	92833	134	950 320 013	176
90361	133	91239	75	92838	124	950 320 014	176
90362	133	91286	134	92923S	134	950 320 020	176
90363	134	91309	118	92924S	134	950 321 008	176
90364	134	91323S	134	92925	118	950 321 013	176
90373	74	91379	118	92926	118	950 321 014	176
904 004 001	180	91390	118	92939	124	950 321 016	176
904 053 001	115	91436S	134	92992	124	950 321 017	176
904 054 001	115	91598S	134	92993S	134	950 321 021	176
90451	117	91790	124	92996S	134	950 321 022	176

Part Number	Page
950 321 023	176
950 321 025	176
950 321 027	176
950 321 028	176
950 321 029	176
950 328 002	176
950 328 004	176
950 328 005	176
950 329 006	176
950 329 011	176
950 329 012	176
950 329 013	176
950 329 016	176
950 334 002	176
950 338 001	113
950 338 002	114
950 338 004	114
950 338 005	114
950 338 006	114
950 338 008	114
950 338 013	114
950 338 014	114
950 338 022	114
950 338 023	114
950 338 027	114
950 338 030	114
950 338 031	114
950 338 032	114
950 338 100	114
950 340 002	197
950 340 003	197
950 340 004	197
950 340 006	197
950 340 009	197
950 340 010	198
950 340 011	198
950 340 013	198
950 340 014	198
950 340 016	198
950 340 017	198
950 340 018	198
950 341 002	198
950 343 001	198
950 343 002	198
950 343 005	198
950 343 006	198
950 343 007	198
950 344 002	198
950 344 003	198
950 344 004	198
950 344 005	198
950 344 006	198
950 344 009	198
950 344 010	198
950 346 005	198
950 346 006	198
950 346 013	198
950 346 014	198
950 350 004	177
950 350 007	177
950 350 008	177
950 350 009	177
950 351 001	177
950 351 002	177

Part Number	Page
950 351 004	177
950 351 005	177
950 351 006	177
950 351 007	177
950 351 008	177
950 351 009	177
950 352 003	177
950 352 010	114
950 352 011	114
950 355 001	177
950 355 004	177
950 355 006	177
950 355 007	177
950 355 009	177
950 355 010	177
950 355 012	177
950 355 013	177
950 355 014	177
950 355 015	177
950 355 016	177
950 355 023	178
950 355 024	178
950 355 026	178
950 356 003	178
950 357 001	114
950 364 018	98
950 364 021	90
950 364 023	98
950 364 024	90
950 364 026	90
950 364 031	90
950 364 033	90
950 364 036	90
950 364 042	90
950 364 043	90
950 364 045	82
950 364 046	82
950 364 047	82
950 364 048	82
950 364 050	90
950 364 054	90
950 364 061	98
950 364 063	90
950 364 072	90
950 364 074	98
950 364 075	98
950 364 076	82
950 364 077	82
950 364 081	80
950 364 082	80
950 364 083	80
950 364 101	80
950 364 102	80
950 364 103	80
950 364 104	82
950 364 108	98
950 364 110	98
950 364 111	95
950 364 112	98
950 364 207	80
950 364 211	82
950 364 212	83
950 364 214	83
950 364 215	83

Part Number	Page
950 364 216	83
950 364 218	98
950 364 219	98
950 364 220	98
950 364 221	90
950 364 301	80
950 364 303	95
950 364 401	98
950 364 402	90
950 364 403	90
950 364 404	90
950 364 405	90
950 364 406	90
950 364 407	91
950 364 408	91
950 364 410	91
950 364 411	91
950 364 412	91
950 364 413	91
950 364 417	91
950 364 418	91
950 364 419	91
950 364 420	91
950 364 421	91
950 364 422	91
950 364 423	91
950 364 424	91
950 364 425	91
950 364 426	91
950 364 427	91
950 364 429	91
950 364 430	98
950 364 436	91
950 364 501	84
950 364 502	84
950 364 503	84
950 364 504	84
950 364 506	84
950 364 507	91
950 364 602	95
950 364 607	95
950 364 701	95
950 364 702	95
950 364 710	95
950 364 711	98
950 364 801	80
950 364 802	80
950 364 803	80
950 364 804	80
950 364 806	83
950 364 807	83
950 364 818	91
950 531 001	220
950 531 005	220
950 531 010	220
950 531 012	220
950 531 013	220
950 531 014	220
950 531 015	220
950 531 016	220
950 531 017	220
950 532 005	220
950 532 009	220
950 532 011	220

Part Number	Page
950 532 014	220
950 532 015	220
950 532 019	220
950 532 022	220
950 532 023	221
950 532 024	221
950 532 026	221
950 532 029	221
950 532 032	221
950 532 037	221
950 532 039	221
950 532 040	221
950 549 001	221
950 551 002	114
950 560 001	178
950 560 003	178
950 601 004	178
950 602 002	178
950 602 004	178
950 602 005	178
950 602 006	178
950 602 008	178
950 610 010	92
950 610 020	92
950 610 030	92
950 610 040	92
950 611 010	92
950 611 030	92
950 611 035	92
950 612 001	114
950 612 004	114
950 612 006	114
950 612 007	114
950 612 009	114
950 782 090	134
950 782 100	134
950 782 110	134
950 782 170	134
950 782 190	135
950 787 520	135
950 787 530	135
950 789 880	135
950 789 900	135
950 800 201	80
950 800 202	80
950 800 203	80
950 800 204	80
950 800 302	83
950 800 303	83
950 800 304	83
950 800 401	92
950 800 402	92
950 800 403	92
950 800 404	92
950 800 405	92
950 800 406	92
950 800 411	92
950 800 412	92
950 800 421	92
950 800 422	92
950 800 423	92
950 800 424	92
950 800 431	92
950 800 432	92

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
950 800 433	92	KN22501	144	N4301AA	156	SN144F	179
950 800 434	92	KN22600	144	N4301AE	156	SN144K	179
950 800 441	92	KN23000	158	N4400EK	218	SN144N	179
950 800 442	92	KN23080	158	NT7022N	137	SN3072BV	179
950 800 443	93	KN25100	158	NT7204	137	SN3711AD	179
950 800 444	93	KN28071	154	P1-11KD6	200	SP116/21SK	212
950 800 445	93	KN28300	154	P1-13MD6	200	SP126/21SK	212
950 800 446	93	KN31000	142	P1-17MD6	200	SPIAUNE	167
950 800 447	93	KN31025	178	P1-22MD6	200	SPINOIR	167
950 800 451	93	KN31250	135	P1-30MD6	200	SPINOIRRV	167
950 800 452	93	KN33000	127	P1-4MD6	200	SPIROUGE	167
950 800 453	93	KN33010	127	P1-9MD6	200	VE100-1	210
950 800 454	93	KN33500	127	PR1-13MD6	200	VE100-2	210
950 800 455	93	KN44051	68	PR1-17MD6	200	VE118	210
950 800 456	93	KN44061	68	PR1-22MD6	200	VE124-125	210
950 800 461	93	KNT17090	178	RAUMOTIVE JAUNE	167	VE124-150	210
950 800 462	93	KSH202C	191	RAUMOTIVE NOIR	167	VE124-175	210
950 800 463	93	KSM4031334	198	RAUMOTIVE ROUGE	167	VE124-200	210
950 800 464	93	KSM4041094	198	RN10HK	179	VE125-125	210
950 800 471	93	KSMR3PH50-800NN	191	RN10HT	179	VE125-150	210
950 800 472	93	KSMR3PH75-800NN	191	RN10JP	179	VE125-175	210
950 800 473	93	KSMR3PT60-800NN	191	RN21AF	199	VE125-200	210
950 800 474	93	LAMPMOD	98	RN26GL	179	VE127-125	210
950 800 475	93	M4031002	198	RN26GY	179	VE127-150	210
950 800 476	93	M4031045	199	RN26HA	179	VE127-175	210
950 800 481	93	M4031063	199	RN55AC	199	VE127-200	210
950 800 482	93	M4031076	199	RN55BD	199	VE15-3-S	212
950 800 483	93	M4036048	199	RN55BP	199	VE16-1	210
950 800 484	93	M4040025	199	RN55BS	199	VE21AH-125	210
950 800 485	93	M4040026	199	RN55N	199	VE21AH-130	210
950 800 901	93	M4041239	199	RN55P	199	VE21AH-135	210
950 800 903	98	M4041406	199	RN55R	199	VE21AH-140	210
950 834 910	135	M4731971	199	RN55T	199	VE21AH-145	210
950 872 820	135	M4740432	199	RN55V	199	VE21AH-150	210
950 872 960	135	MA0107V16138908	180	RN55Y	199	VE21AH-155	210
950 872 970	135	MA15777	186	RN60A	135	VE21AH-160	210
950 873 370	135	MC6S8X90	212	RN60E	135	VE21AH-165	210
950 902 680	135	MR3033	178	RN60F	135	VE21AH-170	210
960 151 005	101	MR3034	178	RN60K	135	VE21AH-175	210
960 338 021	114	N10380B	178	RN969	135	VE21AH-180	210
964 009 001	95	N1178BB	140	RN970	135	VE21AH-185	210
AWAB11-17	212	N13440DN	153	RN973	135	VE21AH-190	210
AWAB19-28	212	N20415NB	150	RNT26	179	VE21AH-195	210
BK10450-2	212	N20415PB	150	RNT26A	179	VE21AH-200	210
C14253AN	198	N20966G	158	RW1162X	218	VE36AH	211
DA33120	135	N295NB	178	RW1194	218	VE50H	211
DIN934UNF5/8	198	N295SW	179	RW4009X	218	VE78AH-***	211
DQ6026	135	N30099LA	144	SN144AY	179	VE80H-***	211
EL16060	137	N30190Y	139				
EQ2604	178	N30200AE	166				
EQ2606	178	N30200AG	167				
EQ2614	178	N4170AB	193				
EQ2616	178	N4170F	193				
EQ2620	178	N4170X	193				
EQ2630	178	N4185C	193				
EQ2631	178	N4185E	193				
EQ2632	178	N4190C	193				
FLEX6X12MMTR	218	N4194	193				
KN17091X	178	N4194B	193				
KN17092X	178	N4194E	193				
KN17501	178	N4274J	193				
KN20001	153	N4287	193				
KN22100	144	N4295B	193				
KN22150	144	N4295E	193				

Can't find the item?

- 1) Try the cross-reference section at the back of this catalogue.
- 2) Some 9 digit Haldex remanufactured items have 5 added to the last but third digit, e.g. 343026601 is the remanufactured version of 343026101. Try subtracting 5 from the third but last digit, and try your search again.
- 3) Refer to the Findex section of the Haldex website, on www.brake-eu.haldex.com.
- 4) Call your local Haldex technical department.


FOUNDATION BRAKE

AA1 – the original Haldex Automatic Brake Adjuster.

S-ABA – the new Self-setting Automatic Brake Adjuster from Haldex (detail found at the end of this section).

An Automatic Brake Adjuster (ABA) is installed as the lever linking the brake actuator to the camshaft, in a drum brake system. It helps automatically maintain a constant clearance between the brake linings and the drum, leading to reduced service demand, downtime and air consumption. The mechanism is well protected against moisture, dirt, impact etc. All Haldex ABA operate according to the Clearance Sensing Principle, which was developed and patented by Haldex, and are available in thousands of different models for virtually all types of heavy commercial vehicle. The new S-ABA is far easier to install thanks, in part, to a control arm that can be installed in almost any angular position. This allows some rationalisation of part numbers. It is also designed to integrate with the Haldex Electronic Lining Wear Sensor.

Operating temperature range: -40°C +80°C (Peak +180°C).



- 1 Logo
- 2 [Spare]
- 3 Assembly location
- 4 **ABA part number**
- 5 Control Unit part number
- 6 Serial No. e.g. S/N 815023

Last digit in year of manufacture (199**8**)

Week of manufacture



Batch number



AA1 C-kit

AA1 S-kit

S-ABA D-kit



Control arm = double bent

Control arm = bent

Control arm = straight

Control arm = saddle

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
10283C	2901	74164		19	150							12.7	+60.3	+22.5	A38x34 DIN 5482	135	bent	10284C	
10284C	2902	74164		19	150							12.7	-60.3	+22.5	A38x34 DIN 5482	135	bent	10283C	
10519C	4085	74909	Van Hool	27	152							14	0	0	BNA 227	30	bent		
10714C	2760	74571	Britsab	10	168							12.7	-38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	10715C	
10715C	2761	74571	Britsab	10	168							12.7	+38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	10714C	
10868C	2760	74983	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	150	bent	10869C	
10869C	2761	74983	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	150	bent	10868C	
10911C	4104	74754		10	127							12.7	0	0	SAE 1 1/2" 10 C	76	double bent (short; R=65 mm)		
10912C	4085	74523		10	152							16	0	0	SAE 1 1/2" 10 C	295	double bent (long; R=100 mm)		
10937C	2760	74257	Dennis	10	140							12.7	-38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	10938C	
10938C	2761	74257	Dennis	10	140							12.7	+38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	10937C	
10939C	4104	74902	Dennis	10	115							12.7	0	0	SAE 1 1/2"	15	bent		



10284C



10519C



10868C



10869



10911C



10912C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
11011C	4104	74983	Bova	10	140							14	0	0	SAE 1 1/2" 10 C	150	bent		
12112C	2760	74422	Steer axle	37	203	179	151					14	-38	0	SAE J 498	110	bent		12113C
12113C	2761	74422	Steer axle	37	203	179	151					14	+38	0	SAE J 498	110	bent		12112C
12132C	3226	74731	Foden	28	127							12.7	0	-38	SAE 1 1/2" 28 C	340	double bent (long; R=100 mm)		
12141C	2760	74426	Fruehauf	10	140							14	-38	0	SAE 1 1/2" 10 C	130	bent		12142C
12142C	2761	74426	Fruehauf	10	140							14	+38	0	SAE 1 1/2" 10 C	130	bent		12141C
12194C	3863	74711		10	178	152	127					14	-25	-30	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)		12195C
12195C	3864	74711		10	178	152	127					14	+25	-30	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)		12194C
12206C	4079	74574	Liaz	26	200							14	-73	0	40x1.5 CSN 014950.1	90	double bent (short; R=65 mm)		12207C
12207C	4080	74574	Liaz	26	200							14	+73	0	40x1.5 CSN 014950.1	90	double bent (short; R=65 mm)		12206C
12243C	3068	74908		26	140							14	-28.5	0	40x1.5 CSN 014950.1	30	bent		12244C
12244C	3069	74908		26	140							14	+28.5	0	40x1.5 CSN 014950.1	30	bent		12243C
12254C	2760	74164	Hino	19	150							12.7	-38	0	A38x34 DIN 5482	135	bent		12255C
12255C	2761	74164	Hino	19	150							12.7	+38	0	A38x34 DIN 5482	135	bent		12254C
12256C	2752	74424	Hino	19	150							12.7	0	0	A38x34 DIN 5482	0	bent		
12258C	4017	74778		19	145							14	+63	-20	A38x34 DIN 5482	50	double bent (short; R=65 mm)		12257C
12307C	2752	74424	TMM	10	180	150						14	0	0	SAE 1 1/2" 10 C	0	bent		
12310C	3226	74748	Jeltz	27	180							14	0	-38	BNA 227	70	double bent (short; R=65 mm)		
12311C	4079	74777	Jeltz	27	180							14	-73	0	BNA 227 D3.5	27	double bent (short; R=65 mm)		12312C
12312C	4080	74777	Jeltz	27	180							14	+73	0	BNA 227 D3.5	27	double bent (short; R=65 mm)		12311C
12313C	2755	74636	Jeltz	27	180							14	-16	0	BNA 227 D3.5	55	bent		12314C
12314C	2756	74636	Jeltz	27	180							14	+16	0	BNA 227 D3.5	55	bent		12313C
12350C	2754	74426	Frenelsa	10	190	155						14	+22	0	SAE 1 1/2" 10 C	130	bent		12351C
12351C	2753	74426	Frenelsa	10	190	155						14	-22	0	SAE 1 1/2" 10 C	130	bent		12350C
12356C	4032	74515	Jeltz	19	130							14	0	+20	A38x34 DIN 5482	128	bent		
12363C	3717	74771	Liaz/Ikarus	19	165							14	-56.2	+25	A38x34 DIN 5482	98	double bent (short; R=65 mm)		12364C
12364C	3718	74771	Liaz/Ikarus	19	165							14	+56.2	+25	A38x34 DIN 5482	98	double bent (short; R=65 mm)		12363C
70510C	4104	74405	Leyland	10	114							12.7	0	0	SAE 1 1/2" 10 C	135	bent		



11011C



12112C



12113C



12194C



12195C



12243C



12244C



12254C



12255C



12256C



12258C



12307C



12310C



12311C



12312C



12313C



12314C



12350C



12351C



12356C



12363C



12364C



70510C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70511C	2760	74405	Leyland	10	178							12.7	-38	0	SAE 1 1/2" 10 C	135	bent	70512C	
70512C	2761	74405	Leyland	10	178							12.7	+38	0	SAE 1 1/2" 10 C	135	bent	70511C	
70518C	2882	74884	D-C	19	110							14	0	+27	A38x34 DIN 5482	35	double bent (short; R=65 mm)		
70519C	2866	74883	D-C	19	105							14	0	+105	A38x34 DIN 5482	135	double bent (short; R=65 mm)		
70526C	2756	74151	Leyland	10	165							12.7	+16	0	SAE 1 1/2" 10 C	110	double bent (short; R=65 mm)	70527C	
70530C	2752	74161	Leyland	10	178							12.7	0	0	SAE 1 1/2" 10 C	155	double bent (short; R=65 mm)		
70532C	2752	74425	Leyland	10	203							12.7	0	0	SAE 1 1/2" 10 C	110	bent		
70542C	2853	74402	Renault	27	258							14	+33.1	0	BNA 227	90	bent	70543C	
70543C	2854	74402	Renault	27	258							14	-33.1	0	BNA 227	90	bent	70542C	
70544C	2851	74402	Renault	27	238							14	-12.4	0	BNA 227	90	bent	70545C	
70545C	2852	74402	Renault	27	238							14	+12.4	0	BNA 227	90	bent	70544C	
70571C	2756	74953	Volvo/Ailsa	10	140							12.7	+16	0	SAE 1 1/2" 10 C	140	bent	70572C	
70572C	2755	74953	Volvo/Ailsa	10	140							12.7	-16	0	SAE 1 1/2" 10 C	140	bent	70571C	
70573C	2752	74927	Scammel	10	140							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
70576C	2752	74424	ROR	10	203	178	152	127				12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70582C	2756	74425	Leyland	10	165							12.7	+16	0	SAE 1 1/2" 10 C	110	bent	70583C	
70583C	2755	74425	Leyland	10	165							12.7	-16	0	SAE 1 1/2" 10 C	110	bent	70582C	
70608C	2933	74403	Renault	27	238							14	+35.6	+24.8	BNA 227	120	bent	70609C	
70609C	2934	74403	Renault	27	238							14	-35.6	+24.8	BNA 227	120	bent	70608C	
70615C	2897	74598	MAN	20	215							14	0	0	A40x36 DIN 5482	75	bent		
70619C	2766	74406	Renault	27	190							14	+12.7	0	BNA 227	135	bent	70620C	
70620C	2765	74406	Renault	27	190							14	-12.7	0	BNA 227	135	bent	70619C	
70621C	3068	74416	Renault	27	190							14	-28.5	0	BNA 227	145	bent	70622C	
70622C	3069	74416	Renault	27	190							14	+28.5	0	BNA 227	145	bent	70621C	
70624C	2922	74433	Leyland	10	178							12.7	0	+26	SAE 1 1/2" 10 C	110	bent		
70626C	2771	74434	Leyland	10	165							12.7	+16	+22.5	SAE 1 1/2" 10 C	140	bent	70627C	
70627C	2772	74434	Leyland	10	165							12.7	-16	+22.5	SAE 1 1/2" 10 C	140	bent	70626C	
70634C	2752	74435	Leyland	10	179							12.7	0	0	SAE 1 1/2" 10 C	135	bent		



70511C



70512C



70519C



70526C



70530C



70532C



70542C



70543C



70544C



70545C



70571C



70572C



70576C



70582C



70583C



70608C



70609C



70619C



70620C



70624C



70626C



70627C



70634C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70641C	2760	74907	Volvo	10	205	165	140					12.7	-38	0	SAE 1 1/2" 10 C	30	bent	70642C	
70642C	2761	74907	Volvo	10	205	165	140					12.7	+38	0	SAE 1 1/2" 10 C	30	bent	70641C	
70643C	2897	74438	DBU	10								-	0	0	SAE 1 1/2" 10 C	355	bent		
70660C	4085	74442	Leyland	10	160							12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70678C	2752	74422	BPW	10	180	150	120					14	0	0	SAE 1 1/2" 10 C	110	bent		
70687C	2752	74404	Kässbohrer	37	180	150						14	0	0	A36x40 DIN 5481	90	bent		
70702C	2882	74884	D-C	19	110							14	0	+27	A38x34 DIN 5482	35	double bent (short; R=65 mm)		
70706C	3078	74854	D-C/Neoplan	26	115							14	0	-29	N42x1.5x9H DIN 5480	61	double bent (short; R=65 mm)		
70708C	3166	74853		26	130							14	0	0	N42x1.5x9H DIN 5480	75	double bent (short; R=65 mm)		
70716C	2894	74920	Kässbohrer	19	170							14	+47.6	+22.5	A38x34 DIN 5482	60	bent	70717C	
70717C	2895	74920	Kässbohrer	19	170							14	-47.6	+22.5	A38x34 DIN 5482	60	bent	70716C	
70718C	2760	74412	Kässbohrer	19	170							14	-38	0	A38x34 DIN 5482	90	bent	70719C	
70719C	2761	74412	Kässbohrer	19	170							14	+38	0	A38x34 DIN 5482	90	bent	70718C	
70720C	4085	74915	Kässbohrer	19	145							14	0	0	A38x34 DIN 5482	45	bent		
70726C	4104	74946	Jeletz	19	122							14	0	0	A38x34 DIN 5482	115	bent		
70752C	2752	74637	Bergische Stadt Industrie	10	180							14	0	0	SAE 1 1/2" 10 C	110	double bent (short; R=65 mm)		
70753C	3162	74253	D-C	26	145							14	+18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	70754C	
70754C	3163	74253	D-C	26	145							14	-18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	70753C	
70759C	3166	74378	D-C	19	130							14	0	+120	A38x34 DIN 5482	115	double bent (short; R=65 mm)		
70762C	2752	74877	Saurer	19	180	135						14 (L1: w/o)	0	0	A38x34 DIN 5482	50	double bent (short; R=65 mm)		
70764C	2752	74871	Saurer	19	180	135						14	0	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)		
70768C	3068	74422	BPW	10	180	150						14	-28.5	0	SAE 1 1/2" 10 C	110	bent		
70771C	3196	74255	D-C/Neoplan	26	115							14	+15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	70772C	
70772C	3195	74255	D-C/Neoplan	26	115							14	-15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	70771C	
70775C	3202	74864	D-C/Neoplan	26	130							14	0	+120	N42x1.5x9H DIN 5480	79	double bent (short; R=65 mm)		
70785C	2766	74938	Leyland	10	171							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	70786C	
70786C	2765	74938	Leyland	10	171							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	70785C	



70641C



70678C



70687C



70706C



70708C



70716C



70717C



70718C



70719C



70720C



70726C



70752C



70753C



70754C



70759C



70762C



70764C



70771C



70772C



70775C



70785C



70786C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70787C	2752	74442	Leyland	10	203	151						12.7 (L1:w/o)	0	0	SAE 1 1/2" 10 C	0	bent		
70789C	3216	74863	D-C	26	215							14	-26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	70790C	
70799C	2852	74402	CBM	27	239							14	+12.4	0	BNA 227	90	bent	70800C	
70800C	2851	74402	CBM	27	239							14	-12.4	0	BNA 227	90	bent	70799C	
70802C	2760	74422	SAF	10	203	179	151					14	-38	0	SAE 1 1/2" 10 C	110	bent	70803C	
70803C	2761	74422	SAF	10	203	179	151					14	+38	0	SAE 1 1/2" 10 C	110	bent	70802C	
70804C	2752	74693	SAE	10	210	180	150	120				14	0	0	SAE 1 1/2" 10 C	45	double bent (short; R=65 mm)		*
70809C	4085	74867	Fiat	8	160							12.7	0	0	32 UNI 222	43	double bent (short; R=65 mm)		
70810C	4085	74865	Fiat	8	160							12.7	0	0	32 UNI 222	12	double bent (short; R=65 mm)		
70823C	4104	74419	DAF	10	140							14	0	0	SAE 1 1/2" 10 C	110	bent		
70824C	2760	74419	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	110	bent	70825C	
70825C	2761	74419	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	110	bent	70824C	
70832C	2985	74451	Volvo/Ailsa	10	147							12.7	-38	-34	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	70833C	
70833C	2987	74451	Volvo/Ailsa	10	147							12.7	+38	-34	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	70832C	
70838C	2894	74257	CBM	27	200							14	+47.6	+22.5	BNA 227	0	double bent (medium; R=78 mm)	70839C	
70839C	2895	74257	CBM	27	200							14	-47.6	+22.5	BNA 227	0	double bent (medium; R=78 mm)	70838C	
70840C	2760	74435	Leyland	10	165							12.7	-38	0	SAE 1 1/2" 10 C	135	bent	70841C	
70841C	2761	74435	Leyland	10	165							12.7	+38	0	SAE 1 1/2" 10 C	135	bent	70840C	
70851C	4104	74870	Sisu	10	140							12.7	0	0	SAE 1 1/2" 10 C	115	double bent (short; R=65 mm)		
70852C	2897	74867	Sisu	10	178							16	0	0	SAE 1 1/2" 10 C	43	double bent (short; R=65 mm)		
70854C	2752	74868	Fruehauf	37	210	180	150	125				14 (L1: w/o)	0	0	SAE J 498	10	double bent (short; R=65 mm)		●
70855C	2853	74869	Renault	19	240							16	+33.1	0	A38x34 DIN 5482	65	double bent (short; R=65 mm)	70856C	
70856C	2854	74869	Renault	19	240							16	-33.1	0	A38x34 DIN 5482	65	double bent (short; R=65 mm)	70855C	
70859C	4104	74427	Dennis/MCW	10	140							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
70865C	2897	74438	SAB	10	210	175						16	0	0	SAE 1 1/2" 10 C	355	bent		

* Can use 80024S

● Can use 80021S



70787C



70789C



70799C



70800C



70802C



70803C



70809C



70810C



70823C



70825C



70832C



70840C



70841C



70854C



70855C



70856C



70859C



70865C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70866C	2897	74962	SAB	10	210	175						16	0	0	SAE 1 1/2" 10 C	355	bent		
70867C	3177	74482	D-C	26	145							14	0	+132.5	N42x1.5x9H DIN 5480	75	double bent (medium; R=78 mm)		
70869C	2753	74958	Bofors	19	200							14	-22	0	A38x34 DIN 5482	150	bent	70868C	
70870C	3194	74888	D-C	26	110							14	0	+120	N42x1.5x9H DIN 5480	114	double bent (short; R=65 mm)		
70871C	3226	74908	DAF	10	140							14	0	-38	SAE 1 1/2" 10 C	30	bent		
70872C	2894	74902	DAF	10	143							14	+47.6	+22.5	SAE 1 1/2" 10 C	15	bent		
70880C	2931	74413	Renault	27	258							14	+36.6	0	BNA 227	90	bent	70881C	
70881C	2932	74413	Renault	27	258							14	-36.6	0	BNA 227	90	bent	70880C	
70882C	2752	74414	ROR/SAB	10	203	178	152	127				12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70883C	2752	74414	ROR/SAB	10								-	0	0	SAE 1 1/2" 10 C	0	bent		
70884C	2897	74414	ROR/SAB	10	254	152						12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70886C	2752	74414	ROR/SAB	10	190	140						12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70887C	2752	74919	SAB	10	203	178	152	127				12.7	0	0	SAE 1 1/2" 10 C	60	bent		
70891C	2752	74865	Fiat	8	170							12.7	0	0	32 UNI 222	12	double bent (short; R=65 mm)		
70892C	4086	74578	Fiat	8	180							12.7	0	+20	32 UNI 222	153	double bent (short; R=65 mm)		
70893C	2760	74427	Dana/MCW	10	140							12.7	-38	0	SAE 1 1/2" 10 C	75	bent	70894C	
70894C	2761	74427	Dana/MCW	10	140							12.7	+38	0	SAE 1 1/2" 10 C	75	bent	70893C	
70896C	3718	74900	Renault	27	175							14	+56.2	+25	BNA 227	0	double bent (short; R=65 mm)	70897C	
70897C	3717	74900	Renault	27	175							14	-56.2	+25	BNA 227	0	double bent (short; R=65 mm)	70896C	
70899C	3718	74869	Renault	27	246							16	+56.2	+25	BNA 227 D3.5	65	double bent (short; R=65 mm)		
70903C	4085	74865	Menarini/ Bredamenerinibus	10	160							12.7	0	0	SAE 1 1/2" 10 C	12	double bent (short; R=65 mm)		
70905C	2752 (4085)	74900	Van Hool	10	152							14	0	0	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)		
70917C	3186	74281	D-C	26	145							14	+56	+4	N42x1.5x9H DIN 5480	94	straight		
70918C	3185	74282	D-C	26	145							14	-56	+4	N42x1.5x9H DIN 5480	94	double bent (short; R=65 mm)		
70919C	2752	74860	Sicca/ Bredamenerinibus	8	180							12.7	0	0	32 UNI 222	90	double bent (short; R=65 mm)		
70926C	2901	74257	CBM	27	200							16	+60.3	+22.5	BNA 227	0	double bent (medium; R=78 mm)		



70866C



70867C



70869C



70870C



70871C



70880C



70881C



70891C



70892C



70893C



70894C



70896C



70897C



70903C



70905C



70917C



70918C



70919C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70927C	2902	74257	CBM	27	200							14	-60.3	+22.5	BNA 227	0	double bent (medium; R=78 mm)		
70928C	2901	74257	CBM	27	180							14	+60.3	+22.5	BNA 227	0	double bent (medium; R=78 mm)		
70930C	3185	74427	MCW	10	140							12.7	-56	+4	SAE 1 1/2" 10 C	75	bent	70931C	
70931C	3186	74427	MCW	10	140							12.7	+56	+4	SAE 1 1/2" 10 C	75	bent	70930C	
70932C	4085	74893	Volvo	26	165							12.7	0	0	N42x1.5x9H DIN 5480	60	double bent (short; R=65 mm)		
70943C	2771	74971	Leyland	10	155							12.7	+16	+22.5	SAE 1 1/2" 10 C	130	bent	70944C	
70944C	2772	74971	Leyland	10	155							12.7	-16	+22.5	SAE 1 1/2" 10 C	130	bent	70943C	
70945C	2752	74442	Leyland	10	180							12.7	0	0	SAE 1 1/2" 10 C	0	bent		
70946C	2752	74958	Volvo	10	140							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
70949C	3865	74459	SAF	10	200	176	152	127				14 (L1: w/o)	0	+132.5	SAE 1 1/2" 10 C	283.5	double bent (long; R=100 mm)		
70950C	2882	74884	D-C	26	110							14	0	+27	N42x1.5x9H DIN 5480	35	double bent (short; R=65 mm)		
70952C	3879	74782	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	106	double bent (short; R=65 mm)	70953C	*
70953C	3878	74782	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	106	double bent (short; R=65 mm)	70952C	●
70954C	4024	74682	D-C	26	145							14	0	+132.5	N42x1.5x9H DIN 5480	86	double bent (short; R=65 mm)		
70955C	3880	74263	D-C	26	145							14	-18	+105	N42x1.5x9H DIN 5480	73	double bent (medium; R=78 mm)	70956C	
70956C	3881	74263	D-C	26	145							14	+18	+105	N42x1.5x9H DIN 5480	73	double bent (medium; R=78 mm)	70955C	
70957C	4085	74414	Volvo	10	152							16	0	0	SAE 1 1/2" 10 C	0	bent		
70959C	2752	74691	Fruehauf	37	210	180	155	130				14 (L1: w/o)	0	0	SAE J 498	100	double bent (short; R=65 mm)		❖
70969C	3068	74422	SAF/BPW	10	198	173	148					14	-28.5	0	SAE 1 1/2" 10 C	110	bent		
70970C	3069	74422	SAF/BPW	10	198	173	148					w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	110	bent		
70975C	2851	74413	Renault	27	238							14	-12.4	0	BNA 227	90	bent	70976C	
70976C	2852	74413	Renault	27	238							14	+12.4	0	BNA 227	90	bent	70975C	
70977C	2760	74456	Volvo	10	152							12.7	-38	0	SAE 1 1/2" 10 C	330	double bent (long; R=100 mm)	70978C	
70978C	2761	74456	Volvo	10	152							12.7	+38	0	SAE 1 1/2" 10 C	330	double bent (long; R=100 mm)	70977C	

* Can use 80000C

● Can use 80001C

❖ Can use 80021S



70927C



70930C



70931C



70932C



70943C



70944C



70945C



70949C



70950C



70952C



70953C



70954C



70955C



70956C



70957C



70959C



70969C



70970C



70975C



70976C



70977C



70978C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
70979C	2752	74414	Fruehauf	37	203	178	152	127				12.7 (L1wb)	0	0	SAE J 498	0	bent		
70980C	2897	74438	GB-Railway	10	178							16	0	0	SAE 1 1/2" 10 C	355	bent		
70986C	4104	74268	Dennis	10	140							12.7	0	0	SAE 1 1/2" 10 C	160	double bent (medium; R=78 mm)		
70989C	2752	74972	Kässbohrer	37	180	150						14	0	0	A36x40 DIN 5481	155	bent		
70990C	4045	74799	D-C	26	145							14	-18	+34	N42x1.5x9H DIN 5480	114	double bent (short; R=65 mm)	70991C	
70991C	4044	74799	D-C	26	145							14	+18	+34	N42x1.5x9H DIN 5480	114	double bent (short; R=65 mm)	70990C	
70992C	3896	74273	D-C	26	145							14	-50	+15	N42x1.5x9H DIN 5480	132	double bent (short; R=65 mm)	70993C	
70993C	3897	74273	D-C	26	145							14	+50	+15	N42x1.5x9H DIN 5480	132	double bent (short; R=65 mm)	70992C	
70996C	2897	74412	Bartoletti	8	214	191	168					12.7	0	0	32 UNI 222	90	bent		
72007C	3863	74471	SAF	10	178	152	127					14	-25	-30	SAE 1 1/2" 10 C	92	double bent (medium; R=78 mm)	72008C	
72008C	3864	74471	SAF	10	178	152	127					14	+25	-30	SAE 1 1/2" 10 C	92	double bent (medium; R=78 mm)	72007C	
72014C	2760	74412	Kässbohrer	19	160							14	-38	0	A38x34 DIN 5482	90	bent	72015C	
72015C	2761	74412	Kässbohrer	19	160							14	+38	0	A38x34 DIN 5482	90	bent	72014C	
72016C	3226	74448	Kässbohrer	19	145							14	0	-38	A38x34 DIN 5482	5	bent		
72017C	2985	74765	Kässbohrer	19	160							14	-38	-34	A38x34 DIN 5482	10	bent		
72018C	2987	74765	Kässbohrer	19	160							14	+38	-34	A38x34 DIN 5482	10	bent		
72019C	3226	74357	Leyland	10	127							12.7	0	-38	SAE 1 1/2" 10 C	355	double bent (long; R=100 mm)		
72028C	2771	74949	Bombardier	10	133							12.7	+16	+22.5	SAE 1 1/2" 10 C	125	bent	72029C	
72029C	2772	74949	Bombardier	10	133							12.7	-16	+22.5	SAE 1 1/2" 10 C	125	bent	72028C	
72030C	3226	74414	Bombardier	10	178							12.7	0	-38	SAE 1 1/2" 10 C	0	bent		
72031C	2752	74414	Fruehauf	10	200	142	118					12.7	0	0	SAE 1 1/2" 10 C	0	bent		
72033C	2851	74431	Fiat	8	218							12.7	-12.4	0	32 UNI 222	110	double bent (medium; R=78 mm)	72034C	
72034C	2852	74431	Fiat	8	218							12.7	+12.4	0	32 UNI 222	110	double bent (medium; R=78 mm)	72033C	
72035C	3890	74432	Fiat	8	190							12.7	0	+138.5	32 UNI 222	342	double bent (medium; R=78 mm)		
72036C	3893	74684	D-C	26	145							14	+56	-5	N42x1.5x9H DIN 5480	7	double bent (short; R=65 mm)	72037C	*

* Can use 80011C



70986C



70989C



70990C



70991C



70992C



70996C



72007C



72008C



72014C



72015C



72016C



72017C



72018C



72028C



72029C



72030C



72031C



72033C



72034C



72035C



72036C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72037C	3892	74684	D-C	26	145							14	-56	-5	N42x1.5x9H DIN 5480	7	double bent (short; R=65 mm)	72036C	*
72038C	4004	74687	D-C	26	145							14	+60	+34.5	N42x1.5x9H DIN 5480	7	double bent (short; R=65 mm)	72039C	
72039C	4005	74687	D-C	26	145							14	-60	+34.5	N42x1.5x9H DIN 5480	7	double bent (short; R=65 mm)	72038C	
72040C	4010	74685	D-C	26	145							14	-42	+105	N42x1.5x9H DIN 5480	80	double bent (short; R=65 mm)	72041C	●
72041C	4011	74685	D-C	26	145							14	+42	+105	N42x1.5x9H DIN 5480	80	double bent (short; R=65 mm)	72040C	❖
72046C	4024	74769	D-C	26	145							14	0	+132.5	N42x1.5x9H DIN 5480	86	double bent (short; R=65 mm)		
72053C	2752	74270	SAF/BPW	10	210	180	150	125				14	0	0	SAE 1 1/2" 10 C	20	double bent (short; R=65 mm)		
72054C	4077	74770	D-C	26	145							14	+60	-10	N42x1.5x9H DIN 5480	89	double bent (short; R=65 mm)	72055C	
72055C	4078	74770	D-C	26	145							14	-60	-10	N42x1.5x9H DIN 5480	89	double bent (short; R=65 mm)	72054C	
72056C	3900	74274	D-C	26	145							14	0	+37	N42x1.5x9H DIN 5480	150	double bent (medium; R=78 mm)		
72059C	3900	74686	D-C	26	145							14	0	+37	N42x1.5x9H DIN 5480	358	double bent (short; R=65 mm)		
72060C	3860	74272	D-C	26	145							14	-15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	72061C	
72061C	3861	74272	D-C	26	145							14	+15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	72060C	
72062C	4019	74253	D-C	26	145							14	+37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72063C	■
72063C	4018	74253	D-C	26	145							14	-37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72062C	◆
72064C	4016	74269	D-C	26	145							14	-63	-20	N42x1.5x9H DIN 5480	475	double bent (short; R=65 mm)	72065C	
72065C	4017	74269	D-C	26	145							14	+63	-20	N42x1.5x9H DIN 5480	475	double bent (short; R=65 mm)	72064C	
72069C	3185	74767	D-C	26	145							14	-56	+4	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	72070C	
72070C	3186	74767	D-C	26	145							14	+56	+4	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	72069C	
72085C	4104	74284	Volvo	10	133							12.7	0	0	SAE 1 1/2" 10 C	30	bent		
72086C	2752	74442	Leyland	10	203	171						12.7 (L1:w/o)	0	0	SAE 1 1/2" 10 C	0	bent		
72096C	4022	74290	D-C	26	145							14	-31	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	72097C	

- * Can use 80010C
- Can use 80012C
- ❖ Can use 80013C
- Can use 80008C
- ◆ Can use 80009C



72037C



72038C



72039C



72040C



72041C



72046C



72053C



72054C



72055C



72056C



72059C



72060C



72061C



72062C



72063C



72064C



72065C



72069C



72070C



72085C



72086C



72096C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72097C	4023	74290	D-C	26	145							14	+31	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	72096C	
72103C	2752	74414	Fruehauf	10	200	142	118					14	0	0	SAE 1 1/2" 10 C	0	bent		
72104C	4086	74905	Fruehauf	37	210	153	129	105				14	0	+20	SAE J 498	20	bent		
72105C	2755	74936	Leyland	10	178							12.7	-16	0	SAE 1 1/2" 10 C	85	bent	72106C	
72106C	2756	74936	Leyland	10	178							12.7	+16	0	SAE 1 1/2" 10 C	85	bent	72105C	
72114C	3226	74357	Seddon Atkinson	10	140							12.7	0	-38	SAE 1 1/2" 10 C	355	double bent (long; R=100 mm)		
72115C	2752	74919	Fruehauf	10	200	142	118					12.7	0	0	SAE 1 1/2" 10 C	60	bent		
72120C	4025	74291	D-C	26	145							14	-31	+15.5	N42x1.5x9H DIN 5480	131	double bent (short; R=65 mm)	72121C	
72121C	4026	74291	D-C	26	145							14	+31	+15.5	N42x1.5x9H DIN 5480	131	double bent (short; R=65 mm)	72120C	
72127C	4017	74269	D-C	26	145							14	+63	-20	N42x1.5x9H DIN 5480	48	double bent (short; R=65 mm)	72128C	
72128C	4016	74269	D-C	26	145							14	-63	-20	N42x1.5x9H DIN 5480	48	double bent (short; R=65 mm)	72127C	
72137C	2901	74257	Renault	19	170							14	+60.3	+22.5	A38x34 DIN 5482	0	double bent (medium; R=78 mm)	72138C	
72138C	2902	74257	Renault	19	170							14	-60.3	+22.5	A38x34 DIN 5482	0	double bent (medium; R=78 mm)	72137C	
72140C	2760	74427	MCW	10	165							12.7	-38	0	SAE 1 1/2" 10 C	75	bent		
72141C	2761	74427	MCW	10	165							12.7	+38	0	SAE 1 1/2" 10 C	75	bent		
72143C	2752	74918	Military trailer	10	190							12.7	0	0	SAE 1 1/2" 10 C	60	bent		
72144C	2752	74262	Dana/MCW	10	165							12.7	0	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72145C	4104	74985	Dennis	10	127							12.7	0	0	SAE 1 1/2" 10 C	15	bent		
72147C	2760	74987	Dennis/MCW	10	140							12.7	-38	0	SAE 1 1/2" 10 C	50	bent	72148C	
72148C	2761	74987	Dennis/MCW	10	140							12.7	+38	0	SAE 1 1/2" 10 C	50	bent	72147C	
72149C	2752	74361	Bedford	10	140							12.7	0	0	SAE 1 1/2" 10 C	350	double bent (medium; R=78 mm)		
72150C	2760	74262	DAF	10	165							14	-38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72151C	
72151C	2761	74262	DAF	10	165							14	+38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72150C	
72154C	2752	74424	MAG	-	203	178	152	127				12.7	0	0	SQUARE 26.9	0	bent		
72157C	3202	74994	Perrod	19	130							14	0	+120	A38x34 DIN 5482	79	double bent (short; R=65 mm)		
72168C	2895	74971	Leyland	10	152							12.7	-47.6	+22.5	SAE 1 1/2" 10 C	130	bent	72169C	
72173C	3185	74293	D-C	26	145							14	-56	+4	N42x1.5x9H DIN 5480	144	double bent (short; R=65 mm)	72174C	
72174C	3186	74293	D-C	26	145							14	+56	+4	N42x1.5x9H DIN 5480	144	double bent (short; R=65 mm)	72173C	



72097C



72105C



72106C



72120C



72121C



72137C



72138C



72140C



72141C



72143C



72145C



72147C



72148C



72151C



72154C



72168C



72173C



72174C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72177C	3202	74295	Neoplan	19	130							14	0	+120	A38x34 DIN 5482	79	double bent (short; R=65 mm)		
72178C	4049	74575	D-C	26	145							14	0	+172	N42x1.5x9H DIN 5480	152	double bent (medium; R=78 mm)		
72179C	3226	74354	Foden	10	127							12.7	0	-38	SAE 1 1/2" 10 C	350	double bent (long; R=100 mm)		
72180C	3226	74357	Foden	28	127							12.7	0	-38	SAE 1 1/2" 28 C	355	double bent (long; R=100 mm)		
72181C	3226	74357	Foden	28	140							12.7	0	-38	SAE 1 1/2" 28 C	355	double bent (long; R=100 mm)		
72182C	3226	74474	Bredamenaribus	10	140							14	0	-38	SAE 1 1/2" 10 C	103	double bent (short; R=65 mm)		
72189C	4104	74411	Dana/MCW	10	108							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
72190C	2752	74411	Dana/MCW/ERF	10	114							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
72191C	4034	74774	Leyland	10	120							12.7	-28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72192C	
72192C	4033	74774	Leyland	10	120							12.7	+28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72191C	
72195C	2752	74775	Leyland	10	115							12.7	0	0	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)		
72198C	3226	74362	Seddon Atkinson	10	127							12.7	0	-38	SAE 1 1/2" 10 C	325	double bent (long; R=100 mm)		
72199C	3226	74362	Foden	28	127							12.7	0	-38	SAE 1 1/2" 28 C	325	double bent (long; R=100 mm)		
72203C	3863	74778	ZF/Neoplan	19	145							14	-25	-30	A38x34 DIN 5482	50	double bent (short; R=65 mm)	72204C	
72204C	3864	74778	ZF/Neoplan	19	145							14	+25	-30	A38x34 DIN 5482	50	double bent (short; R=65 mm)	72203C	
72205C	4085	74404	Kälble	26	152							16	0	0	N42x1.5x9H DIN 5480	90	bent		
72207C	3718	74473	Kälble	37	176							16	+56.2	+25	A36x40 DIN 5481	162	double bent (medium; R=78 mm)	72206C	
72208C	2752	74480	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	110	double bent (short; R=65 mm)		
72211C	4035	74477	D-C	26	130							14	-15	-14	N42x1.5x9H DIN 5480	358	double bent (medium; R=78 mm)	72212C	
72212C	4036	74477	D-C	26	130							14	+15	-14	N42x1.5x9H DIN 5480	358	double bent (medium; R=78 mm)	72211C	
72213C	4037	74476	D-C	26	130							14	0	-29.5	N42x1.5x9H DIN 5480	337.5	double bent (medium; R=78 mm)		
72214C	4085	74422	Pegaso	19	160							14	0	0	A38x34 DIN 5482	110	bent		
72215C	3069	74360	Iveco Pegaso	19	160							14	+28.5	0	A38x34 DIN 5482	80	bent	72216C	
72216C	3068	74360	Iveco Pegaso	19	160							14	-28.5	0	A38x34 DIN 5482	80	bent	72215C	
72217C	2753	74360	Iveco Pegaso	19	200							14	-22	0	A38x34 DIN 5482	80	bent	72218C	
72218C	2754	74360	Iveco Pegaso	19	200							14	+22	0	A38x34 DIN 5482	80	bent	72217C	
72223C	2987	74900		10	140							14	+38	-34	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72224C	



72177C



72178C



72179C



72180C



72181C



72182C



72190C



72199C



72203C



72204C



72205C



72207C



72208C



72211C



72212C



72213C



72214C



72215C



72216C



72217C



72218C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72234C	4019	74988	D-C	26	145							14	+37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72235C	*
72235C	4018	74988	D-C	26	145							14	-37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72234C	●
72238C	3863	74266	SAF	10	178	152	127					14	-25	-30	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	72239C	
72239C	3864	74266	SAF	10	178	152	127					14	+25	-30	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	72238C	
72249C	2752	74424	Scania	10	203	178	152	127				14	0	0	SAE 1 1/2" 10 C	0	bent		
72250C	4032	74632	SAF	10	250	210	180	150	125			14	0	+20	SAE 1 1/2" 10 C	130	bent		
72251C	4086	74426	SAE	27	210	180	150	125				14	0	+20	BNA 227	130	bent		
72253C	4032	74426	BPW	10	250	180	150	120				14	0	+20	SAE 1 1/2" 10 C	130	bent		
72254C	4086 (4032)	74632	Trallor/Samro	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	130	bent		❖
72255C	4086	74934	ROR	10	215	181	153	129	105			12.7	0	+20	SAE 1 1/2" 10 C	80	bent		
72256C	4086	74568	ROR	10	215	181	153	129	105			12.7	0	+20	SAE 1 1/2" 10 C	20	bent		
72259C	4086	74426	ROR	37	215	181	153	129	105			14 (L1: w/o)	0	+20	SAE J 498	130	bent		
72260C	4086	74299	ROR	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	20	bent		
72261C	4086	74426	Montracon	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	bent		■
72262C	4086	74567	Sisu	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	bent		
72265C	4086	74568		10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	20	bent		
72266C	4086	74632	Fruehauf	37	215	153	129	105				14 (L1: 16)	0	+20	SAE J 498	130	bent		◆
72267C	4086	74426	Fruehauf	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	130	bent		■
72268C	4086	74426	Fruehauf	10	215	181	153	129	105			12.7	0	+20	SAE 1 1/2" 10 C	130	bent		
72269C	4086	74570	SAF	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	130	bent		
72270C	4086	74632	SAF	10	153	129	105					14	0	+20	SAE 1 1/2" 10 C	130	bent		
72271C	4032	74426	SAF	10	250	195	165	135				14	0	+20	SAE 1 1/2" 10 C	130	bent		*

* Can use 80008C

● Can use 80009C

❖ Can use 80024S

■ Can use 72788S

◆ Can use 80021S



72234C



72235C



72238C



72239C



72250C



72251C



72253C



72254C



72255C



72256C



72259C



72260C



72261C



72262C



72266C



72268C



72269C



72270C



72271C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72272C	4032	74426		10	250							w/o	0	+20	SAE 1 1/2" 10 C	130	bent		
72273C	4086	74426		37	215	181	153	129	105			12.7	0	+20	SAE J 498	130	bent		
72303C	3185	74565	MAN	26	145							14	-56	+4	N42x1.5x9H DIN 5480	144	double bent (short; R=65 mm)	72304C	
72308C	3177	74482	D-C	26	145							14	0	+132.5	N42x1.5x9H DIN 5480	75	double bent (medium; R=78 mm)		
72315C	4085	74376	Renault	19	160							14	0	0	A38x34 DIN 5482	24	double bent (short; R=65 mm)		
72320C	3162	74785	MAN	26	145							14	+18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)		
72321C	3163	74785	MAN	26	145							14	-18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)		
72326C	2752 (4085)	74778	ZF	19	152							14	0	0	A38x34 DIN 5482	50	double bent (short; R=65 mm)		
72327C	3226	74784	DAF	10	165							14	0	-38	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)		
72329C	4085	74284	GKN	10	155	127						12.7	0	0	SAE 1 1/2" 10 C	30	bent		
72330C	4085	74900	Van Hool/Iveco TurboCity/ Bredamenarinibus	19	152							14	0	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)		
72333C	4104	74903	Foden	10	140							12.7	0	0	SAE 1 1/2" 10 C	15	bent		
72337C	4047	74800	MAN	26	145							14	+26	0	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	72338C	
72338C	4046	74800	MAN	26	145							14	-26	0	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	72337C	
72344C	2901	74258		10	151							12.7	+60.3	+22.5	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72345C	
72353C	4032	74298		10	250	180	150	120				14 (L1: w/o)	0	+20	SAE 1 1/2" 10 C	130	bent		
72354C	4052	74886	D-C	26	145							14	+63	-28	N42x1.5x9H DIN 5480	70	double bent (short; R=65 mm)	72355C	
72355C	4053	74886	D-C	26	145							14	-63	-28	N42x1.5x9H DIN 5480	70	double bent (short; R=65 mm)	72354C	
72356C	4085	74376	Seddon Atkinson	19	150							14	0	0	A38x34 DIN 5482	24	double bent (short; R=65 mm)		
72357C	4054	74380	Liaz	26	150							14	+18	-38	40x1.5 CSN 014950.1	32	bent	72358C	
72358C	4055	74380	Liaz	26	150							14	-18	-38	40x1.5 CSN 014950.1	32	bent	72357C	
72359C	4086	74298	ROR	10	215	142	118					14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	130	bent		*
72361C	4104	74990	MCW	10	115							12.7	0	0	SAE 1 1/2" 10 C	65	bent		
72362C	4104	74902	Dennis	10	127							12.7	0	0	SAE 1 1/2" 10 C	15	bent		
72363C	2752	74985	Dennis	10	140							12.7	0	0	SAE 1 1/2" 10 C	15	bent		
72364C	4104	74365	Dennis	10	127							12.7	0	0	SAE 1 1/2" 10 C	340	double bent (medium; R=78 mm)		

* Can use 72788S



72303C



72308C



72315C



72326C



72329C



72330C



72333C



72344C



72354C



72355C



72356C



72357C



72358C



72359C



72361C



72362C



72363C



72364C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth								bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
					L1	L2	L3	L4	L5	L6	L7								
72367C	4104	74902	Dennis	10	140							12.7	0	0	SAE 1 1/2" 10 C	15	bent		
72370C	2760	74364	Kässbohrer	19	175							14	-38	0	A38x34 DIN 5482	180	double bent (long; R=100 mm)	72371C	
72371C	2761	74364	Kässbohrer	19	175							14	+38	0	A38x34 DIN 5482	180	double bent (long; R=100 mm)	72370C	
72372C	2760	74957	Kässbohrer	28	175							12.7	-38	0	SAE 1 1/2" 28 C	150	bent	72373C	
72373C	2761	74957	Kässbohrer	28	175							12.7	+38	0	SAE 1 1/2" 28 C	150	bent	72372C	
72374C	2753	74957	Kässbohrer	10	175							16	-22	0	SAE 1 1/2" 10 C	150	bent	72375C	
72375C	2754	74957	Kässbohrer	10	175							16	+22	0	SAE 1 1/2" 10 C	150	bent	72374C	
72376C	2752	74439	Kässbohrer	28	145							12.7	0	0	SAE 1 7/16" 28 C	90	bent		
72385C	4085	74574	ZF	19	145							14	0	0	A38x34 DIN 5482	90	double bent (short; R=65 mm)		
72393C	4104	74410	Dennis	10	140							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
72401C	4034	74491	Leyland	10	120							12.7	-28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72402C	
72402C	4033	74491	Leyland	10	120							12.7	+28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72401C	
72403C	4034	74491	Leyland	10	133							12.7	-28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72404C	
72404C	4033	74491	Leyland	10	133							12.7	+28.5	0	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72403C	
72405C	4104	74775	Leyland	10	115							12.7	0	0	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)		
72406C	4104	74775	Leyland	10	133							12.7	0	0	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)		
72407C	4104	74775	Leyland	10	140							12.7	0	0	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)		
72408C	2752	74376	Enasa/Iveco Pegaso	19	180							14	0	0	A38x34 DIN 5482	24	double bent (short; R=65 mm)		
72416C	4032	74590	Kässbohrer	37	250	180	150	120				14	0	+20	A36x40 DIN 5481	110	bent		
72417C	2760	74592	Foden	10	165							12.7	-38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72418C	
72418C	2761	74592	Foden	10	165							12.7	+38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72417C	
72419C	2752	74597	Sicca/Bredamenarinibus	8	180							12.7	0	0	32 UNI 222	155	double bent (short; R=65 mm)		
72420C	2771	74594	Leyland	10	140							12.7	+16	+22.5	SAE 1 1/2" 10 C	120	bent	72421C	
72421C	2772	74594	Leyland	10	140							12.7	-16	+22.5	SAE 1 1/2" 10 C	120	bent	72420C	
72422C	2922	74595	Leyland	10	165							12.7	0	+26	SAE 1 1/2" 10 C	110	bent		
72425C	4104	74598	Dana	10	140							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
72426C	2771	74404	Kässbohrer	28	140							w/o	+16	+22.5	SAE 1 1/2" 28 C	90	bent		



72367C



72370C



72371C



72372C



72376C



72393C



72401C



72402C



72403C



72404C



72405C



72406C



72407C



72416C



72417C



72418C



72419C



72420C



72421C



72422C



72426C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72427C	2772	74404	Kässbohrer	28	140							12.7	-16	+22.5	SAE 1 1/2" 28 C	90	bent		
72428C	4085	74385	Sisu	10	145							14	0	0	SAE 1 1/2" 10 C	43	double bent (short; R=65 mm)		
72429C	4085	74386	Sisu	10	145							14	0	0	SAE 1 1/2" 10 C	115	double bent (short; R=65 mm)		
72430C	2761	74908	Steyr	28	152							12.7	+38	0	SAE 1 1/2" 28 C	30	bent	72431C	
72431C	2760	74908	Steyr	28	152							12.7	-38	0	SAE 1 1/2" 28 C	30	bent	72430C	
72432C	2771	74483	Leyland	10	155							12.7	+16	+22.5	SAE 1 1/2" 10 C	145	bent	72433C	
72433C	2772	74483	Leyland	10	155							12.7	-16	+22.5	SAE 1 1/2" 10 C	145	bent	72432C	
72438C	4104	74599	MAN	26	130							14	0	0	N42x1.5x9H DIN 5480	105	double bent (short; R=65 mm)		
72439C	2771	74485	Leyland	10	155							12.7	+16	+22.5	SAE 1 1/2" 10 C	145	bent	72440C	
72440C	2772	74485	Leyland	10	155							12.7	-16	+22.5	SAE 1 1/2" 10 C	145	bent	72439C	
72441C	2922	74486	Leyland	10	165							12.7	0	+26	SAE 1 1/2" 10 C	25	bent		
72446C	3068	74597	Iveco Pegaso	19	185							14	-28.5	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)		
72447C	3069	74597	Iveco Pegaso	19	180							14	+28.5	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)		
72448C	2752	74401	BPW	10	210	180	150	120				14	0	0	SAE 1 1/2" 10 C	110	bent		
72452C	3195	74911	MCW	10	115							12.7	-15	-24	SAE 1 1/2" 10 C	40	bent	72453C	
72453C	3196	74911	MCW	10	115							12.7	+15	-24	SAE 1 1/2" 10 C	40	bent	72452C	
72457C	4104	74427	Foden	10	140							12.7	0	0	SAE 1 1/2" 10 C	75	bent		
72459C	2753	74900	Van Hool	19	160							14	-22	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)	72460C	
72460C	2754	74900	Van Hool	19	160							14	+22	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)	72459C	
72461C	2753	74373	Van Hool	19	150							14	-22	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)	72462C	
72462C	2754	74373	Van Hool	19	150							14	+22	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)	72461C	
72506C	3216	74863	MAN	26	215							14	-26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	72507C	
72507C	3217	74863	MAN	26	215							14	+26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	72506C	
72509C	3071	74564	MAN	26	215							14	+45	+10	N42x1.5x9H DIN 5480	100	double bent (short; R=65 mm)	72508C	
72517C	2752	74284	Volvo	10	145							12.7	0	0	SAE 1 1/2" 10 C	30	bent		
72521C	3185	74507	Sisu	10	145							14	-56	+4	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	72522C	
72522C	3186	74507	Sisu	10	145							14	+56	+4	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	72521C	
72523C	2760	74558	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72524C	



72428C



72429C



72430C



72431C



72439C



72440C



72441C



72446C



72447C



72448C



72452C



72453C



72457C



72459C



72460C



72461C



72462C



72509C



72517C



72521C



72522C



72523C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72524C	2761	74558	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72523C	
72525C	2760	74555	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72526C	
72526C	2761	74555	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72525C	
72527C	3186	74556	DAF	26	143							14	+56	+4	N42x1.5x9H DIN 5480	83	double bent (short; R=65 mm)	72528C	
72529C	2752	74557	DAF	26	140							w/o	0	0	N42x1.5x9H DIN 5480	0	double bent (short; R=65 mm)		
72530C	3226	74555	DAF	10	140							14	0	-38	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72531C	2752	74559	DAF	10	140							w/o	0	0	SAE 1 1/2" 10 C	15	double bent (short; R=65 mm)		
72532C	2760	74558	DAF	10	165							14	-38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72533C	
72533C	2761	74558	DAF	10	165							14	+38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72532C	
72534C	4104	74555	DAF	10	140							14	0	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72535C	3226	74558	DAF	10	140							14	0	-38	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)		
72536C	2987	74557	DAF	10	140							14	+38	-34	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72537C	
72537C	2985	74557	DAF	10	140							14	-38	-34	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72536C	
72538C	4042	74560	DAF	10	165							14	-45	-30	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)	72539C	
72539C	4043	74560	DAF	10	165							14	+45	-30	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)	72538C	
72540C	3226	74555	DAF	10	165							14	0	-38	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72541C	3226	74557	DAF	10	165							14	0	-38	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)		
72542C	2987	74557	DAF	10	165							14	+38	-34	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72543C	
72543C	2985	74557	DAF	10	165							14	-38	-34	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72542C	
72544C	3185	74556	DAF	10	143							14	-56	+4	SAE 1 1/2" 10 C	83	double bent (short; R=65 mm)	72545C	
72545C	3186	74556	DAF	10	143							14	+56	+4	SAE 1 1/2" 10 C	83	double bent (short; R=65 mm)	72544C	
72546C	2752	74557	DAF	10	140							w/o	0	0	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)		
72547C	3226	74560	DAF	10	165							14	0	-38	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)		
72548C	3865	74561	DAF	10	140							14	0	+132.5	SAE 1 1/2" 10 C	120	double bent (short; R=65 mm)		



72524C



72525C



72526C



72527C



72529C



72530C



72531C



72532C



72533C



72534C



72535C



72536C



72537C



72538C



72539C



72540C



72541C



72542C



72543C



72544C



72545C



72546C



72547C



72548C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72550C	4104	74558	DAF	10	140							14	0	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)		
72551C	2894	74555	DAF	10	143							14	+47.6	+22.5	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72553C	4085	74557	DAF	10	165							w/o	0	0	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)		
72554C	2752	74401	SAF	10	203							14	0	0	SAE 1 1/2" 10 C	110	bent		
72558C	3226	74364	DAF	10	140							14	0	-38	SAE 1 1/2" 10 C	180	double bent (long; R=100 mm)		
72559C	2895	74145	Leyland	10	152							12.7	-47.6	+22.5	SAE 1 1/2" 10 C	130	bent	72560C	
72560C	2894	74145	Leyland	10	152							12.7	+47.6	+22.5	SAE 1 1/2" 10 C	130	bent		72559C
72563C	2752	74443	Leyland	10	180							12.7	0	0	SAE 1 1/2" 10 C	0	bent		
72566C	2901	74580	Liaz	26	200							14	+60.3	+22.5	40x1.5 CSN 014950.1	113	double bent (short; R=65 mm)	72567C	
72567C	2902	74580	Liaz	26	200							14	-60.3	+22.5	40x1.5 CSN 014950.1	113	double bent (short; R=65 mm)	72566C	
72568C	4085	74262	Foden	10	165							12.7	0	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)		
72569C	4086	74570	Fruehauf	10	118							14	0	+20	SAE 1 1/2" 10 C	130	bent		*
72570C	2752	74298	Ajona	10	150							14	0	0	SAE 1 1/2"-10	130	bent		
72576C	4086	74570	SAF	10	203	165	140	115				14	0	+20	SAE 1 1/2" 10 C	130	bent		
72578C	2752	74689	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	118	double bent (short; R=65 mm)		
72581C	4086	74570	SAF	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	bent		●
72582C	4086	74298		26	215	181	153	129	105			12.7	0	+20	N42x1.5x9H DIN 5480	130	bent		
72583C	2901	74508	Temsa	25	145							14	+60.3	+22.5	JIS B 1602	144	double bent (medium; R=78 mm)	72584C	
72584C	2902	74508	Temsa	25	145							14	-60.3	+22.5	JIS B 1602	144	double bent (medium; R=78 mm)	72583C	
72585C	3226	74509	Temsa	25	135							14	0	-38	JIS B 1602	28	double bent (medium; R=78 mm)		
72586C	2760	74571	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	72587C	
72587C	2761	74571	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)	72586C	
72588C	4085	74969	Leyland	10	152							12.7	0	0	SAE 1 1/2" 10 C	320	double bent (long; R=100 mm)		

* Can use 790055

● Can use 800205



72550C



72551C



72553C



72554C



72558C



72559C



72560C



72563C



72566C



72567C



72568C



72570C



72576C



72581C



72582C



72583C



72584C



72585C



72586C



72587C



72588C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72591C	2760	74485	Kässbohrer	19	150							14	-38	0	A38x34 DIN 5482	145	bent	72592C	
72592C	2761	74485	Kässbohrer	19	150							14	+38	0	A38x34 DIN 5482	145	bent	72591C	
72593C	4019	74881	D-C	26	145							14	+37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72594C	*
72594C	4018	74881	D-C	26	145							14	-37	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72593C	●
72596C	3900	74885	D-C	26	145							14	0	+37	N42x1.5x9H DIN 5480	127	double bent (short; R=65 mm)		
72597C	4068	74801	D-C	26	145							14	+50	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72598C	
72598C	4069	74801	D-C	26	145							14	-50	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72597C	
72599C	4104	74412	Renault	33	140							14	0	0	PITCH 24/48	90	bent		
72600C	4085	74359	Renault	33	150							14	0	0	PITCH 24/48	100	bent		
72601C	4104	74412	Renault	33	127							14	0	0	PITCH 24/48	90	bent		
72602C	4004	74359	Renault	33	140							14	+60	+34.5	PITCH 24/48	100	bent	72603C	
72603C	4005	74359	Renault	33	140							14	-60	+34.5	PITCH 24/48	100	bent	72602C	
72604C	2894	74359	Renault	33	140							14	+47.6	+22.5	PITCH 24/48	100	bent	72605C	
72608C	2765	74555	DAF	10	140							14	-12.7	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72609C	
72609C	2766	74555	DAF	10	140							14	+12.7	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72608C	
72614C	4032	74855	Raba	20	250	225	200	175	150			14	0	+20	A40x36 DIN 5482	70	double bent (short; R=65 mm)		
72616C	3878	74802	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	123	double bent (short; R=65 mm)	72617C	❖
72617C	3879	74802	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	123	double bent (short; R=65 mm)	72616C	■
72618C	3068	74709	Pegaso	19	140							14	-28.5	0	A38x34 DIN 5482	24	double bent (short; R=65 mm)	72619C	
72633C	2761	74236	Renault	27	175							14	+38	0	BNA 227 D3.5	125	double bent (short; R=65 mm)	72634C	
72634C	2760	74236	Renault	27	175							14	-38	0	BNA 227 D3.5	125	double bent (short; R=65 mm)	72633C	
72641C	4085	74572	ZF/ Iveco Bus 490/ Bredamenanibus	19	152							14	0	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)		
72643C	4104	74469	Steyr	10	140							12.7	0	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)		

* Can use 80008C

● Can use 80009C

❖ Can use 80001C

■ Can use 80000C



72591C



72592C



72593C



72594C



72596C



72597C



72598C



72599C



72600C



72601C



72602C



72603C



72604C



72608C



72609C



72614C



72616C



72617C



72618C



72633C



72641C



72643C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72644C	4104	74365	Dennis	10	140							12.7	0	0	SAE 1 1/2" 10 C	340	double bent (medium; R=78 mm)		
72645C	4076	74511	SAF/BPW	10	250	180	130	110				14 (L1:w/o)	0	+20	SAE 1 1/2" 10 C	45	bent		
72646C	3068	74373	Van Hool	19	150							14	-28.5	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)	72647C	
72647C	3069	74373	Van Hool	19	150							14	+28.5	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)	72646C	
72651C	3897	74510	MAN	26	145							14	+50	+15	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	72650C	
72654C	3891	74230	Scania	10	165	140						16	0	0	SAE 1 1/2" 10 C	308	double bent (long; R=100 mm)		
72655C	2894	74754	Scania	10	151							12.7	+47.6	+22.5	SAE 1 1/2" 10 C	76	double bent (short; R=65 mm)	72656C	
72656C	2895	74754	Scania	10	151							12.7	-47.6	+22.5	SAE 1 1/2" 10 C	76	double bent (short; R=65 mm)	72655C	
72657C	2901	74756	Scania	10	151							12.7	+60.3	+22.5	SAE 1 1/2" 10 C	98	double bent (short; R=65 mm)	72658C	
72658C	2902	74756	Scania	10	151							12.7	-60.3	+22.5	SAE 1 1/2" 10 C	98	double bent (short; R=65 mm)	72657C	
72660C	3662	74230	Scania	10	165							16	+25	-42	SAE 1 1/2" 10 C	308	double bent (long; R=100 mm)	72661C	
72661C	3663	74230	Scania	10	165							16	-25	-42	SAE 1 1/2" 10 C	308	double bent (long; R=100 mm)	72660C	
72662C	3226	74230	Scania	10	165							16	0	-38	SAE 1 1/2" 10 C	308	double bent (long; R=100 mm)		
72663C	3705	74229	Scania	10	165							16	+50	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	72664C	
72664C	3704	74229	Scania	10	165							16	-50	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	72663C	
72665C	3704	74232	Scania	10	165							16	-50	0	SAE 1 1/2" 10 C	58	double bent (short; R=65 mm)	72666C	
72666C	3705	74232	Scania	10	165							16	+50	0	SAE 1 1/2" 10 C	58	double bent (short; R=65 mm)	72665C	
72667C	4104	74966	Volvo	10	140							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
72668C	2987	74444	Volvo	10	151							12.7	+38	-34	SAE 1 1/2" 10 C	0	bent	72669C	
72669C	2985	74444	Volvo	10	151							12.7	-38	-34	SAE 1 1/2" 10 C	0	bent	72668C	
72670C	2987	74444	Volvo	10	165							12.7	+38	-34	SAE 1 1/2" 10 C	0	bent	72671C	
72671C	2985	74444	Volvo	10	165							12.7	-38	-34	SAE 1 1/2" 10 C	0	bent	72670C	
72672C	2766	74402	Volvo	10	140							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	72673C	
72673C	2765	74402	Volvo	10	140							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	72672C	
72674C	2754	74402	Volvo	10	140							12.7	+22	0	SAE 1 1/2" 10 C	90	bent	72675C	



72644C



72645C



72646C



72647C



72654C



72655C



72656C



72657C



72658C



72660C



72661C



72662C



72663C



72664C



72665C



72666C



72667C



72668C



72669C



72670C



72671C



72672C



72673C



72674C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72675C	2753	74402	Volvo	10	140							12.7	-22	0	SAE 1 1/2" 10 C	90	bent	72674C	
72676C	4085	74983	Volvo	10	152							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
72677C	4104	74983	Volvo	10	140							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
72678C	4104	74472	Volvo	10	140							12.7	0	0	SAE 1 1/2" 10 C	171.5	double bent (long; R=100 mm)		
72679C	2987	74608	DAF	10	140							14	+38	-34	SAE 1 1/2" 10 C	34	double bent (short; R=65 mm)	72680C	
72680C	2985	74608	DAF	10	140							14	-38	-34	SAE 1 1/2" 10 C	34	double bent (short; R=65 mm)	72679C	
72688C	3878	74475	ZF	19	145							14	+56	+15	A38x34 DIN 5482	100	double bent (short; R=65 mm)	72689C	
72689C	3879	74475	ZF	19	145							14	-56	+15	A38x34 DIN 5482	100	double bent (short; R=65 mm)	72688C	
72695C	3185	74189	DAF	10	143							14	-56	+4	SAE 1 1/2" 10 C	37	double bent (short; R=65 mm)	72696C	
72696C	3186	74189	DAF	10	143							14	+56	+4	SAE 1 1/2" 10 C	37	double bent (short; R=65 mm)	72695C	
72698C	2752	74926	Nishiumi	19	150							12.7	0	0	A38x34 DIN 5482	70	bent		
72702C	4076	74632	SAF	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	bent		*
72703C	4076	74633	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	50	bent		●
72704C	4077	74555	DAF	10	145							14	+60	-10	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72705C	
72705C	4078	74555	DAF	10	145							14	-60	-10	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72704C	
72710C	2752	74692	SAF	10	210	180	150	125				14	0	0	SAE 1 1/2" 10 C	45	double bent (short; R=65 mm)		
72713C	2766	74447	Volvo	10	127							12.7	+12.7	0	SAE 1 1/2" 10 C	5	bent	72714C	
72714C	2765	74447	Volvo	10	127							12.7	-12.7	0	SAE 1 1/2" 10 C	5	bent	72713C	
72715C	2753	74920	Volvo	10	133							12.7	-22	0	SAE 1 1/2" 10 C	60	bent	72716C	
72716C	2754	74920	Volvo	10	133							12.7	+22	0	SAE 1 1/2" 10 C	60	bent	72715C	
72717C	2766	74402	Volvo	10	127							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	72718C	
72718C	2765	74402	Volvo	10	127							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	72717C	
72719C	2754	74419	Volvo	10	159							12.7	+22	0	SAE 1 1/2" 10 C	110	bent	72720C	
72720C	2753	74419	Volvo	10	159							12.7	-22	0	SAE 1 1/2" 10 C	110	bent	72719C	
72721C	2766	74921	Volvo	10	159							12.7	+12.7	0	SAE 1 1/2" 10 C	60	bent	72722C	

* Can use 80022S

● Can use 80020S



72675C



72676C



72677C



72678C



72679C



72680C



72688C



72689C



72695C



72696C



72698C



72702C



72703C



72704C



72705C



72713C



72714C



72715C



72716C



72717C



72718C



72719C



72720C



72721C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72722C	2765	74921	Volvo	10	159							12.7	-12.7	0	SAE 1 1/2" 10 C	60	bent	72721C	
72723C	3861	74448	Volvo	10	134							12.7	+15	-24	SAE 1 1/2" 10 C	5	bent	72724C	
72724C	3860	74448	Volvo	10	134							12.7	-15	-24	SAE 1 1/2" 10 C	5	bent	72723C	
72725C	4104	74402	Volvo	10	127							12.7	0	0	SAE 1 1/2" 10 C	90	bent		
72726C	4085	74472	Volvo	10	152							12.7	0	0	SAE 1 1/2" 10 C	171.5	double bent (long; R=100 mm)		
72727C	2771	74390	Scania	10	130							16	+16	+22.5	SAE 1 1/2" 10 C	92	double bent (short; R=65 mm)	72728C	
72728C	2772	74390	Scania	10	130							16	-16	+22.5	SAE 1 1/2" 10 C	92	double bent (short; R=65 mm)	72727C	
72729C	3884	74499	Scania	10	130							16	+35	0	SAE 1 1/2" 10 C	62	double bent (short; R=65 mm)	72730C	
72730C	3883	74499	Scania	10	130							16	-35	0	SAE 1 1/2" 10 C	62	double bent (short; R=65 mm)	72729C	
72731C	3163	74512	MAN	26	130							14	-18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	72732C	
72732C	3162	74512	MAN	26	130							14	+18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	72731C	
72733C	4032	74611	Gorica	8	250	180	155	125				14	0	+20	32 UNI 222	105	bent		
72742C	3658	74622	Tatra	36	275							16	-97	0	A30x34 DIN 5481	110	double bent (short; R=65 mm)	72743C	
72743C	3659	74622	Tatra	36	275							16	+97	0	A30x34 DIN 5481	110	double bent (short; R=65 mm)	72742C	
72744C	2987	74453	Scania	10	165							16	+38	-34	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	72745C	
72745C	2985	74453	Scania	10	165							16	-38	-34	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	72744C	
72746C	2772	74758	Scania	10	130							12.7	-16	+22.5	SAE 1 1/2" 10 C	102	double bent (short; R=65 mm)	72747C	
72747C	2771	74758	Scania	10	130							12.7	+16	+22.5	SAE 1 1/2" 10 C	102	double bent (short; R=65 mm)	72746C	
72750C	4085	74597	Pegaso	19	160							14	0	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)		
72751C	2901	74966	SAE	10	180	150						14	+60.3	+22.5	SAE 1 1/2" 10 C	150	bent		
72752C	2902	74966	SAE	10	180	150						14	-60.3	+22.5	SAE 1 1/2" 10 C	150	bent		
72758C	4076	74807	Kässbohrer	37	250	180	165	150	135	120		14 (L1:w/o)	0	+20	A36x40 DIN 5481	110	bent		
72759C	2754	74378	Tatra	36	140							14	+22	0	A30x34 DIN 5481	115	double bent (short; R=65 mm)	72760C	
72760C	2753	74378	Tatra	36	140							14	-22	0	A30x34 DIN 5481	115	double bent (short; R=65 mm)	72759C	
72761C	2985	74608	DAB	19	140							14	-38	-34	A38x34 DIN 5482	34	double bent (short; R=65 mm)	72762C	
72763C	4076	74422	SAF	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	110	bent		*
72768C	4085	74784		25	150							16	0	0	JIS B 1602	40	double bent (short; R=65 mm)		

* Can use 80019S



72722C



72723C



72724C



72725C



72726C



72727C



72728C



72729C



72730C



72733C



72742C



72743C



72744C



72745C



72746C



72747C



72751C



72752C



72758C



72759C



72760C



72761C



72763C



72768C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72769C	2752	74412		28	140							12.7	0	0	SAE 1 7/16" 28 C	90	bent		
72778C	3226	74704	Hyundai	10	145							16	0	-38	SAE 1 1/2" 10 C	22	double bent (short; R=65 mm)		
72779C	3226	74705	Hyundai	10	135							16	0	-38	SAE 1 1/2" 10 C	352	double bent (short; R=65 mm)		
72782C	3861	74448	Volvo	10	145							12.7	+15	-24	SAE 1 1/2" 10 C	5	bent	72783C	
72783C	3860	74448	Volvo	10	145							12.7	-15	-24	SAE 1 1/2" 10 C	5	bent	72782C	
72784C	4039	74448	Volvo	10	165							12.7	+15	-24	SAE 1 1/2" 10 C	5	bent	72785C	
72785C	4038	74448	Volvo	10	165							12.7	-15	-24	SAE 1 1/2" 10 C	5	bent	72784C	
72788D	4097	74808	ROR	10	205	153	140	127	115			14	0	+20	SAE 1 1/2" 10 C	60	saddle type		*
72788S	4097	74808	ROR	10	205	153	140	127	115			14	0	+20	SAE 1 1/2" 10 C	60	saddle type		●
72791C	2754	74921		10	159							12.7	+22	0	SAE 1 1/2" 10 C	60	bent	72792C	
72792C	2753	74921		10	159							12.7	-22	0	SAE 1 1/2" 10 C	60	bent	72791C	
72794C	4077	74555	DAF	10	165							14	+60	-10	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72795C	
72795C	4078	74555	DAF	10	165							14	-60	-10	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	72794C	
72802C	3068	74710	Iveco Pegaso	19	160							14	-28.5	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)	72803C	
72803C	3069	74710	Iveco Pegaso	19	160							14	+28.5	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)	72802C	
72804C	4085	74709	Iveco Pegaso	19	160							14	0	0	A38x34 DIN 5482	24	double bent (short; R=65 mm)		
72805C	2761	74907		10	152							12.7	+38	0	SAE 1 1/2" 10 C	30	bent	72806C	
72806C	2760	74907		10	152							12.7	-38	0	SAE 1 1/2" 10 C	30	bent	72805C	
72809C	3163	74768	D-C	26	130							14	-18	+34	N42x1.5x9H DIN 5480	103	double bent (short; R=65 mm)	72810C	
72810C	3162	74768	D-C	26	130							14	+18	+34	N42x1.5x9H DIN 5480	103	double bent (short; R=65 mm)	72809C	
72811C	3163	74512	D-C	26	130							14	-18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	72812C	
72812C	3162	74512	D-C	26	130							14	+18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	72811C	
72815C	2760	74427	DAF	10	140							14	-38	0	SAE 1 1/2" 10 C	75	bent	72816C	
72816C	2761	74427	DAF	10	140							14	+38	0	SAE 1 1/2" 10 C	75	bent	72815C	
72817C	4085	74814	Jimecal	10	150	125						14	0	0	SAE 1 1/2" 10 C	15	double bent (short; R=65 mm)		

* Can use 80020D

● Can use 80020S



72769C



72782C



72783C



72784C



72785C



72788D



72788S



72794C



72795C



72802C



72803C



72804C



72809C



72810C



72811C



72812C



72815C



72816C



72817C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72821C	3068	74699		10	152							14	-28.5	0	SAE 1 1/2" 10 C	120	bent		
72825C	4040	74235	Scania	10	165							16	+50	+22	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	72826C	
72826C	4041	74235	Scania	10	165							16	-50	+22	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	72825C	
72827C	3226	74718	SAF	10	178	152	127					14 (L1: w/o)	0	-38	SAE 1 1/2" 10 C	352	double bent (medium; R=78 mm)		
72828C	4085	74710	Iveco Pegaso	19	160							14	0	0	A38x34 DIN 5482	155	double bent (short; R=65 mm)		
72833C	3068	74558	DAF	10	165							14	-28.5	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72834C	
72834C	3069	74558	DAF	10	165							14	+28.5	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	72833C	
72837C	3226	74374	SAE	10	178	153						14	0	-38	SAE 1 1/2" 10 C	63	double bent (short; R=65 mm)		
72853C	4097	74720	Ikarus	20	175	155						14	0	+20	A40x36 DIN 5482	95	bent		
72854C	3893	74684	ZF	19	145							14	+56	-5	A38x34 DIN 5482	7	double bent (short; R=65 mm)	72855C	
72855C	3892	74684	ZF	19	145							14	-56	-5	A38x34 DIN 5482	7	double bent (short; R=65 mm)	72854C	
72856C	2901	74723	Daewoo	25	150							16	+60.3	+22.5	JIS B 1602	130	double bent (short; R=65 mm)	72857C	
72857C	2902	74723	Daewoo	25	150							16	-60.3	+22.5	JIS B 1602	130	double bent (short; R=65 mm)	72856C	
72858C	4085	74784	Daewoo	25	150							16	0	0	JIS B 1602	40	double bent (short; R=65 mm)		
72861C	4076	74970	Stadwerke Lausanne	36	250	180	165	150	135	120		14	0	+20	A30x34 DIN 5481	50	bent		
72862C	3226	74725	Ruthmann	10	178	152	127					14	0	-38	SAE 1 1/2" 10 C	302	double bent (long; R=100 mm)		
72863C	4032	74570	SAF	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	bent		
72864C	3226	74731	Foden	28	140							12.7	0	-38	SAE 1 1/2" 28 C	340	double bent (long; R=100 mm)		
72865C	2752	74613	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	135	double bent (short; R=65 mm)		
72867C	2901	74620	Liaz	26	160							14	+60.3	+22.5	40x1.5 CSN 014950.1	142	double bent (short; R=65 mm)	72868C	
72868C	2902	74620	Liaz	26	160							14	-60.3	+22.5	40x1.5 CSN 014950.1	142	double bent (short; R=65 mm)	72867C	
72869C	2901	74614	SAE	10	180	150						14	+60.3	+22.5	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72870C	
72870C	2902	74614	SAE	10	180	150						14	-60.3	+22.5	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	72869C	
72871C	4076	74570	Babelsberger	8	250	220	200	170				14	0	+20	32 UNI 222	130	bent		
72872C	3900	74474	ZF	19	145							14	0	+37	A38x34 DIN 5482	103	double bent (short; R=65 mm)		
72875D	4076	74616	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	50	saddle type		*

* Can use 80019D



72825C



72826C



72827C



72828C



72833C



72834C



72837C



72853C



72854C



72855C



72856C



72857C



72858C



72861C



72862C



72863C



72864C



72867C



72868C



72869C



72871C



72872C



72875D

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72875S	4076	74616	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	50	saddle type		*
72876D	4076	74617	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	110	saddle type		●
72876S	4076	74617	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	110	saddle type		❖
72877C	4006	74915	BPW	10	200	176	152					14 (L1: w/o)	-39	-35	SAE 1 1/2" 10 C	45	bent	72878C	
72878C	4007	74915	BPW	10	200	176	152					14 (L1: w/o)	+39	-35	SAE 1 1/2" 10 C	45	bent	72877C	
72879C	3863	74412	BPW	10	178	152	127					14	-25	-30	SAE 1 1/2" 10 C	90	bent		
72880C	3864	74412	BPW	10	178	152	127					14	+25	-30	SAE 1 1/2" 10 C	90	bent		
72881C	3863	74412	BPW	10	165	135						14	-25	-30	SAE 1 1/2" 10 C	90	bent	72882C	
72882C	3864	74412	BPW	10	165	135						14	+25	-30	SAE 1 1/2" 10 C	90	bent	72881C	
72883C	4076	74460	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	150	bent		
72884C	3068	74891	BPW	10	198	173	148					14	-28.5	0	SAE 1 1/2" 10 C	188	double bent (long; R=100 mm)		
72885C	3069	74891	BPW	10	198	173	148					w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	188	double bent (long; R=100 mm)		
72886C	4077	74618	DAF	10	145							14	+60	-10	SAE 1 1/2" 10 C	145	double bent (medium; R=78 mm)	72887C	
72887C	4078	74618	DAF	10	145							14	-60	-10	SAE 1 1/2" 10 C	145	double bent (medium; R=78 mm)	72886C	
72888C	4032	74855	Panav	20	250	225	200	175	150			14	0	+20	A40x36 DIN 5482	70	double bent (short; R=65 mm)		
72892C	4051	74505	Scania	10	130							16	+50	0	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	72893C	
72893C	4050	74505	Scania	10	130							16	-50	0	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	72892C	
72894C	3884	74760	Scania	10	130							16	+35	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)		
72895C	3883	74760	Scania	10	130							16	-35	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)		
72896C	4104	74619	Star	18	102							14	0	0	N30x1.5x9H DIN 5480	90	double bent (short; R=65 mm)		
72901C	2765	74404	Volvo	10	140							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	72902C	
72902C	2766	74404	Volvo	10	140							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	72901C	
72903C	4085	74907	Volvo	10	152							16	0	0	SAE 1 1/2" 10 C	30	bent		
72904C	2761	74907	Volvo	10	165							12.7	+38	0	SAE 1 1/2" 10 C	30	bent	72914C	

* Can use 80019S

● Can use 80019D

❖ Can use 80019S



72875S



72876D



72876S



72877C



72878C



72879C



72880C



72881C



72882C



72883C



72884C



72885C



72886C



72887C



72888C



72892C



72893C



72894C



72895C



72896C



72902C



72903C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72905C	2752	74404	Volvo	10	127							12.7	0	0	SAE 1 1/2" 10 C	90	bent		
72906C	2766	74402	Volvo	10	140							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	72907C	
72907C	2765	74402	Volvo	10	140							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	72906C	
72908C	4085	74958	Volvo	10	152							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
72909C	4085	74908	Volvo	10	165							16	0	0	SAE 1 1/2" 10 C	30	bent		
72910C	4104	74453	Scania	10	130							16	0	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
72912C	2760	74907	Volvo	10	140							12.7	-38	0	SAE 1 1/2" 10 C	30	bent	72911C	
72913C	4085	74907	Volvo	10	165							16	0	0	SAE 1 1/2" 10 C	30	bent		
72914C	2760	74907	Volvo	10	165							12.7	-38	0	SAE 1 1/2" 10 C	30	bent	72904C	
72915C	2766	74412	Volvo	10	140							12.7	+12.7	0	SAE 1 1/2" 10 C	90	bent	72916C	
72916C	2765	74412	Volvo	10	140							12.7	-12.7	0	SAE 1 1/2" 10 C	90	bent	72915C	
72917C	2760	74422	ROR	10	140							14	-38	0	SAE 1 1/2" 10 C	110	bent	72918C	
72918C	2761	74422	ROR	10	140							14	+38	0	SAE 1 1/2" 10 C	110	bent	72917C	
72919C	3185	74621	D-C	26	145							14	-56	+4	N42x1.5x9H DIN 5480	30	double bent (short; R=65 mm)	72920C	
72920C	3186	74621	D-C	26	145							14	+56	+4	N42x1.5x9H DIN 5480	30	double bent (short; R=65 mm)	72919C	
72921C	4077	74778	Van Hool	19	152							14	+60	-10	A38x34 DIN 5482	50	double bent (short; R=65 mm)	72922C	
72922C	4078	74778	Van Hool	19	152							14	-60	-10	A38x34 DIN 5482	50	double bent (short; R=65 mm)	72921C	
72928C	4085	74164	Raba	20	155	127						14	0	0	A40x36 DIN 5482	135	bent		
72929C	4040	74628	ZF	19	152							14	+50	+22	A38x34 DIN 5482	142	double bent (short; R=65 mm)	72930C	
72930C	3068	74373	ZF	19	152							14	-28.5	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)	72929C	
72931C	4016	74680	ZF	19	145							14	-63	-20	A38x34 DIN 5482	59	double bent (short; R=65 mm)	72932C	
72932C	4017	74680	ZF	19	145							14	+63	-20	A38x34 DIN 5482	59	double bent (short; R=65 mm)	72931C	
72937C	3185	74787	Foden/Sisu	26	145							14	-56	+4	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	72938C	
72938C	3186	74787	Foden/Sisu	26	145							14	+56	+4	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	72937C	
72939C	4086	74963	Foden	28	127							12.7	0	+20	SAE 1 1/2" 28 C	355	bent		
72942C	2754	74921		10	140							12.7	+22	0	SAE 1 1/2" 10 C	60	bent	72943C	
72943C	2753	74921		10	140							12.7	-22	0	SAE 1 1/2" 10 C	60	bent	72942C	



72905C



72906C



72907C



72908C



72909C



72910C



72912C



72914C



72915C



72916C



72917C



72918C



72919C



72920C



72921C



72922C



72928C



72929C



72930C



72931C



72932C



72937C



72938C



72939C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
72944C	4085	74966	Volvo	10	152							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
72945C	3068	74412	BPW	10	198	173	148					14	-28.5	0	SAE 1 1/2" 10 C	90	bent		
72946C	3069	74412	BPW	10	198	173	148					w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	90	bent		
72947C	3226	74453	BPW	10	180							16	0	-38	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
72948D	4032	74635	SAF	10	250	210	180	150	125			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		*
72948S	4032	74635	SAF	10	250	210	180	150	125			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		●
72949C	3662	74455	Scania	10	165							16	+25	-42	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72950C	
72950C	3663	74455	Scania	10	165							16	-25	-42	SAE 1 1/2" 10 C	310	double bent (long; R=100 mm)	72949C	
72951C	3705	74760	Scania	10	165							16	+50	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	72952C	
72952C	3704	74760	Scania	10	165							16	-50	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	72951C	
72953C	3891	74453	Scania	10	165	140						16	0	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
72954C	3704	74761	Scania	10	165							16	-50	0	SAE 1 1/2" 10 C	58	double bent (short; R=65 mm)	72955C	
72955C	3705	74761	Scania	10	165							16	+50	0	SAE 1 1/2" 10 C	58	double bent (short; R=65 mm)	72954C	
72956C	2772	74758	Scania	10	130							16	-16	+22.5	SAE 1 1/2" 10 C	102	double bent (short; R=65 mm)	72957C	
72957C	2771	74758	Scania	10	130							16	+16	+22.5	SAE 1 1/2" 10 C	102	double bent (short; R=65 mm)	72956C	
72958C	4040	74367	Scania	10	165							16	+50	+22	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)	72959C	
72959C	4041	74367	Scania	10	165							16	-50	+22	SAE 1 1/2" 10 C	80	double bent (short; R=65 mm)	72958C	
72962C	4085	74453	Scania	10	165							16	0	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
72963C	3226	74453	Scania	10	165							16	0	-38	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
72999C	4097	74632	Norwegian Defense	10	155	141	125	106				14	0	+20	SAE 1 1/2" 10 C	130	bent		
79002C	3185	74736	Sisu	26	145							14	-56	+4	N42x1.5x9H DIN 5480	355	double bent (short; R=65 mm)	79003C	
79003C	3186	74736	Sisu	26	145							14	+56	+4	N42x1.5x9H DIN 5480	355	double bent (short; R=65 mm)	79002C	
79004D	4086	74635	SMB	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	130	saddle type		❖

* Can use 80022D

● Can use 80022S

❖ Can use 80023D



72944C



72945C



72946C



72947C



72948D



72949C



72950C



72951C



72952C



72953C



72954C



72955C



72956C



72957C



72958C



72959C



72962C



72963C



72999C



79002C



79003C



79004D

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79004S	4086	74635	SMB	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	130	saddle type		*
79005D	4076	74635	SAF	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	saddle type		●
79005S	4076	74635	SAF	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	saddle type		❖
79006C	4086	74635	SAF	10	153	129	105					14	0	+20	SAE 1 1/2" 10 C	130	saddle type		❖
79007C	4008	74981	Renault	27	175							14	+38	+30	BNA 227 D3.5	155	bent	79008C	
79008C	4009	74981	Renault	27	175							14	-38	+30	BNA 227 D3.5	155	bent	79007C	
79009C	4008	74389	Renault	27	175							14	+38	+30	BNA 227 D3.5	155	bent	79010C	
79010C	4009	74389	Renault	27	175							14	-38	+30	BNA 227 D3.5	155	bent	79009C	
79011C	2752	74899	Renault	27	150							14	0	0	BNA 227 D3.5	15	double bent (short; R=65 mm)		
79012C	4104	74900	Renault	27	140							14	0	0	BNA 227 D3.5	0	double bent (short; R=65 mm)		
79013C	4008	74374	Renault	27	175							14	+38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79014C	
79014C	4009	74374	Renault	27	175							14	-38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79013C	
79015C	4008	74992	Renault	27	175							14	+38	+30	BNA 227 D3.5	155	double bent (short; R=65 mm)	79016C	
79016C	4009	74992	Renault	27	175							14	-38	+30	BNA 227 D3.5	155	double bent (short; R=65 mm)	79015C	
79017C	2761	74372	Renault	27	175							14	+38	0	BNA 227 D3.5	10	double bent (short; R=65 mm)	79018C	
79018C	2760	74372	Renault	27	175							14	-38	0	BNA 227 D3.5	10	double bent (short; R=65 mm)	79017C	
79019C	4104	74573	Renault	27	140							14	0	0	BNA 227 D3.5	350	double bent (short; R=65 mm)		
79020C	4008	74579	Renault	27	175							14	+38	+30	BNA 227 D3.5	90	double bent (short; R=65 mm)	79021C	
79021C	4009	74579	Renault	27	175							14	-38	+30	BNA 227 D3.5	90	double bent (short; R=65 mm)	79020C	
79022D	4086	74635	Fruehauf	37	215	153	129	105				14 (L1: 16)	0	+20	SAE J 498	130	saddle type		◆
79022S	4086	74635	Fruehauf	37	215	153	129	105				14 (L1: 16)	0	+20	SAE J 498	130	saddle type		■

- * Can use 80023S
- Can use 80022D
- ❖ Can use 80022S
- ◆ Can use 80021D
- Can use 80021S



79004S



79005D



79005S



79006C



79007C



79008C



79009C



79010C



79011C



79012C



79013C



79014C



79015C



79016C



79017C



79018C



79019C



79020C



79021C



79022D



79022S

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79023D	4086	74635	Trailor	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	130	saddle type		*
79023S	4086	74635	Trailor	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	130	saddle type		*
79024C	4070	74735	DAF	10	165							14	+11.5	-38	SAE 1 1/2" 10 C	335	double bent (medium; R=78 mm)	79025C	
79025C	4071	74735	DAF	10	165							14	-11.5	-38	SAE 1 1/2" 10 C	335	double bent (medium; R=78 mm)	79024C	
79028C	2760	74737	Stefen	10	203	179	151					14	-38	0	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79029C	
79029C	2761	74737	Stefen	10	203	179	151					14	+38	0	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79028C	
79030C	3068	74412	Battaglino	10	180	150						14	-28.5	0	SAE 1 1/2" 10 C	90	bent		
79031C	3069	74412	Battaglino	10	180	150						w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	90	bent		
79035C	4086	74635	SAF	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		●
79035D	4086	74635	SAF	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		❖
79035S	4086	74635	SAF	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		●
79038C	2765	74803	SAF	10	178	152	127					14	-12.7	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79039C	
79039C	2766	74803	SAF	10	178	152	127					14	+12.7	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79038C	
79040C	2760	74953	Kässbohrer	19	175							14	-38	0	A38x34 DIN 5482	140	bent	79041C	
79041C	2761	74953	Kässbohrer	19	175							14	+38	0	A38x34 DIN 5482	140	bent	79040C	
79043C	2760	74803	SAF	10	179	152						14	-38	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79044C	
79044C	2761	74803	SAF	10	179	152						14	+38	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79043C	
79051C	4086	74737	ROR	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)		
79051S	4086	74737	ROR	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)		
79052C	4087	74570	SAF	10	152	127						14	-45	0	SAE 1 1/2" 10 C	130	bent	79053C	
79053C	4088	74570	SAF	10	152	127						14	+45	0	SAE 1 1/2" 10 C	130	bent	79052C	
79055C	3069	74426		10	180	150						w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	130	bent		
79056C	2752	74410	Raba	20	175							14	0	0	A40x36 DIN 5482	75	bent		
79057C	2753	74746	Karosa	26	170							14	-22	0	40x1.5 CSN 014950.1	25	bent	79058C	

* 72254 = for SAE 79149; for ROR 72788/80020; for Trailor 79023/80024; for SAF 72254. Fix point = 76918/76916

● Can use 80022S

❖ Can use 80022D



79023D



79023S



79024C



79025C



79028C



79029C



79031C



79035C



79035D



79035S



79038C



79039C



79040C



79041C



79043C



79044C



79051C



79052C



79053C



79055C



79056C



79057C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79058C	2754	74746	Karosa	26	170							14	+22	0	40x1.5 CSN 014950.1	25	bent	79057C	
79059C	4081	74624	Karosa	26	240							14	-15.6	+7	40x1.5 CSN 014950.1	0	double bent (short; R=65 mm)	79060C	
79060C	4082	74624	Karosa	26	240							14	+15.6	+7	40x1.5 CSN 014950.1	0	double bent (short; R=65 mm)	79059C	
79061C	2752	74723		26	170							14	0	0	40x1.5 CSN 014950.1	130	double bent (short; R=65 mm)		
79062C	4104	74990	Dennis	10	140	115						12.7	0	0	SAE 1 1/2" 10 C	65	bent		
79063C	2754	74374	Graziano	19	150							14	+22	0	A38x34 DIN 5482	63	double bent (short; R=65 mm)	79064C	
79064C	2753	74374	Graziano	19	150							14	-22	0	A38x34 DIN 5482	63	double bent (short; R=65 mm)	79063C	
79065C	2755	74422	York	10	140							w/o	-16	0	SAE 1 1/2" 10 C	110	bent	79066C	
79066C	2756	74422	York	10	140							w/o	+16	0	SAE 1 1/2" 10 C	110	bent	79065C	
79067C	4032	74571	Reynolds	10	203	127						14	0	+20	SAE 1 1/2" 10 C	0	double bent (medium; R=78 mm)		
79071C	4085	74806	Dana	10	165							12.7	0	0	SAE 1 1/2" 10 C	63	double bent (medium; R=78 mm)		
79073C	3878	74809	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	16	double bent (short; R=65 mm)		*
79074C	3879	74521	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	16	double bent (short; R=65 mm)		●
79079C	3226	74813	Raba	20	175							14	0	-38	A40x36 DIN 5482	41	bent		
79080C	3226	74493	ROR	28	165							14	0	-38	SAE 1 7/16" 28 C	308	double bent (long; R=100 mm)		
79082C	2752	74362	Marshall	28	165							12.7	0	0	SAE 1 7/16" 28 C	325	double bent (long; R=100 mm)		
79086C	3884	74803	SAF	10	130							14	+35	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79087C	
79087C	3883	74803	SAF	10	130							14	-35	0	SAE 1 1/2" 10 C	144	double bent (short; R=65 mm)	79086C	
79088C	3863	74513		10	178	152	127					14	-25	-30	SAE 1 1/2" 10 C	94	straight		
79089C	3864	74514		10	178	152	127					14	+25	-30	SAE 1 1/2" 10 C	94	double bent (short; R=65 mm)		
79090C	2752	74816	SAF	10	203	178	152	127				14	0	0	SAE 1 1/2" 10 C	12	bent		
79091C	4097	74635	Müller	10	200	145	126	115	101			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		
79092C	2752	74362	Marshall	28	152							w/o	0	0	SAE 1 7/16" 28 C	325	double bent (long; R=100 mm)		
79094C	2755	74778	Van Hool	19	152							14	-16	0	A38x34 DIN 5482	50	double bent (short; R=65 mm)	79095C	
79095C	2756	74778	Van Hool	19	152							14	+16	0	A38x34 DIN 5482	50	double bent (short; R=65 mm)	79094C	
79097C	2755	74737	ROR	10	180	150	125					14	-16	0	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79098C	

* Can use 80001C

● Can use 80000C



79058C



79059C



79060C



79062C



79063C



79064C



79071C



79073C



79074C



79079C



79086C



79087C



79088C



79090C



79091C



79092C



79094C



79095C



79097C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79098C	2756	74737	ROR	10	180	150	125					14	+16	0	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79097C	
79099C	3185	74900	D-C	26	145							14	-56	+4	N42x1.5x9H DIN 5480	0	double bent (short; R=65 mm)	79100C	
79100C	3186	74900	D-C	26	145							14	+56	+4	N42x1.5x9H DIN 5480	0	double bent (short; R=65 mm)	79099C	
79101C	4092	74860	MAG/Nissan	25	167							12.7	+93.5	0	JIS B 1602	90	double bent (short; R=65 mm)	79102C	
79102C	4093	74860	MAG/Nissan	25	167							12.7	-93.5	0	JIS B 1602	90	double bent (short; R=65 mm)	79101C	
79103C	4104	74860	Nissan	25	125							12.7	0	0	JIS B 1602	90	double bent (short; R=65 mm)		
79105C	3049	74878	Scania	10	165							16	-75	0	SAE 1 1/2" 10 C	55	double bent (short; R=65 mm)	79106C	
79106C	3050	74878	Scania	10	165							16	+75	0	SAE 1 1/2" 10 C	55	double bent (short; R=65 mm)	79105C	
79107C	3185	74412	Raba	20	145							14	-56	+4	A40x36 DIN 5482	90	bent	79108C	
79108C	3186	74412	Raba	20	145							14	+56	+4	A40x36 DIN 5482	90	bent	79107C	
79109C	4076	74808	ROR	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	60	saddle type		*
79111C	4076	74738	Cardi	8	250	180	165	150	135	120		14	0	+20	32 UNI 222	60	saddle type		
79112D	4076	74738	Montenegro	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	60	saddle type		●
79112S	4076	74738	Montenegro	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	60	saddle type		*
79114C	4097	74240	Müller	10	200	145	126	115	101			14	0	+20	SAE 1 1/2" 10 C	318	double bent (long; R=100 mm)		
79121C	4085	74702	Raba	20	145							14	0	0	A40x36 DIN 5482	82	bent		
79126C	3068	74246	PPS	26	170							14	-28.5	0	40x1.5 CSN 014950.1	71	saddle type	79127C	
79127C	3069	74246	PPS	26	170							14	+28.5	0	40x1.5 CSN 014950.1	71	saddle type	79126C	
79132C	4085	74292	D-C	26	145							14	0	0	N42x1.5x9H DIN 5480	0	double bent (short; R=65 mm)		
79133C	4086	74963	Foden	28	140							12.7	0	+20	SAE 1 1/2" 28 C	355	bent		
79136C	3879	74597	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	155	double bent (short; R=65 mm)	79137C	
79137C	3878	74597	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	155	double bent (short; R=65 mm)	79136C	
79138C	2901	74148	SAE	10	178	153						14	+60.3	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79139C	
79139C	2902	74148	SAE	10	178	153						14	-60.3	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79138C	
79140C	2894	74148	SAE	10	178	153						14	+47.6	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79141C	

* Can use 80022S

● Can use 80022D



79098C



79099C



79100C



79101C



79102C



79103C



79105C



79106C



79108C



79109C



79111C



79112S



79114C



79121C



79126C



79127C



79133C



79138C



79139C



79140C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79141C	2895	74148	SAE	10	178	153						14	-47.6	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79140C	
79142C	2760	74250	SAE	10	178	153						14	-38	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)	79143C	
79143C	2761	74250	SAE	10	178	153						14	+38	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)	79142C	
79144C	3068	74250	SAE	10	178	153						14	-28.5	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)		
79145C	3069	74250	SAE	10	178	153						w/o (L1: 14)	+28.5	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)		
79146C	2771	74148	SAE	10	178	153						14	+16	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79147C	
79147C	2772	74148	SAE	10	178	153						14	-16	+22.5	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79146C	
79148C	4097	74148	SAE	10	178	153	127					14	0	+20	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)		
79149C	4076	74251	SAE	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	saddle type		
79150C	3156	74402	Renault	27	190							14	+23	0	BNA 227	90	bent	79151C	
79151C	3157	74402	Renault	27	190							14	-23	0	BNA 227	90	bent	79150C	
79152C	2753	74418	Renault	27	183							14	-22	0	BNA 227 D3.5	100	bent	79153C	
79153C	2754	74418	Renault	27	183							14	+22	0	BNA 227 D3.5	100	bent	79152C	
79156C	2760	74265	Dennis	10	165							12.7	-38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	79157C	
79157C	2761	74265	Dennis	10	165							12.7	+38	0	SAE 1 1/2" 10 C	155	double bent (medium; R=78 mm)	79156C	
79158C	2760	74147	GKN	10	152							12.7	-38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79159C	
79159C	2761	74147	GKN	10	152							12.7	+38	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79158C	
79160C	4076	74261	Volvo/ROR	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	bent		
79160S	4076	74261	Volvo/ROR	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	130	bent		
79162C	4088	74900	Van Hool	10	152							14	+45	0	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	79163C	
79163C	4087	74900	Van Hool	10	152							14	-45	0	SAE 1 1/2" 10 C	0	double bent (short; R=65 mm)	79162C	
79165C	4088	74900	Van Hool	19	152							14	+45	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)	79166C	
79166C	4087	74900	Van Hool	19	152							14	-45	0	A38x34 DIN 5482	0	double bent (short; R=65 mm)	79165C	
79167C	3049	74855	DAF	10	165							14	-75	0	SAE 1 1/2" 10 C	70	double bent (short; R=65 mm)	79168C	
79168C	3050	74855	DAF	10	165							14	+75	0	SAE 1 1/2" 10 C	70	double bent (short; R=65 mm)	79167C	
79169C	2752	74414	Foden	10	140							12.7	0	0	SAE 1 1/2" 10 C	0	bent		
79170C	3068	74592	Dennis	10	140							12.7	-28.5	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79171C	
79171C	3069	74592	Dennis	10	140							12.7	+28.5	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79170C	



79141C



79142C



79143C



79144C



79145C



79146C



79147C



79148C



79149C



79150C



79151C



79152C



79153C



79156C



79157C



79160C



79162C



79163C



79165C



79166C



79168C



79169C



79170C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79177C	3226	74908	Optare	28	140							12.7	0	-38	SAE 1 1/2" 28 C	30	bent		
79178C	4085	74729	Volvo	10	165	140						16	0	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)		
79179C	4042	74560	DAF	10	145							14	-45	-30	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)	79180C	
79180C	4043	74560	DAF	10	145							14	+45	-30	SAE 1 1/2" 10 C	40	double bent (short; R=65 mm)	79179C	
79181C	2765	74364		10	140							14	-12.7	0	SAE 1 1/2" 10 C	180	double bent (long; R=100 mm)	79182C	
79182C	2766	74364		10	140							14	+12.7	0	SAE 1 1/2" 10 C	180	double bent (long; R=100 mm)	79181C	
79183C	4097	74261	ROR	10	153	140	127					14	0	+20	SAE 1 1/2" 10 C	130	bent		
79184C	3226	74176	Foden	28	127							12.7	0	-38	SAE 1 1/2" 28 C	75	double bent (medium; R=78 mm)		
79185C	3900	74294	D-C	26	145							14	0	+37	N42x1.5x9H DIN 5480	114	double bent (short; R=65 mm)		
79186C	4096	74303	D-C	26	145							14	0	+180	N42x1.5x9H DIN 5480	150	double bent (medium; R=78 mm)		
79188C	3068	74976		19	150							12.7	-28.5	0	A38x34 DIN 5482	355	bent	79189C	
79192C	4085	74860	Nissan	25	152							12.7	0	0	JIS B 1602	90	double bent (short; R=65 mm)		
79193C	4085	74574	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)		
79194C	3166	74862	MAN	26	130							14	0	+120	N42x1.5x9H DIN 5480	75	double bent (short; R=65 mm)		
79195C	4030	74989	MAN	26	145							14	-56	-15	N42x1.5x9H DIN 5480	118	double bent (short; R=65 mm)	79196C	
79196C	4031	74989	MAN	26	145							14	+56	-15	N42x1.5x9H DIN 5480	118	double bent (short; R=65 mm)	79195C	
79197C	3216	74863	MAN	26	215							14	-26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79198C	
79198C	3217	74863	MAN	26	215							14	+26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79197C	
79199C	3215	74564	MAN	26	250	210						14	+45	+10	N42x1.5x9H DIN 5480	100	double bent (short; R=65 mm)	79200C	
79200C	3214	74564	MAN	26	250	210						14	-45	+10	N42x1.5x9H DIN 5480	100	double bent (short; R=65 mm)	79199C	
79201C	2897	74872	MAN	26	215							14	0	0	N42x1.5x9H DIN 5480	0	double bent (short; R=65 mm)		
79202C	3226	74866	MAN	26	130							14	0	-38	N42x1.5x9H DIN 5480	38	double bent (short; R=65 mm)		
79203C	3195	74789	MAN	26	115							14	-15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	79204C	
79204C	3196	74789	MAN	26	115							14	+15	-24	N42x1.5x9H DIN 5480	346	double bent (medium; R=78 mm)	79203C	
79205C	3878	74688	MAN	26	145							14	+56	+15	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79206C	
79206C	3879	74688	MAN	26	145							14	-56	+15	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79205C	
79207C	2752	74480	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	110	double bent (short; R=65 mm)		
79208C	3185	74565	MAN	26	145							14	-56	+4	N42x1.5x12H DIN 5480	144	double bent (short; R=65 mm)		



79177C



79179C



79180C



79183C



79184C



79185C



79192C



79193C



79194C



79195C



79196C



79197C



79198C



79199C



79200C



79201C



79202C



79203C



79204C



79205C



79206C



79207C



79208C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79209C	3186	74565	MAN	26	145							14	+56	+4	N42x1.5x9H DIN 5480	144	double bent (short; R=65 mm)		
79210C	3162	74785	MAN	26	145							14	+18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	79211C	
79211C	3163	74785	MAN	26	145							14	-18	+34	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	79210C	
79212C	3177	74566	MAN	26	145							14	0	+132.5	N42x1.5x9H DIN 5480	75	double bent (medium; R=78 mm)		
79213C	4047	74800	MAN	26	145							14	+26	0	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79214C	
79214C	4046	74800	MAN	26	145							14	-26	0	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79213C	
79215C	3226	74887	MAN	26	130							14	0	-38	N42x1.5x9H DIN 5480	30	double bent (short; R=65 mm)		
79216C	4028	74688	MAN	26	130							14	-40	+28	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79217C	
79217C	4027	74688	MAN	26	130							14	+40	+28	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79216C	
79218C	4104	74599	MAN	26	130							14	0	0	N42x1.5x9H DIN 5480	105	double bent (short; R=65 mm)		
79219C	3163	74768	MAN	26	130							14	-18	+34	N42x1.5x9H DIN 5480	103	double bent (short; R=65 mm)	79220C	
79220C	3162	74768	MAN	26	130							14	+18	+34	N42x1.5x9H DIN 5480	103	double bent (short; R=65 mm)	79219C	
79221C	3216	74863	MAN	26	215							14	-26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79222C	
79222C	3217	74863	MAN	26	215							14	+26	+10.5	N42x1.5x9H DIN 5480	90	double bent (short; R=65 mm)	79221C	
79223C	3070	74564	MAN	26	215							14	-45	+10	N42x1.5x9H DIN 5480	100	double bent (short; R=65 mm)	79224C	
79224C	3071	74564	MAN	26	215							14	+45	+10	N42x1.5x9H DIN 5480	100	double bent (short; R=65 mm)	79223C	
79225C	3522	74788	MAN	26	130							14	-15	+120	N42x1.5x9H DIN 5480	75	double bent (short; R=65 mm)		
79226C	3523	74788	MAN	26	130							14	+15	+120	N42x1.5x9H DIN 5480	75	double bent (short; R=65 mm)		
79227C	2752	74689	MAN	26	145							14	0	0	N42x1.5x9H DIN 5480	118	double bent (short; R=65 mm)		
79228C	3163	74512	MAN	26	130							14	-18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	79229C	
79229C	3162	74512	MAN	26	130							14	+18	+34	N42x1.5x9H DIN 5480	53	double bent (short; R=65 mm)	79228C	
79240C	4097	74167	SAF	10	180	155	140	125				14	0	+20	SAE 1 1/2" 10 C	350	saddle type		*
79241C	3892	74496		19	145							14	-56	-5	A38x34 DIN 5482	55	double bent (short; R=65 mm)	79242C	
79242C	3893	74496		19	145							14	+56	-5	A38x34 DIN 5482	55	double bent (short; R=65 mm)	79241C	

* Can use 800225



79209C



79210C



79211C



79212C



79213C



79214C



79215C



79216C



79217C



79218C



79219C



79220C



79221C



79222C



79223C



79224C



79225C



79226C



79227C



79228C



79229C



79240C



79241C



79242C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79250C	4105	74375		25	150							16	+60	-28	JIS B 1602	5	double bent (short; R=65 mm)	79251C	
79251C	4106	74375		25	150							16	-60	-28	JIS B 1602	5	double bent (short; R=65 mm)	79250C	
79255C	2752	74172		25	190	160	130					14	0	0	JIS B 1602	90	double bent (medium; R=78 mm)		
79258C	2760	74373	Kamaz	10	165							14	-38	0	SAE 1 1/2" 10 C	120	double bent (short; R=65 mm)	79259C	
79259C	2761	74373	Kamaz	10	165							14	+38	0	SAE 1 1/2" 10 C	120	double bent (short; R=65 mm)	79258C	
79260C	4077	74175	Kamaz	10	165							14	+60	-10	SAE 1 1/2" 10 C	128	double bent (short; R=65 mm)	79261C	
79261C	4078	74175	Kamaz	10	165							14	-60	-10	SAE 1 1/2" 10 C	128	double bent (short; R=65 mm)	79260C	
79265C	2754	74147	Dana	10	140							12.7	+22	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79266C	
79266C	2753	74147	Dana	10	140							12.7	-22	0	SAE 1 1/2" 10 C	339	double bent (medium; R=78 mm)	79265C	
79267C	4104	74444	Mercury	28	140							12.7	0	0	SAE 1 1/2" 28 C	0	bent		
79268C	4085	74444	Reliance Mercury	28	165							12.7	0	0	SAE 1 1/2" 28 C	0	bent		
79269C	3068	74174	Gigant/SAE	10	165							14	-28.5	0	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79270C	
79270C	3069	74174	Gigant/SAE	10	165							14	+28.5	0	SAE 1 1/2" 10 C	150	double bent (short; R=65 mm)	79269C	
79271C	4104	74966	Volvo	10	127							12.7	0	0	SAE 1 1/2" 10 C	150	bent		
79272C	2753	74251	Cardi	8	180	155	130					14	-22	0	32 UNI 222	130	saddle type	79273C	
79273C	2754	74251	Cardi	8	180	155	130					14	+22	0	32 UNI 222	130	saddle type	79272C	
79282C	4047	74187	Jeltz	27	135							14	+26	0	BNA 227 D3.5	16	double bent (short; R=65 mm)	79283C	
79283C	4046	74187	Jeltz	27	135							14	-26	0	BNA 227 D3.5	16	double bent (short; R=65 mm)	79282C	
79286C	4008	74374	Renault	27	160							14	+38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79287C	
79287C	4009	74374	Renault	27	160							14	-38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79286C	
79288C	4095	74489	Renault	28	160							14	+38	0	SAE 1 1/2" 28 C	10	double bent (short; R=65 mm)	79289C	
79289C	4094	74489	Renault	28	160							14	-38	0	SAE 1 1/2" 28 C	10	double bent (short; R=65 mm)	79288C	
79290C	3717	74488	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	130	double bent (short; R=65 mm)	79291C	
79291C	3718	74488	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	130	double bent (short; R=65 mm)	79290C	
79292C	3717	74707	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	100	double bent (short; R=65 mm)	79293C	
79293C	3718	74707	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	100	double bent (short; R=65 mm)	79292C	
79294C	3717	74696	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79295C	
79295C	3718	74696	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79294C	



79250C



79251C



79255C



79258C



79259C



79260C



79261C



79265C



79266C



79267C



79271C



79272C



79273C



79282C



79286C



79287C



79288C



79289C



79290C



79291C



79292C



79293C



79294C



79295C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79296C	3717	74733	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	105	double bent (short; R=65 mm)	79297C	
79297C	3718	74733	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	105	double bent (short; R=65 mm)	79296C	
79298C	4085	74860	Renault	28	160							14	0	0	SAE 1 1/2" 28 C	90	double bent (short; R=65 mm)		
79299C	2760	74372	Renault	27	160							14	-38	0	BNA 227 D3.5	10	double bent (short; R=65 mm)	79300C	
79300C	2761	74372	Renault	27	160							14	+38	0	BNA 227 D3.5	10	double bent (short; R=65 mm)	79299C	
79301C	4008	74716	Renault	27	160							14	+38	+30	BNA 227 D3.5	135	double bent (short; R=65 mm)	79302C	
79302C	4009	74716	Renault	27	160							14	-38	+30	BNA 227 D3.5	135	double bent (short; R=65 mm)	79301C	
79303C	2752	74719	Renault	27	190							14	0	0	BNA 227 D3.5	103	double bent (short; R=65 mm)		
79304C	4094	74573	Renault	28	160							14	-38	0	SAE 1 1/2" 28 C	350	double bent (short; R=65 mm)	79305C	
79305C	4095	74573	Renault	28	160							14	+38	0	SAE 1 1/2" 28 C	350	double bent (short; R=65 mm)	79304C	
79306C	4094	74627	Renault	27	175							14	-38	0	BNA 227 D3.5	350	double bent (short; R=65 mm)	79307C	
79307C	4095	74627	Renault	27	175							14	+38	0	BNA 227 D3.5	350	double bent (short; R=65 mm)	79306C	
79308C	3717	74812	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	145	double bent (short; R=65 mm)	79309C	
79309C	3718	74812	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	145	double bent (short; R=65 mm)	79308C	
79310C	3717	74812	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	145	double bent (short; R=65 mm)	79311C	
79311C	3718	74812	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	145	double bent (short; R=65 mm)	79310C	
79312C	4008	74991	Renault	27	175							14	+38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79313C	
79313C	4009	74991	Renault	27	175							14	-38	+30	BNA 227 D3.5	63	double bent (short; R=65 mm)	79312C	
79344C	3069	74190	PPS	26	140							14	+28.5	0	40x1.5 CSN 014950.1	75	saddle type	79345C	
79345C	3068	74190	PPS	26	140							14	-28.5	0	40x1.5 CSN 014950.1	75	saddle type	79344C	
79347C	4021	74233	Scania	10	165							16	+25	+40	SAE 1 1/2" 10 C	100	double bent (short; R=65 mm)	79348C	
79348C	4020	74233	Scania	10	165							16	-25	+40	SAE 1 1/2" 10 C	100	double bent (short; R=65 mm)	79347C	
79349C	3704	74385	Foden	10	165							14	-50	0	SAE 1 1/2" 10 C	43	double bent (short; R=65 mm)	79350C	
79350C	3705	74385	Foden	10	165							14	+50	0	SAE 1 1/2" 10 C	43	double bent (short; R=65 mm)	79349C	



79296C



79297C



79298C



79299C



79300C



79301C



79302C



79303C



79304C



79305C



79306C



79307C



79308C



79309C



79310C



79311C



79312C



79313C



79344C



79345C



79347C



79348C



79349C



79350C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79351C	4040	74261		14	135							12	+50	+22	JIS D 2001 (40x14)	130	bent	79352C	
79359C	4087	74306	Volvo	10	145							12.7	-45	0	SAE 1 1/2" 10 C	315	double bent (long; R=100 mm)	79360C	
79360C	4088	74306	Volvo	10	145							12.7	+45	0	SAE 1 1/2" 10 C	315	double bent (long; R=100 mm)	79359C	
79364C	2894	74763	Kamaz	10	150							12.7	+47.6	+22.5	SAE 1 1/2" 10 C	110	double bent (short; R=65 mm)	79365C	
79365C	2895	74763	Kamaz	10	150							12.7	-47.6	+22.5	SAE 1 1/2" 10 C	110	double bent (short; R=65 mm)	79364C	
79366C	2894	74781	Van Hool	19	200							14	+47.6	+22.5	A38x34 DIN 5482	135	double bent (short; R=65 mm)	79367C	
79367C	2895	74781	Van Hool	19	200							14	-47.6	+22.5	A38x34 DIN 5482	135	double bent (short; R=65 mm)	79366C	
79368C	4066	74165	Scania	10	165							16	+20	+45	SAE 1 1/2" 10 C	124	double bent (short; R=65 mm)	79369C	
79369C	4067	74165	Scania	10	165							16	-20	+45	SAE 1 1/2" 10 C	124	double bent (short; R=65 mm)	79368C	
79371C	4085	74723	DAF/Sisu	19	152							14	0	0	A38x34 DIN 5482	130	double bent (short; R=65 mm)		
79372C	4085	74385	Sisu	26	145							14	0	0	N42x1.5x9H DIN 5480	43	double bent (short; R=65 mm)		
79393C	4097	74808	Sisu	10	155	141	125	106				14	0	+20	SAE 1 1/2" 10 C	60	saddle type		
79394C	3717	74199	Sisu	10	165							14	-56.2	+25	SAE 1 1/2" 10 C	326	double bent (long; R=100 mm)	79395C	
79395C	3718	74199	Sisu	10	165							14	+56.2	+25	SAE 1 1/2" 10 C	326	double bent (long; R=100 mm)	79394C	
79396C	3049	74736	Sisu	26	165							14	-75	0	N42x1.5x9H DIN 5480	355	double bent (short; R=65 mm)	79397C	
79397C	3050	74736	Sisu	26	165							14	+75	0	N42x1.5x9H DIN 5480	355	double bent (short; R=65 mm)	79396C	
79398C	4079	74204	Sisu	26	180							14	-73	0	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79399C	
79399C	4080	74204	Sisu	26	180							14	+73	0	N42x1.5x9H DIN 5480	101	double bent (short; R=65 mm)	79398C	
79402C	2753	74164	Raba	20	155							14	-22	0	A40x36 DIN 5482	135	bent	79403C	
79403C	2754	74164	Raba	20	155							14	+22	0	A40x36 DIN 5482	135	bent	79402C	
79407C	3717	74203	Sisu	26	165							14	-56.2	+25	N42x1.5x9H DIN 5480	122	double bent (short; R=65 mm)	79408C	
79408C	3718	74203	Sisu	26	165							14	+56.2	+25	N42x1.5x9H DIN 5480	122	double bent (short; R=65 mm)	79407C	
79428C	3226	74267	Volvo	10	140							12.7	0	-38	SAE 1 1/2" 10 C	175	double bent (long; R=100 mm)		
79429C	3863	74778	ZF	19	145							14	-25	-30	A38x34 DIN 5482	50	double bent (short; R=65 mm)	79430C	
79430C	3864	74778	ZF	19	145							14	+25	-30	A38x34 DIN 5482	50	double bent (short; R=65 mm)	79429C	
79431C	3214	74978	Renault	27	270							14	-45	+10	BNA 227 D3.5	100	bent	79432C	
79432C	3215	74978	Renault	27	270							14	+45	+10	BNA 227 D3.5	100	bent	79431C	
79440C	3717	74627	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	350	double bent (short; R=65 mm)	79441C	



79351C



79364C



79365C



79368C



79369C



79371C



79393C



79394C



79395C



79397C



79402C



79403C



79407C



79408C



79429C



79430C



79431C



79432C



79440C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79441C	3718	74627	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	350	double bent (short; R=65 mm)	79440C	
79442C	4083	74235	Scania	10	165							16	-65	0	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	79443C	
79443C	4084	74235	Scania	10	165							16	+65	0	SAE 1 1/2" 10 C	84	double bent (short; R=65 mm)	79442C	
79444C	2752	74250	Comauto	10	203							14	0	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)		
79453C	3884	74501	Scania	10	130							16	+35	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	79625C	
79454C	4085	74781	JP Spain	24	160							14	0	0	SAE 1 1/4" 24 C	135	double bent (short; R=65 mm)		
79455C	3068	74574	JP Spain	10	160							14	-28.5	0	SAE 1 1/2" 10 C	90	double bent (short; R=65 mm)	79456C	
79456C	3069	74574	JP Spain	10	160							14	+28.5	0	SAE 1 1/2" 10 C	90	double bent (short; R=65 mm)	79455C	
79459C	4097	74808		10	152	140	127	115				14	0	+20	SAE 1 1/2" 10 C	60	saddle type		
79461C	3226	74176	Foden	28	140							12.7	0	-38	SAE 1 1/2" 28 C	75	double bent (medium; R=78 mm)		
79462C	4040	74628		19	152							14	+50	+22	A38x34 DIN 5482	142	double bent (short; R=65 mm)		
79463C	3068	74373		19	152							14	-28.5	0	A38x34 DIN 5482	120	double bent (short; R=65 mm)		
79474C	3717	74723	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	130	double bent (short; R=65 mm)	79475C	
79475C	3718	74723	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	130	double bent (short; R=65 mm)	79474C	
79476C	3717	74747	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79477C	
79477C	3718	74747	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79476C	
79478C	3717	74890	Renault	27	160							14	-56.2	+25	BNA 227 D3.5	105	double bent (short; R=65 mm)	79479C	
79479C	3718	74890	Renault	27	160							14	+56.2	+25	BNA 227 D3.5	105	double bent (short; R=65 mm)	79478C	
79491C	3068	74453	Motoral	19	170							14	-28.5	0	A38x34 DIN 5482	305	double bent (long; R=100 mm)	79492C	
79492C	3069	74453	Motoral	19	170							14	+28.5	0	A38x34 DIN 5482	305	double bent (long; R=100 mm)	79491C	
79493C	2760	74581	Meihoku	14	150							12.7	-38	0	JIS D 2001 (40x14)	65	double bent (medium; R=78 mm)	79494C	
79494C	2761	74581	Meihoku	14	150							12.7	+38	0	JIS D 2001 (40x14)	65	double bent (medium; R=78 mm)	79493C	
79499C	4042	74634	Tatra	26	175							14	-45	-30	40x1.5 CSN 014950.1	25	bent	79500C	
79500C	4043	74634	Tatra	26	175							14	+45	-30	40x1.5 CSN 014950.1	25	bent	79499C	
79501C	4085	74378	Sisu	10	165							14	0	0	SAE 1 1/2" 10 C	115	double bent (short; R=65 mm)		
79503C	3863	74357	ROR	28	152	127						12.7	-25	-30	SAE 1 1/2" 28 C	355	double bent (long; R=100 mm)	79504C	
79504C	3864	74357	ROR	28	152	127						12.7	+25	-30	SAE 1 1/2" 28 C	355	double bent (long; R=100 mm)	79503C	



79441C



79442C



79443C



79453C



79454C



79455C



79456C



79459C



79461C



79462C



79463C



79474C



79475C



79476C



79477C



79491C



79492C



79501C



79503C



79504C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth								bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
					L1	L2	L3	L4	L5	L6	L7								
79510C	2760	74310	Tatra	26	175							14	-38	0	40x1.5 CSN 014950.1	35	bent	79511C	
79511C	2761	74310	Tatra	26	175							14	+38	0	40x1.5 CSN 014950.1	35	bent	79510C	
79514C	3185	74565	MAN	26	145							14	-56	+4	N42x1.5x12H DIN 5480	144	double bent (short; R=65 mm)		
79515C	3186	74565	MAN	26	145							14	+56	+4	N42x1.5x9H DIN 5480	144	double bent (short; R=65 mm)		
79520C	3068	74246	Neocar	26	150							14	-28.5	0	40x1.5 CSN 014950.1	71	saddle type	79521C	
79521C	3069	74246	Neocar	26	150							14	+28.5	0	40x1.5 CSN 014950.1	71	saddle type	79520C	
79535C	4008	74992	Renault	27	160							14	+38	+30	BNA 227 D3.5	155	double bent (short; R=65 mm)	79536C	
79536C	4009	74992	Renault	27	160							14	-38	+30	BNA 227 D3.5	155	double bent (short; R=65 mm)	79535C	
79542C	4097	74251	SAE	10	180	155	140	125	105			14	0	+20	SAE 1 1/2" 10 C	130	saddle type		
79543C	2752	74316		25	155	129						12.7	0	0	JIS B 1602 L=29.4	56	double bent (medium; R=78 mm)		
79546C	3522	74724	Albion	28	130							14	-15	+120	SAE 1 1/2" 28 C	85	double bent (short; R=65 mm)	79547C	
79550C	4083	74732	Scania	10	165							16	-65	0	SAE 1 1/2" 10 C	140	double bent (short; R=65 mm)	79551C	
79551C	4084	74732	Scania	10	165							16	+65	0	SAE 1 1/2" 10 C	140	double bent (short; R=65 mm)	79550C	
79564C	4104	74921	Volvo	10	140							12.7	0	0	SAE 1 1/2" 10 C	60	bent		
79574C	2752	74743		10	180	155	130					14	0	0	SAE 1 1/2" 10 C	127	double bent (short; R=65 mm)		
79577C	3049	74321	DAF	10	165							14	-75	0	SAE 1 1/2" 10 C	120	double bent (medium; R=78 mm)	79578C	
79578C	3050	74321	DAF	10	165							14	+75	0	SAE 1 1/2" 10 C	120	double bent (medium; R=78 mm)	79577C	
79579C	4086	74984		10	203	165	140	115				14	0	+20	SAE 1 1/2" 10 C	50	bent		
79581C	3717	74696	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79582C	
79582C	3718	74696	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	35	double bent (short; R=65 mm)	79581C	
79585C	4077	74812	Bertova	10	152							14	+60	-10	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79586C	
79586C	4078	74812	Bertova	10	152							14	-60	-10	SAE 1 1/2" 10 C	145	double bent (short; R=65 mm)	79585C	
79593C	3719	74723		10	265							14	-33.1	0	SAE 1 1/2" 10 C	130	double bent (short; R=65 mm)	79594C	
79594C	3720	74723		10	265							14	+33.1	0	SAE 1 1/2" 10 C	130	double bent (short; R=65 mm)	79593C	
79619D	4076	74808	ROR/VH	10	238	203	178	152	140	127	114	14 (L1: w/o)	0	+20	SAE 1 1/2" 10 C	60	saddle type		
79620C	4086	74763		10	125							12.7	0	+20	SAE 1 1/2" 10 C	110	double bent (short; R=65 mm)		
79625C	3883	74501	Scania	10	130							16	-35	0	SAE 1 1/2" 10 C	73	double bent (short; R=65 mm)	79453C	
79628C	3717	74579	Renault	27	175							14	-56.2	+25	BNA 227 D3.5	90	double bent (short; R=65 mm)	79629C	



79520C



79521C



79535C



79536C



79550C



79551C



79564C



79577C



79578C



79581C



79582C



79585C



79586C



79594C



79619D



79620C



79625C



79628C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79629C	3718	74579	Renault	27	175							14	+56.2	+25	BNA 227 D3.5	90	double bent (short; R=65 mm)	79628C	
79630C	4086	74635	SMB	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2"-10	130	saddle type		*
79639C	3068	74507	Sisu	10	165							14	-28.5	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	79640C	
79640C	3069	74507	Sisu	10	165							14	+28.5	0	SAE 1 1/2" 10 C	305	double bent (long; R=100 mm)	79639C	
79641C	3068	74411	Volvo	10	185							12.7	-28.5	0	SAE 1 1/2" 10 C	75	bent	79642C	
79642C	3069	74411	Volvo	10	185							12.7	+28.5	0	SAE 1 1/2" 10 C	75	bent	79641C	
79643C	4086	74385	Sisu	10	215	181	153	129	105			14	0	+20	SAE 1 1/2" 10 C	43	double bent (short; R=65 mm)		
79649C	4076	74617	SAE	10	250	180	165	150	135	120	105	14	0	+20	SAE 1 1/2" 10 C	110	saddle type		
79650C	4008	74991	Kynos	10	165							14	+38	+30	SAE 1 1/2" 10 C	63	double bent (short; R=65 mm)	79651C	
79651C	4009	74991	Kynos	10	165							14	-38	+30	SAE 1 1/2" 10 C	63	double bent (short; R=65 mm)	79650C	
79662C	3049	74204	Sisu	26	165							14	-75	0	N42x1.5x12H DIN 5480	101	double bent (short; R=65 mm)	79663C	
79663C	3050	74204	Sisu	26	165							14	+75	0	N42x1.5x12H DIN 5480	101	double bent (short; R=65 mm)	79662C	
79674C	2901	74164	Hino	12	150							12.7	+60.3	+22.5	JIS D 2001 35x12x2.5	135	bent		
79675C	2902	74164	Hino	12	150							12.7	-60.3	+22.5	JIS D 2001 35x12x2.5	135	double bent (long; R=100 mm)		
79677C	3704	74181	Volvo	10	165							12.7	-50	0	SAE 1 1/2" 10 C	334	double bent (long; R=100 mm)	79678C	
79678C	3705	74181	Volvo	10	165							12.7	+50	0	SAE 1 1/2" 10 C	334	double bent (long; R=100 mm)	79677C	
79682C	3226	74357	Foden	28	143							14	0	-38	SAE 1 1/2"-28	355	double bent (long; R=100 mm)		
79683C	2760	74573		27	160							14	-38	0	BNA 227 D3.5	350	double bent (short; R=65 mm)	79684C	
79684C	2761	74573		27	160							14	+38	0	BNA 227 D3.5	350	double bent (short; R=65 mm)	79683C	
79691C	2985	74335		26	179							12	-38	-34	40x1.5 CSN 014950.1	29	bent	79692C	
79692C	2987	74335		26	179							12	+38	-34	40x1.5 CSN 014950.1	29	bent	79691C	
79693C	4057	74563	MAN	26	190							14	+35	-29	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	79694C	
79694C	4056	74563	MAN	26	190							14	-35	-29	N42x1.5x9H DIN 5480	339	double bent (medium; R=78 mm)	79693C	
79695C	2752	74613	MAN	26	145							14	0	0	N42x1.5x12H DIN 5480	135	double bent (short; R=65 mm)		
79696C	4085	74284	GKN	10	155	127						12.7	0	0	SAE 1 1/2" 10 C	30	bent		●
79697C	3069	74907	Volvo	10	152							16	-28.5	0	SAE 1 1/2"-10	30	bent		
79698C	3068	74907	Volvo	10	152							16	-28.5	0	SAE 1 1/2"-10	30	bent		
79713C	4087	74309	Volvo	10	145							12.7	-45	0	SAE 1 1/2"-10	345	double bent (long; R=100 mm)	79714C	
79714C	4088	74309	Volvo	10	145							12.7	+45	0	SAE 1 1/2"-10	345	double bent (long; R=100 mm)	79713C	

* Can use 80023D

● Can use 72329C



79629C



79641C



79642C



79649C



79650C



79651C



79662C



79677C



79678C



79682C



79683C



79684C



79691C



79692C



79693C



79694C



79713C



79714C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
79724C	3226	74308	Volvo	10	125							12.7	0	-38	SAE 1 1/2" 10 C	55	bent		
79725C	4018	74742	MAN	26	145							14	-37	+34	N42x1.5x12H DIN 5480	339	double bent (medium; R=78 mm)	79726C	
79726C	4019	74742	MAN	26	145							14	+37	+34	N42x1.5x12H DIN 5480	339	double bent (medium; R=78 mm)	79725C	
79786C	4083	74730	Scania	10	165							16	-65	0	SAE 1 1/2" 10 C	62	double bent (short; R=65 mm)	79787C	
79787C	4084	74730	Scania	10	165							16	+65	0	SAE 1 1/2" 10 C	62	double bent (short; R=65 mm)	79786C	
79799C	4038	74448	Volvo	10	155							12.7	-15	-24	SAE 1 1/2" 10 C	5	bent	79800C	
79800C	4039	74448	Volvo	10	165							12.7	+15	-24	SAE 1 1/2" 10 C	5	bent	79799C	



79724C



79725C



79726C



79799C



79800C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
80000C	5018	74527	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80001C	
80001C	5017	74527	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80000C	
80008C	5016	74528	D-C	26	145							14	+37	+34	N42x1.5x9H DIN 5480	S-ABA	double bent (medium; R=78 mm)	80009C	
80009C	5015	74528	D-C	26	145							14	-37	+34	N42x1.5x9H DIN 5480	S-ABA	double bent (medium; R=78 mm)	80008C	
80010C	5020	74527	D-C	26	145							14	-56	-5	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80011C	
80011C	5019	74527	D-C	26	145							14	+56	-5	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80010C	
80012C	5032	74527	D-C	26	145							14	-42	+105	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80013C	
80013C	5033	74527	D-C	26	145							14	+42	+105	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80012C	
80014C	5031	74527	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80030C	
80019D	5027	74530	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80019S	5027	74530	BPW	10	250	180	165	150	135	120		14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80020D	5027	74530	ROR	10	205	153	140	127	115			14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80020S	5027	74530	ROR	10	205	153	140	127	115			14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80021D	5027	74530	Fruehauf	37	215	153	129	105				14 (L1: 16)	0	+20	SAE J 498	S-ABA	saddle type		
80021S	5027	74530	Fruehauf	37	215	153	129	105				14 (L1: 16)	0	+20	SAE J 498	S-ABA	saddle type		
80022D	5027	74530	SAF	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80022S	5027	74530	SAF	10	250	180	155	140	125	105		14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80023D	5027	74530	SMB	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80023S	5027	74530	SMB	10	215	153	129	105				14 (L1: 16)	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80024D	5027	74530	Trailor	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80024S	5027	74530	Trailor	10	210	180	150	125				14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80030C	5018	74527	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80014C	
80032C	5027	74530	Go-Axles/ Henred-Fruehauf	10	150	125						12.7	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80037C	5027	74530	Go-Axles/ Henred-Fruehauf	37	150	125						12.7	0	+20	SAE J 498	S-ABA	saddle type		



80000C



80001C



80008C



80009C



80010C



80011C



80012C



80013C



80014C



80019D



80019S



80020D



80020S



80021D



80021S



80022D



80022S



80023D



80023S



80024D



80024S



80030C



80032C



80037C

FOUNDATION BRAKE

part number	casting	control unit	application	no. of spline teeth	L1	L2	L3	L4	L5	L6	L7	bushing (mm)	offset	inclination (deg)	spline type	alpha (deg)	control arm	other side	information
80039C	5016	74527	Kamaz	10	145							14	+37	+34	SAE 1 1/2" 10 C	S-ABA	double bent (short; R=65 mm)	80040C	
80040C	5015	74527	Kamaz	10	145							14	-37	+34	SAE 1 1/2" 10 C	S-ABA	double bent (short; R=65 mm)	80039C	
80041C	5027	74530	SAF	10	180	155	140	125				14	0	+20	SAE 1 1/2" 10 C	S-ABA	saddle type		
80109C	475-20000	74529	SouthAfrica	10	140							12.7	0	0	SAE 1 1/2"-10	S-ABA	bent		
80126C	5027	74530	SAE	10	105	120	135	150	165	180		14	0	+20	SAE 1 1/2"-10	S-ABA	saddle type		
80163C	5018	74527	D-C	26	145							14	-56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80164C	
80164C	5017	74527	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80163C	
80165C	5016	74528	D-C	26	145							14	+37	+34	N42x1.5x9H DIN 5480	S-ABA	double bent (medium; R=78 mm)	80166C	
80166C	5015	74528	D-C	26	145							14	-37	+34	N42x1.5x9H DIN 5480	S-ABA	double bent (medium; R=78 mm)	80165C	
80167C	5031	74527	D-C	26	145							14	+56	+15	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)		
80176C	5018	74535	MAN	26	145							14	-56	+15	N42x1.5x12H DIN 5480	S-ABA	double bent (short; R=65 mm)	80177C	
80177C	5017	74535	MAN	26	145							14	+56	+15	N42x1.5x12H DIN 5480	S-ABA	double bent (short; R=65 mm)	80176C	
80178C	5016	74536	MAN	26	145							14	+37	+34	N42x1.5x12H DIN 5480	S-ABA	double bent (medium; R=78 mm)		
80179C	5015	74536	MAN	26	145							14	-37	+34	N42x1.5x12H DIN 5480	S-ABA	double bent (medium; R=78 mm)		
80180C	5020	74537	MAN	26	145							14	-56	-5	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80181C	
80181C	5019	74537	MAN	26	145							14	+56	-5	N42x1.5x9H DIN 5480	S-ABA	double bent (short; R=65 mm)	80180C	
80183C	5031	74535	MAN	26	145							14	+56	+15	N42x1.5x12H DIN 5480	S-ABA	double bent (short; R=65 mm)		



80039C



80040C



80041C



80109C



80176C



80177C



80178C



80179C



80180C



80181C



80183C

FOUNDATION BRAKE

A Manual Slack Adjuster is installed as the lever linking the actuator to the camshaft, in a drum brake system. Regular manual adjustment is required to maintain a constant clearance between the brake linings and the drum.

Ball & Spring – uses spring force to push a ball bearing into a counter sink to lock the mechanism in place. When manually adjusting, it is possible to overcome the spring resistance, therefore allowing adjustment of the worm shaft.


Posi-lock – uses a bi-hexagonal locking collar that must be depressed to enable manual adjustment of the worm shaft.




Posi-Lock

Ball & Spring


Double Arm




Ball & Spring



Posi-Lock



Double Arm



Offset Arm

part number	mechanism	lever type	no. of spline teeth	A	B	C	D	E	F	G	H	I (offset)	bushing	lever length (mm)	spline type	application
100 001 021	ball & spring	straight	10	120	150	180							w/o, 14	218	SAE 1 1/2"-10 C	BPW
100 001 023	ball & spring	straight	10	140	165								w/o, 1/2"	218	SAE 1 1/2"-10 C	
100 001 025	ball & spring	straight	10	150	170	190							w/o, 14	218	SAE 1 1/2"-10 C	BPW
100 001 027	ball & spring	straight	10	127	152	178	203						w/o, 14	218	SAE 1 1/2"-10 C	ROR/Trailer
100 001 030	ball & spring	straight	10	125	150	175	200						w/o, 14	218	SAE 1 1/2"-10 C	SAE
100 001 122	ball & spring	straight	10	120	150	180	200	230	260	290			w/o, 14 (G: w/o, 17)	310	SAE 1 1/2"-10 C	
100 001 125	ball & spring	straight	10	120	150	180	200	230	260	290			w/o, 14	310	SAE 1 1/2"-10 C	BPW
100 001 128	ball & spring	straight	10	175	230	260	290						w/o, 14 (A: w/o, 22)	310	SAE 1 1/2"-10 C	



100 001 021



100 001 025



100 001 027



100 001 122



100 001 125



100 001 128

FOUNDATION BRAKE

part number	mechanism	lever type	no. of spline teeth	A	B	C	D	E	F	G	H	I (offset)	bushing	lever length (mm)	spline type	application
100 001 721	ball & spring	straight	10	120	150	180	220	250					w/o, 14	272	SAE 1 1/2"-10 C	BPW
100 001 760	ball & spring	straight	10	120	135	150	165	180	195	250			w/o, 14	272	SAE 1 1/2"-10 C	BPW
100 002 163	ball & spring	straight	37	120	150	180	200	230	260	290			w/o, 14	310	A36x40 DIN 5481	Kässbohrer
100 002 166	ball & spring	straight	37	120	150	180	290						w/o, 14 (D: w/o, 18)	310	A36x40 DIN 5481	Kässbohrer
100 002 167	ball & spring	straight	37	120	135	150	165	180	290				w/o, 14 (F: w/o, 18)	310	A36x40 DIN 5481	
100 002 568	ball & spring	straight	37	120	150	180	230						w/o, 14 (D: w/o, 18)	246	A36x40 DIN 5481	
100 012 345	ball & spring	straight	39	105	125	150	170	190					w/o, 14	218	E22-151 BNA 227 30x39 x 0.75	
100 012 346	ball & spring	straight	39	170	190								w/o, 14	218	E22-151 BNA 227 30x39 x 0.75	
100 012 901	ball & spring	straight	39	105	125	150							w/o, 14	168	E22-151 BNA 227 30x39 x 0.75	
100 012 911	ball & spring	straight	39	105	125	150							w/o, 14	170	E22-151 BNA 227 30x39 x 0.75	
100 014 750	ball & spring	straight	37	105	130	150	180	215					w/o, 14 (E: w/o, 18)	233	ANSI B92 1A-1976, 24/48	Fruehauf
100 014 753	ball & spring	straight	37	105	130	150	180	215					w/o, 14 (E: w/o, 16)	233	ANSI B92 1A-1976, 24/48	Trailor
100 016 170	ball & spring	straight	8	152	192	230	260	290					w/o, 14 (A: w/o, 8)	310	32 UNI 222	
100 016 970	posi-lock	straight	8	127	152	178							w/o, 14	220	32 UNI 222	
100 101 003	ball & spring	straight	10	127	152	178	203						w/o, 16	218	SAE 1 1/2"-10 C	
100 101 006	posi-lock	straight	10	145									14	161	SAE 1 1/2"-10 C	
100 101 007	posi-lock	straight	10	152	178								16	218	SAE 1 1/2"-10 C	
100 101 008	posi-lock	straight	10	127	152	178	203						14	218	SAE 1 1/2"-10 C	ROR/Trailor
100 101 009	posi-lock	straight	10	140									1/2"	156	SAE 1 1/2"-10 C	
100 101 040	ball & spring	straight	10										-	218	SAE 1 1/2"-10 C	
100 101 041	ball & spring	straight	10	120	150	180							w/o, 14	218	SAE 1 1/2"-10 C	BPW/ROR
100 101 042	ball & spring	straight	10	127	152	178	203						w/o, 1/2"	218	SAE 1 1/2"-10 C	ROR/Trailor
100 101 045	ball & spring	straight	10	150	170	190							w/o, 14	218	SAE 1 1/2"-10 C	
100 101 047	ball & spring	straight	10	127	152	178	203						w/o, 14	218	SAE 1 1/2"-10 C	ROR/Trailor
100 101 070	ball & spring	straight	10	127	152	178	203						14	218	SAE 1 1/2"-10 C	ROR
100 101 071	ball & spring	straight	10	114	140	165	191						14	218	SAE 1 1/2"-10 C	ROR
100 101 072	ball & spring	straight	10	127	152	178	203						1/2"	218	SAE 1 1/2"-10 C	ROR
100 101 145	ball & spring	straight	10	120	150	180	200	230	260	290			w/o, 14	310	SAE 1 1/2"-10 C	



100 001 721



100 001 760



100 002 163



100 002 166



100 002 167



100 012 345



100 014 750



100 014 753



100 016 170



100 016 970



100 101 006



100 101 007



100 101 008



100 101 009



100 101 040



100 101 041



100 101 042



100 101 047

FOUNDATION BRAKE

part number	mechanism	lever type	no. of spline teeth	A	B	C	D	E	F	G	H	I (offset)	bushing	lever length (mm)	spline type	application
100 101 364	ball & spring	straight	10	140									14	156	SAE 1 1/2"-10 C	DAF
100 101 365	ball & spring	straight	10	140									w/o, 22	163	SAE 1 1/2"-10 C	
100 101 366	ball & spring	straight	10	165									14	181	SAE 1 1/2"-10 C	
100 101 367	ball & spring	straight	10	140									14	163	SAE 1 1/2"-10 C	
100 101 741	ball & spring	straight	10	120	150	180	220	250					w/o, 14	272	SAE 1 1/2"-10 C	ROR
100 101 743	ball & spring	straight	10	127	152	178	203	230					w/o, 14 (E: w/o, 18)	272	SAE 1 1/2"-10 C	Sauer
100 106 005	ball & spring	straight	19	122									w/o, 14	140	A38x34 DIN 5482	
100 114 075	ball & spring	straight	37	105	130	150	180	206					w/o, 14 (E: w/o, 16)	218	ANSI B92 1A-1976, 24/48	Propar/Fruehauf
100 213 749	ball & spring	straight	27	170	210	240	260						w/o, 14	272	E22-151 BNA 227 42x27 x 1.5	Titan
100 215 921	ball & spring	straight	27	125	150	175	200						w/o, 14	218	E22-151 BNA 227 ø33	Colaert
100 313 749	ball & spring	straight	27	170	210	240	260						w/o, 14	272	E22-151 BNA 227 42x27 x 1.5	Titan
100 315 921	ball & spring	straight	27	125	150	175	200						w/o, 14	218	E22-151 BNA 227 ø33	Colaert
100 401 204	ball & spring	offset	10	140								+38mm	14	156	SAE 1 1/2"-10 C	DAF
100 501 204	ball & spring	offset	10	140								-38mm	14	156	SAE 1 1/2"-10 C	DAF
102 060 001	posi-lock	straight	10	5"	6"	7"	8"						1/2"	218	SAE 1 1/2"-10 C	ROR/Trailer
102 060 031	posi-lock	straight	10	4.5"	5.5"	6.5"	7.5"						1/2"	218	SAE 1 1/2"-10 C	DAF/ROR
102 060 291	posi-lock	straight	10	120	140	200							1/2"	218	SAE 1 1/2"-10 C	
102 062 201	posi-lock	double	10	5"	6"	7"	8"				7.5"		1/2" (H: 17/32")	218	SAE 1 1/2"-10 C	Trailer
102 066 001	posi-lock	straight	37	5"	6"	7"	8"						1/2"	218	ANSI B92 1A-1976, 24/48	Trailer
102 172 001	posi-lock	straight	10	127	152	178	203						14	218	SAE 1 1/2"-10 C	ROR/Trailer
102 172 031	posi-lock	straight	10	115	140	165	190						14	218	SAE 1 1/2"-10 C	ROR
102 315 271	posi-lock	straight	10	105	130	150	200						w/o, 14	218	SAE 1 1/2"-10 C	
102 315 291	posi-lock	straight	10	120	140	200							w/o, 14	218	SAE 1 1/2"-10 C	
102 315 341	posi-lock	straight	10	105	130	200							w/o, 14	218	SAE 1 1/2"-10 C	



100 101 364



100 101 365



100 101 366



100 101 367



100 101 741



100 101 743



100 106 005



100 114 075



100 213 749



100 215 921



100 313 749



100 315 921



100 401 204



100 501 204



102 060 001



102 060 031



102 060 291



102 062 201



102 066 001



102 172 001



102 172 031



102 315 271



102 315 291



102 315 341

FOUNDATION BRAKE

part number	mechanism	lever type	no. of spline teeth	A	B	C	D	E	F	G	H	I (offset)	bushing	lever length (mm)	spline type	application
102 317 201	posi-lock	double	10	127	152	178	203				191		w/o, 14 (H: 17/32")	220	SAE 1 1/2"-10 C	
102 904 281	posi-lock	straight	10	6.25"									1/2"	181	SAE 1 1/2"-10 C	
102 915 351	posi-lock	double	37	105	130	150					165		w/o, 14 (H: 16.5)	220	ANSI B92 1A-1976, 24/48	
102 916 351	posi-lock	double	37	105	130	150					200		w/o, 14 (H: 16)	220	ANSI B92 1A-1976, 24/48	
102 917 371	posi-lock	double	10	120	140						200		w/o, 14 (H: 16)	220	SAE 1 1/2"-10 C	
102 922 291	posi-lock	straight	10	120	140	200							w/o, 14 (C: w/o, 16)	218	SAE 1 1/2"-10 C	
102 923 341	posi-lock	straight	10	105	130	200							w/o, 14 (C: w/o, 16)	218	SAE 1 1/2"-10 C	
102 925 111	posi-lock	straight	10	140									1/2"	165	SAE 1 1/2"-10 C	
102 925 394	posi-lock	straight	10	127									1/2"	165	SAE 1 1/2"-10 C	
103 001 001	ball & spring	offset	10	165								-11.5mm	14	181	SAE 1 1/2"-10 C	
103 002 001	ball & spring	offset	10	165								+11.5mm	14	181	SAE 1 1/2"-10 C	
103 003 001	ball & spring	straight	10	5"	6"	7"	8"	10"					1/2"	310	SAE 1 1/2"-10 C	
103 004 001	ball & spring	straight	8	120	150	180	220	250					w/o, 14	272	32 UNI 222	
103 005 001	posi-lock	straight	8	126	148	178							w/o, 14	218	32 UNI 222	
103 006 001	ball & spring	straight	10	5"	6"	7"	8"						1/2"	218	SAE 1 1/2"-10 C	ROR/Trailer
103 007 001	ball & spring	straight	10	127	152	178	203						14	218	SAE 1 1/2"-10 C	ROR/Trailer
103 009 001	ball & spring	straight	37	105	130	150	215						1/2" (D: 16)	233	ANSI B92 1A-1976, 24/48	
103 010 001	ball & spring	straight	10	120	135	150	165	180	195	250			w/o, 14	272	SAE 1 1/2"-10 C	
103 011 001	ball & spring	straight	10	140	165								14	218	SAE 1 1/2"-10 C	
103 012 001	ball & spring	straight	10	127	152	178	220						w/o, 14 (D: 17)	272	SAE 1 1/2"-10 C	
103 013 001	posi-lock	straight	10	5"	6"	7"	8"						w/o, 17	218	SAE 1 1/2"-10 C	
103 014 001	ball & spring	straight	10	127	152	178	203	248					w/o, 14 (E: 18)	272	SAE 1 1/2"-10 C	
103 016 001	ball & spring	straight	20	150	175	200	225	250					w/o, 14	272	A40x36 DIN 5482	
103 017 001	ball & spring	straight	10	105	129	153	181	215					w/o, 14 (E: 16)	233	SAE 1 1/2"-10 C	
103 018 001	ball & spring	straight	10	105	129	151	181	215					w/o, 14 (E: 16)	233	SAE 1 1/2"-10 C	
103 019 001	ball & spring	straight	37	105	129	151	181	215					w/o, 14 (E: 16)	233	ANSI B92 1A-1976, 24/48	
103 020 001	ball & spring	offset	10	140								+56mm	14	161	SAE 1 1/2"-10 C	
103 021 001	ball & spring	offset	10	140								-56mm	14	161	SAE 1 1/2"-10 C	
104 401 051	ball & spring	offset	10	152								+38mm	w/o, 1/2"	200	SAE 1 1/2"-10 C	Volvo
104 401 053	ball & spring	offset	10	140	165							+38mm	w/o, 1/2"	200	SAE 1 1/2"-10 C	Volvo
104 401 201	ball & spring	offset	10	140								+38mm	w/o, 14	156	SAE 1 1/2"-10 C	Volvo



102 317 201



102 916 351



102 917 371



102 922 291



102 923 341



102 925 111



102 925 394



103 003 001



103 004 001



103 006 001



103 007 001



103 009 001



103 010 001



103 017 001



103 018 001



104 401 051



104 401 053



104 401 201

FOUNDATION BRAKE

part number	mechanism	lever type	no. of spline teeth	A	B	C	D	E	F	G	H	I (offset)	bushing	lever length (mm)	spline type	application
104 401 401	posi-lock	offset	10	145								-56mm	14	161	SAE 1 1/2"-10 C	
104 406 401	ball & spring	offset	19	145								-56mm	w/o, 14	161	A38x34 DIN 5482	
104 407 401	ball & spring	offset	26	145								-56mm	w/o, 14	161	N42x1.5x9H DIN 5480	D-C
104 414 402	ball & spring	offset	37	145								-56mm	1/2"	161	ANSI B92 1A-1976, 24/48	
104 501 051	ball & spring	offset	10	152								-38mm	w/o, 1/2"	200	SAE 1 1/2"-10 C	Volvo/DAF
104 501 053	ball & spring	offset	10	140	165							+38mm	w/o, 1/2"	200	SAE 1 1/2"-10 C	Volvo
104 501 201	ball & spring	offset	10	140								-38mm	w/o, 14	156	SAE 1 1/2"-10 C	Volvo
104 501 401	posi-lock	offset	10	145								+56mm	14	161	SAE 1 1/2"-10 C	
104 506 401	ball & spring	offset	19	145								+56mm	w/o, 14	161	A38x34 DIN 5482	
104 507 401	ball & spring	offset	26	145								+56mm	w/o, 14	161	N42x1.5x9H DIN 5480	D-C
104 514 402	ball & spring	offset	37	145								+56mm	1/2"	161	ANSI B92 1A-1976, 24/48	
KN44051	posi-lock	straight	28	5.0"	6.0"							1/2"		170	SAE 1 1/2"-28 C	Meritor
KN44061	posi-lock	straight	28	5.5"	6.5"							1/2"		195	SAE 1 1/2"-28 C	Meritor



104 401 401



104 406 401



104 407 401



104 501 051



104 501 053



104 501 201



104 501 401



104 506 401



104 507 401



KN44051



KN44061

FOUNDATION BRAKE

The new ModulX family of Haldex Disc Brakes includes brakes for 19.5" and 22.5" wheel sizes. The ModulX concept includes:

- a modular design concept,
- a two-piece calliper,
- a housing which incorporates the application module (factory sealed),
- the application module can be supplied separately for local assembly of complete brakes or as a spare part,
- a more compact disc brake with a lower weight than previous versions.

The brake slides on quadruple stainless steel slide pins that give us an unhandred brake (good for stock handling) and superior calliper guidance. A wear indicator and wear sensor are both optional, and can be retrofitted.



ModulX

FOUNDATION BRAKE

part number	application	carrier holes	type	version	pads	note	can use
92200	SAF	6	DB22	ModulX	w/o	(2 x 92503, boxed individually)	
92201	SMB	4	DB22	ModulX	w/o	(2 x 93840, boxed individually)	
92202	SMB	6	DB22	ModulX	w/o	(2 x 93839, boxed individually)	
92203	SAE	6	DB22	ModulX	w/o	(2 x 93837, boxed individually)	
92502	SAF	6	DB22	ModulX	c/w		92503
92503	SAF	6	DB22	ModulX	w/o		92502
92559	SAF	6	DB19	ModulX	c/w		92560
92560	SAF	6	DB19	ModulX	w/o		92559
92808	SMB	4	DB22	ModulX	c/w		93840
93030	SAE	6	DB19	ModulX	c/w		
93835	SMB	6	DB22	ModulX	c/w		
93836	SAE	6	DB22	ModulX	c/w		
93837	SAE	6	DB22	ModulX	w/o		
93839	SMB	6	DB22	ModulX	w/o		
93840	SMB	4	DB22	ModulX	w/o		



92200



92201



92202



92203



92502



92503



92808

FOUNDATION BRAKE

A Visual Lining Wear Indicator (VLWI) is a mechanical device that rotates as the brake linings wear.

An Electronic Lining Wear Sensor (ELWS) continuously measures the lining wear, allowing brake lining wear management. The Haldex S-ABA (Self-setting Automatic Brake Adjuster) is designed to integrate with the Haldex ELWS.



Visual Lining Wear Indicator

Electronic Lining Wear Sensor

part number	type	for	spline type	no. of spline teeth	axle	cable	boxed	application
014 114 309	Visual Lining Wear Indicator	ABA	-	-	-	-		ROR
76012	Visual Lining Wear Indicator	ABA	-	-	-	-		SAF
76924	Visual Lining Wear Indicator	ABA	-	-	-	-		ROR
76925	Visual Lining Wear Indicator	ABA	-	-	-	-		BPW
90571	Electronic Lining Wear Sensor	ABA	N42x1.5x9H	26	R/H front or L/H rear	w/o		D-C
90572	Electronic Lining Wear Sensor	ABA	N42x1.5x9H	26	L/H front or R/H rear	w/o		D-C
91010	Visual Lining Wear Indicator	Disc Brake	-	-	-	-		s/n 143xxx->, MkIV/ModulX
91935	Electronic Lining Wear Sensor	ABA	N42x1.5x9H	26	L/H front or R/H rear	w/o		MAN
91936	Electronic Lining Wear Sensor	ABA	N42x1.5x9H	26	R/H front or L/H rear	w/o		MAN
92050	Pad Wear Indicator Kit (PWI)	Disc Brake	-	-	-	195 mm	inc. 91244 & pad retainer bolt	MkIII/IV/ModulX
92051	Pad Wear Indicator Kit (PWI)	Disc Brake	-	-	-	695 mm	inc. 91246 & pad retainer bolt	MkIII/IV/ModulX
92729	Pad Wear Indicator Kit (PWI)	Disc Brake	-	-	-	195 mm	w/o pad retainer	MkIII/IV/ModulX
92730	Pad Wear Indicator Kit (PWI)	Disc Brake	-	-	-	695 mm	w/o pad retainer	MkIII/IV/ModulX



014 114 309



76012



76924



76925



90571



90572



91935



91936



92050

FOUNDATION BRAKE



Anchor Bracket

Control Unit

Repair Kit

Worm Wheel

part number	description
003 591 709	Anchor Bracket; for ABA (Grau); bolt type; ROR TM/TE
003 591 809	Anchor Bracket; for ABA (Grau)
003 825 809	Anchor Bracket; for ABA (Grau); bolt type; L/H
003 825 909	Anchor Bracket; for ABA (Grau); bolt type; R/H
027 507 809	Dust Cap; for ABA (Grau); white
027 509 409	Dust Cap; for ABA (Grau); red
03003	Anchor Bracket; for ABA; bolt type; SAF
048 007 609	Bush; for MBA; 17.0mmOD; 12.7mmID
10420	Anchor Bracket; for ABA; bolt type; R/H; Kässbohrer
10421	Anchor Bracket; for ABA; bolt type; L/H; Kässbohrer
12001	Anchor Bracket; for ABA; bolt type; BPW
45424	Bush; for ABA; 20.0mmOD; 16.0mmID
45425	Bush; for ABA; 16.1mmOD; 12.7mmID
45908	Worm Wheel; for ABA; BNA 227, ø39.0
46355	Bolt; for ABA Anchor Bracket; M10; 14mm
46390	Worm Wheel; for ABA; A40x36 DIN 5482
46555	Worm Wheel; for ABA; A36x40 DIN 5481
47263	Worm Wheel; for ABA; N42x1.5x9H DIN 5480
47268	Gasket; for ABA (AA1); x1; for control unit



003 591 709


003 591 809

003 825 809

003 825 909

027 507 809

027 509 409



03003

048 007 609

10420

10421

12001

45424



45425

45908

46355

46390

47263

47268

FOUNDATION BRAKE

part number	description
47359	Worm Wheel; for ABA; BNA 227, ø39.9
51326	Rack; for ABA (AA1)
51360	Worm Wheel; for ABA; 32 UNI 222
51362	Worm Wheel; for ABA; SAE J 498
51420	Worm Wheel; for ABA; A38x34 DIN 5482
52717	Bush; for ABA; 18.1mmOD; 14.0mmID
63008	Worm Wheel; for ABA; SAE 1 1/2" 10 C
74***S	Control Unit; for ABA
76000	Grease Nipple; for ABA; (No. 580)
76014	Spline Washer; for ABA; c/w O-ring; BPW
76046	Repair Kit; for ABA (AA1)
76050	Anchor Bracket; for ABA; bolt type; Kässbohrer
76078	Anchor Bracket; for ABA; bolt type; SAF/BPW
76080	Anchor Bracket; for ABA; bolt type; SAF/BPW
76086	Distance Washer; for ABA; 38±0.5mmOD; 23±0.2mmID; 6 -0.3mm thick
76087	Distance Washer; for ABA; 42±0.5mmOD; 23±0.2mmID; 3±0.2mm thick
76660	Bush; for ABA; 19.0mmOD; 14.0mmID
76668	Anchor Bracket; for ABA; bolt type; Trailor/Fruehauf
76670	Anchor Bracket; for ABA; bolt type; ROR
76671	Anchor Bracket; for ABA; bolt type; BPW
76672	Anchor Bracket; for ABA; bolt type; ROR
76804	Worm Wheel; for ABA; JIS D 2001 (35x12)
76805	Worm Wheel; for ABA; JIS D 2001 (40x14)
76832	Worm Wheel; for ABA; 40x1.5 CSN 014950.1
76842	Distance Washer; for ABA
76846	Worm Wheel; for ABA; JIS B 1602
76850	Worm Wheel; for ABA; A 30x34 DIN 5481
76859	Worm Wheel; for ABA; PITCH 24/48
76862	Screw; for ABA; Torx; M4
76867	Worm Wheel; for ABA; SAE 1 1/4"-24
76878	Bush; for ABA; for control arm; plastic



47359



51326



51420



63008



76000



76014



76046



76050



76078



76080



76086



76087



76660



76668



76670




76671



76672



76832



76862



76878

FOUNDATION BRAKE

part number	description
76882	Anchor Bracket; for ABA; bolt type; SAF
76902	Bush; for ABA; for control arm; plastic; c/w screw
76916	Anchor Bracket; for ABA; bolt type; SAF
76918	Anchor Bracket; for ABA; bolt type; SAF
76921	Anchor Bracket; for ABA; bolt type; SAF/Trailer
76922	Anchor Bracket; for ABA; bolt type; SAF/Trailer
76979	Anchor Bracket; for ABA; U-type; SAF/BPW/SMB
76980	Anchor Bracket; for ABA; U-type; SAF/BPW/SMB
76986	Anchor Bracket; for ABA; U-type; Trailer/Freehauf
76994	Worm Wheel; for ABA; SAE 1 1/2" 28 C
76995	Anchor Bracket; for ABA; U-type; ROR TM/TE
76996	Anchor Bracket; for ABA; U-type; ROR TM/TE
76997	Anchor Bracket; for ABA; U-type; ROR AC
76998	Anchor Bracket Component; for ABA Anchor Bracket (76997)
77885	Front Cover; for ABA (AA1); adjusting nut end; c/w grease nipple; c/w 2xO-ring
77900	Worm Wheel; for ABA; N30x1.5x9H DIN 5480
77975	Anchor Bracket; for ABA; U-type; ROR
78303	Worm Wheel; for ABA; JIS B 1602 L=29.4
78480	Anchor Bracket; for ABA; U-type; ROR AC
78481	Anchor Bracket; for ABA; U-type; ROR AC
81374	Bush; for ABA; 19.0mmOD; 14.0mmID
81658S	Pad Retainer Brace; for Disc Brake (s/n->042... MkII); for disc brake pad; U-shaped
81927	Cover Plate; for Disc Brake; for brake chamber opening
81928	Pressure Plug Protective Bellows; for Disc Brake
84423	Spacer; for ABA; for chassis to anchor point connection
84579	Bush; for ABA; 19.0mmOD; 12.7mmID
84672	Worm Wheel; for ABA; N38x1.5x9H DIN 5480
86993	Anchor Bracket; for ABA; U-type; SAF



76902



76916



76918



76921



76922



76979



76980



76986



76994



76995



76996



76997



76998



77885



77975




78480



78481



81374



81658



81927



81928



84423



84579



86993

FOUNDATION BRAKE

part number	description
86994	Anchor Bracket; for ABA; U-type; SAF
87004	Repair Kit; for ABA (S-ABA); position 4; S/N ->347xxx; w/o Torx screws; (DC/MAN)
87005	Repair Kit; for ABA (S-ABA); position 5; S/N ->347xxx; w/o Torx screws; (BPW)
87006	Repair Kit; for ABA (S-ABA); position 6; S/N ->347xxx; c/w Torx screws; (SAF/Fruehauf/ROR/SMB/Trailor)
87405	Adjustment Screw Sealing Kit; for Disc Brake (s/n->142..., MkII & III); 2x bellow; 2x protection spring
87406	Repair Kit Sliding Function; for Disc Brake (s/n 050220); 4 pieces; c/w slide pins; 8x bellow
87408	Plug Kit; for Disc Brake (s/n->142..., MkII & III)
87680	Repair Kit Sliding Function; for Disc Brake (MkII, III & IV); 4 pieces; w/o slide pins; 8x bellow
87833	Assembly Cup Protective Bellows; for Disc Brake
879165	Pad Retainer; for Disc Brake (s/n 043...->, MkIII & IV); for disc brake pad; flat
89541	Repair Kit Sliding Function; for Disc Brake (s/n 050221->); 4 pieces; c/w slide pins; 8x bellow
89723	Repair Kit Sliding Function; for Disc Brake (MkII, III & IV); 1 piece; w/o slide pins; 2x bellow
89724	Brake Pad; for Disc Brake (DB22 MkII & III); 4 pads; Jurid 539; SAF/BPW; (can also be used on MkIV & ModulX)
89765	Brake Pad; for Disc Brake (DB22 MkII & III); 4 pads; Ferodo 4569; SAE; (can also be used on MkIV & ModulX)
89794	Adjustment Screw Sealing Kit; for Disc Brake (s/n 143...->, MkIV); 2x bellow; 2x protection spring
89795	Brake Pad; for Disc Brake (DB19); 4 pads; Jurid 539; SAF/BPW
89796	Brake Pad; for Disc Brake (DB19); 4 pads; Ferodo 4569; SAE
89924	Pad Spring; for Disc Brake (s/n 143...->, MkIV); 2x spring
89925	Adjustment Shaft Sealing Kit; for Disc Brake (s/n 043...->142..., MkIII); 2x lip seal; 2x plug
89927	Protection Cap; for Disc Brake (s/n 143...->, MkIV); x2; for slide pin end
90373	Bush; for ABA; x12; for control arm; plastic
90673	Pad Retainer; for Disc Brake (s/n 043...->, MkIII, IV & ModulX); for disc brake pad; flat; x2
90693	Adjustment Shaft Kit; for Disc Brake (s/n 143...->, MkIV & ModulX); for pad clearance adjustment
91011	Piston Seal Kit; for Disc Brake (ModulX); c/w thrust plate
91012	Repair Kit Sliding Function; for Disc Brake (ModulX); 4 pieces; c/w slide pins; 6x bellow



86994



87004



87005



87006



87405



87406



87408



87680



87833



879165



89541



89723



89724



89765



89794



89795




89796



89924



89927



90373



90673



90693



91011



91012

part number	description
91013	Repair Kit Sliding Function; for Disc Brake (ModulX); 4 pieces; w/o slide pins; 6x bellow
91014	Repair Kit Sliding Function; for Disc Brake (ModulX); 1 piece; w/o slide pins; 2x bellow
91015	Caliper Housing; for Disc Brake (ModulX DB22); c/w application mechanism
91018	Caliper Housing; for Disc Brake (ModulX DB19); c/w application mechanism
91019	Protection Cap; for Disc Brake (ModulX); x2; for slide pin end
91133	Gasket; for ABA (AA1); x5; for control unit; c/w Torx screws
91134	Gasket; for ABA (S-ABA); x6; for control unit; c/w Torx screws
91216	Pad Retainer Kit; for Disc Brake (s/n 143...->, MkIV & ModulX); single brake kit; inc. pad retainer, bolt & springs
91236	Thrust Plate; for Disc Brake (Mk IV); c/w 2x clips
91239	Brake Pad; for Disc Brake (DB22 MkII & III); 4 pads; Ferodo 4550; SMB; (can also be used on MkIV & ModulX)
91804	Repair Kit; for ABA (S-ABA); position 4; S/N 348xxx->
91805	Repair Kit; for ABA (S-ABA); position 5; S/N 348xxx->
91806	Repair Kit; for ABA (S-ABA); position 6; S/N 348xxx->
91818	Pad Spring; for Disc Brake (universal); 2x spring
92008	Brake Pad; for Disc Brake (DB22 MkIV & ModulX); 4 pads; Jurid 539; SAF/BPW
92009	Brake Pad; for Disc Brake (DB22 MkIV & ModulX); 4 pads; Ferodo 4550; SMB
92010	Brake Pad; for Disc Brake (DB22 MkIV & ModulX); 4 pads; Ferodo 4569; SAE
92731	Thrust Plate kit; for Disc Brake (MkIII & MkIV)
93299	Repair Kit Sliding Function; for Disc Brake (ModulX); 4 pieces; c/w slide pins; w/o bellow



91013



91014



91019



91133



91134



91236



91239



92008



92009



92010



92731

FOUNDATION BRAKE



AA1 Original Tool Set

part number	description
76025	Peg Spanner; for Automatic Brake Adjuster; ø6 mm; for side cover
76026	Distance Piece; for Automatic Brake Adjuster
76035	End Load Tester; for Automatic Brake Adjuster
76493	Mandrel; for Automatic Brake Adjuster; for wormscrew
76896	Control Arm Bush Tool; for Automatic Brake Adjuster
76952	Universal Spline Key; for Automatic Brake Adjuster
76953	Worm Clearance Gauge; for Automatic Brake Adjuster
76987	Hexagon Wrench; for Automatic Brake Adjuster; 10 mm
78333	Screwdriver; for Automatic Brake Adjuster; impact type; for M4 screws
78340	AA1 Original Tool Set; for Automatic Brake Adjuster
78380	Screwdriver; for Automatic Brake Adjuster; Torx type; T20
78396	Hexagon Wrench; for Automatic Brake Adjuster; 8 mm
78402	Bits; for Automatic Brake Adjuster; x2; for Torx screws
78403	Bits; for Automatic Brake Adjuster; x2; for Posidrive screws
78568	Thickness Gauge; for Automatic Brake Adjuster
81918	Repair Tool Kit; for Disc Brake; complete
81921	Assembly Cone Sliding Band; for Disc Brake
81922	Bellow Assembly Component; for Disc Brake
83165	Withdrawing Tool; for Automatic Brake Adjuster
83166	Spindle; for ABA Withdrawing Tool (83165)
83167	Threaded Bush; for ABA Withdrawing Tool (83165)
84076	Repair Kit; for ABA Withdrawing Tool (83165); includes spindle & threaded bush



76025



76035



76493



76896



76952



76953



76987



78340



78380



78396



78402



78403



71918



83165

ABS/EBS SYSTEM

TRUCK/PSV ONLY	system	series production	type	sensors/modulators	valve	digital diagnostics	teeth sensed	comment	original OEM ECU p/n
	ABS GX	1980-1981	analogue	2S/1M & 4S/2M	MCR	–	60	2S/1M - rear axle only	75061089
	ABS GX-2	1981-1986						4S/2M - front and rear axles GX-2 = update to GX	75061089
	ABS DGX	1986	digital	4S/4M	SPS	DDU	60 & 100		364025002/ 364024002
	ABS DGXi	1986-2003						update to DGX	364025.../ 364024...

TRAILER ONLY	system	series production	type	sensors/modulators	valve	digital diagnostics	teeth sensed	comment	original OEM ECU p/n
	ABS MGX	1983-1985	analogue	2S/1M	MCER	–	45-60	blue case	75061172
	ABS MGX-2	1985-2001						black case	75061356
	ABS MGX-2E	1986-2001						grey case	75061413
	ABS MGX-100	1989-2001					80-100	green case	364080001
	ABS DGXi-T	1990-2003	digital	2S/2M, 4S/2M, 4S/3M & 4S/4M	SPS	DDU	60 & 100	can also be used on a truck non-powered axle (2S/2M)	364025021/ 364024021
	ABS Modal	1993->	digital	2S/1M, 2S/2M, 4S/2M, 4S/3M & 6S/3M	Modulator Valve (separate REV)	DDU & on-board	80-100		364125.../ 364128.../ 364224...
	ABS Modular 1 Upgrade	1997->	digital	2S/1M	Modulator Valve (separate REV)	Info-centre (inc. odometer) & EOLT	80-100	basic version	364279002
	ABS Modular 1 Plus							supports Colas & VDS	364279101
	ABS Modular 2							supports Colas & VDS (an ADR version also exists)	3642792..
	EBS EB+	2001->	digital	2S/1M, 2S/2M, 4S/2M & 4S/3M	EPR Valve (separate REV)	Info-centre (full function) & DIAG+	80-100		812001.../ 812010.../ 812011...

ABS is additional to the pneumatic braking system.

It does not affect the performance of the braking system.

It is dormant unless a wheel lock occurs.







EBS has electrical control of the pneumatics at all times.

Braking system performance is controlled by software.

Load sensing and ABS are standard software modules.

ADR refers to European petrochemical regulations.

ECU	Warning Lamp Sequence
ABS GX (all versions) 	1 second ON OFF red cab dashboard warning lamp
ABS DGX (all versions) 	ON OFF red cab dashboard warning lamp
ABS MGX & MGX-2 (blue or black case) 	1 second ON OFF green trailer warning lamp*

ECU	Warning Lamp Sequence	
ABS MGX-2E (grey case) 		green trailer warning lamp*
ABS MGX-100 (green case) 		green trailer warning lamp*
ABS Modal 		green trailer warning lamp*
ABS Modular (all versions) 		green trailer warning lamp*
EBS EB⁺ 	OPTION 1 	EBS cab dashboard warning device
	OPTION 2 	EBS cab dashboard warning device

* To ensure correct operation of the green trailer warning lamp, prior to switching on the ignition, apply foot brake and hold.

In all above lamp sequence sketches:

- Any further lamp display (before driving away) indicates a system fault.
- Lamp on, while moving above 10 km/h, indicates a system fault.

ABS/EBS SYSTEM

The ECU is the 'brains' behind an ABS or EBS system, and can be analogue or digital. The latest EBS ECU's can control far more than the anti-lock function, including anti-rollover, satellite tracking, diagnostics, brake settings, overload indication and the reading of test point pressures. Some versions allow control of up to 5 additional auxiliary functions, allowing future retrofit of additional hardware, while utilising the original ECU.

Operating temperature range:
-40°C +80°C



ABS CX-2



ABS DGXi



ABS MGX



ABS Modal



ABS Modular



EBS EB+

part number	system	for excitor teeth	voltage	identification	no. of sensors	valve	Colas compatible	note
950 364 081	ABS Modal	100	24V		2/4/6	modulator x 1/2/3	-	c/w gland fittings
950 364 082	ABS Modal	100	24V		2/4/6	modulator x 1/2/3	yes	
950 364 083	ABS Modal	100	12V		6	modulator x 3	-	
950 364 101	ABS MGX-2	60	24V	black	2	MCER	-	
950 364 102	ABS MGX-2E	60	24V	grey	2	MCER	-	
950 364 103	ABS MGX-100	100	24V	green	2	MCER	-	
950 364 207	ABS DGXi-T	60	24V		4	SPS	-	
950 364 301	ABS CX-2	60	24V		2	MCR	-	axle by axle
950 364 801	ABS Modular 1 Upgrade	100	24V	19 pin	2	modulator x 1	-	
950 364 802	ABS Modular 1 Plus	100	24V	28 pin	2	modulator x 1	yes	
950 364 803	ABS Modular 2	100	24V	28 pin	2/4	modulator x 2	yes	
950 364 804	ABS Modular 2 ADR	100	24V	28 pin	2/4	modulator x 2	yes	
950 800 201	EBS EB+	100	24V		2/4	EPRV x 1/2	yes	5 aux
950 800 202	EBS EB+	100	24V		4	EPRV x 3	yes	3M master (2M); 5 aux
950 800 203	EBS EB+	100	24V		4	EPRV x 3	yes	3M slave (1M); 5 aux
950 800 204	EBS EB+	100	24V		4	EPRV x 2	yes	c/w roll-over protection



950 364 081



950 364 082



950 364 101



950 364 102



950 364 103



950 364 207



950 364 801



950 364 802



950 364 803



950 364 804



950 800 201



950 800 203

ABS/EBS SYSTEM

Info-centre – onboard diagnostics and data collection. The unique qualities of the Haldex Info-centre have always been available for Modular ABS, while the new version has been designed specifically for Haldex EB+. The Haldex Info-centre is much more than a simple diagnostic tool, including an easy to read backlit LCD screen, the main features are:

- Permanently trailer mounted
- Communicates instantly the current ECU data
- Total distance travelled & trip distance
- Service interval & distance to next service
- Tyre scale setting
- Diagnostic code display
- Colas, tacho or retarder detection
- Overload indication (EB+ version)
- Easily retrofit



364 385 001

part number	for	cable (m)	cable material	ADR	note
364 317 001	ABS Modular	1.2	PUR	-	
364 317 011	ABS Modular	0.4	PUR	-	
364 317 021	ABS Modular	0.9	PUR	-	
364 385 001	ABS Modular	1.2	PUR	ADR	
364 385 011	ABS Modular	0.4	PUR	ADR	
815 001 101	EBS EB+	6.5	PUR	-	
815 001 111	EBS EB+	24.0	PUR	-	
815 001 121	EBS EB+	8.0	PUR	-	
815 010 001	EBS EB+	0.5	PUR	-	Side Of Vehicle connection
815 013 001	EBS EB+	6.5	PUR	ADR	
815 014 001	EBS EB+	0.5	PUR	ADR	Side Of Vehicle connection



364 317 001



364 317 011



364 385 001



815 001 101



815 001 111



815 010 001



815 013 001



815 014 001

ABS/EBS SYSTEM


The ABS/EBS modulator valve controls the air delivered to the brake actuators. If wheel lock is detected, the ECU will signal the valve to release the brakes on the wheel(s) until traction is regained. The valves may be integrated with other functions; for example, the MCER valve combines the Relay Emergency function with the ABS valve. In systems termed 2S/1M, there are 2 sensed wheels and 1 modulator valve present. A single valve permits simultaneous control of all wheels, while a double valve system (e.g. 4S/2M) allows independent control of each axle side, i.e. if wheel lock occurs on one side only, the other side continues braking.



MCER

Modulator Valve

- SPS = Skid Pressure Sensitive (ABS DGX)
MCER = Memory Controlled Emergency Relay (ABS MGX)
EPRV = Electronic Proportioning Relay Valve (EBS EB+)



SPS

EPRV

part number	type	for	cable length (m)	solenoid	input restrictor	no. of delivery ports	reservoir port (1) thread	delivery port (2) thread	control port (4) thread	side	voltage	system	ADR version	note
364 157 021	Modulator Valve	ABS Modal	-	M27x1.0	-	2	M22	M22x2	M16	-	12V	2M/3M	yes	
364 161 021	Modulator Valve	ABS Modal	0.8	-	-	6	M22	M16x6	M16	-	12V	1M	yes	
364 251 001	SPS Valve	ABS DGXi	-	bayonet	c/w	4	M22	M22x4	M16	-	24V	2M	-	M22 exhaust
756 120 02	MCER Valve	ABS MGX	0.5	-	-	6	M22	M22x2 & M16x4	M16	-	24V	1M	yes	emergency port M16
950 364 045	Modulator Valve	ABS Modal	0.8	-	-	6	M22	M16x6	M16	-	24V	1M	yes	
950 364 046	Modulator Valve	ABS Modal	0.8	-	-	2	M22	M22x2	M16	-	24V	2M/3M	yes	
950 364 047	Modulator Valve	ABS Modular/Modal	-	M27x1.0	-	6	M22	M16x6	M16	-	24V	1M	yes	
950 364 048	Modulator Valve	ABS Modular/Modal	-	M27x1.0	-	2	M22	M22x2	M16	-	24V	2M/3M	yes	
950 364 076	Modulator Valve	ABS Modal	0.6	-	-	3	M22	M16x3	M16	R/H	24V	2M	yes	
950 364 077	Modulator Valve	ABS Modal	0.6	-	-	3	M22	M16x3	M16	L/H	24V	2M	yes	
950 364 104	MCER Valve	ABS MGX	0.5	-	-	6	M22	M22x2 & M16x4	M16	-	24V	1M	-	emergency port M16
950 364 211	SPS Valve	ABS DGXi	-	bayonet	c/w	4	M22	M22x4	M16	-	24V	2M	-	



364 157 021



364 161 021



364 251 001



756 120 02



950 364 045



950 364 046



950 364 047



950 364 048



950 364 076



950 364 077



950 364 104



950 364 211

ABS/EBS SYSTEM

part number	type	for	cable length (m)	solenoid	input restrictor	no. of delivery ports	reservoir port (1) thread	delivery port (2) thread	control port (4) thread	side	voltage	system	ADR version	note
950 364 212	SPS Valve	ABS DGXi	-	bayonet	w/o	4	M22	M22x4	M16	-	24V	2M	-	w/o silencer
950 364 214	SPS Valve	ABS DGXi	-	bayonet	w/o	4	M22	M22x4	M16	-	24V	2M	-	
950 364 215	SPS Valve	ABS DGXi	-	bayonet	w/o	6	M22	M22x6	M16	-	24V	2M	-	
950 364 216	SPS Valve	ABS DGXi	-	bayonet	w/o	4	1/2"NPTF	1/2"NPTF _x 4	3/8"NPTF	-	12V	2M	-	
950 364 806	Modulator Valve	ABS Modular	-	M27x1.0	-	3	M22	M16x3	M16	R/H	24V	2M	yes	
950 364 807	Modulator Valve	ABS Modular	-	M27x1.0	-	3	M22	M16x3	M16	L/H	24V	2M	yes	
950 800 302	EPRV	EBS EB+	-	integrated	-	6	M22	M16x6	M16	-	24V	2M	yes	can be used as Master in 3M system
950 800 303	EPRV	EBS EB+	-	integrated	-	6	M22	M16x6	M16	-	24V	1M	yes	
950 800 304	EPRV Slave	EBS EB+	-	integrated	-	6	M22	M16x6	M16	-	24V	1M (slave for 3M system)	yes	



950 364 212



950 364 214



950 364 215



950 364 216



950 364 806



950 364 807



950 800 302



950 800 303

ABS/EBS SYSTEM

An exciter ring is attached directly to the wheel and has a number of teeth or holes. The sensor, attached to the axle, can sense the exciter teeth/holes that pass it, as the wheel rotates. This allows the ECU to determine the wheel speed, acceleration and deceleration.



part number	type	cable length (m)	for	for exciter teeth	axle	sleeve	bracket	end connection	note
003 755 509	straight	2.0	ABS MGX	60	-	-	c/w	eyelet	ROR only
003 760 509	angled	3.4	ABS MGX/DGX	60	-	-	c/w	none	
364 094 031	angled	1.0	ABS DGX/MGX/Modal/Modular	80/100	-	w/o	-	Socket	
756 126 35	straight	0.4	ABS MGX	60	-	-	c/w	-	c/w adjuster (assembled)
950 364 501	straight	2.4	ABS GX/DGX/MGX2 & MGX2E	45/60	universal	-	c/w	eyelet	
950 364 502	angled	2.6	ABS GX/DGX/MGX	45/60	universal	-	c/w	eyelet	
950 364 503	angled	0.5	ABS DGX/MGX100/Modal/Modular/EB+	80/100	universal	c/w	-	Socket	standard fit
950 364 504	straight	0.4	ABS GX/DGX/MGX	45/60	universal	-	c/w	in-line crimp & heat-shrink sleeve	
950 364 506	straight	0.5	ABS DGX/MGX100/Modal/Modular/EB+	80/100	universal	c/w	-	Socket	standard fit



003 755 509



003 760 509



364 094 031



950 364 501



950 364 502



950 364 503



950 364 504




950 364 506

ABS/EBS SYSTEM

An exciter ring is attached directly to the wheel and has a number of teeth or holes. The sensor, attached to the axle, can sense the exciter teeth/holes that pass it, as the wheel rotates. This allows the ECU to determine the wheel speed, acceleration and deceleration.

PCD = 'Pitch Circle Diameter' and is measured from the centre of the hole or tooth.



solid

pressed

part number	type	no. of teeth	inner diameter (mm)	mounting	tooth PCD (mm)	application
016 705 509	solid	100	176	-	-	BPW 12 TM
018 500 309	solid	100	165	-	-	ROR 22.5" TM, Fruehauf
018 500 409	solid	80	162	-	-	ROR 15" TM, Fruehauf
018 500 509	solid	100	150	-	-	ROR 22.5" TE, 22500 series 9.0 tonne
100 000 003	solid	80	152	-	-	9 Tonn
756 108 28	pressed	60	-	6 hole, 350 mm PCD	300	truck, Seddon/Foden/DAF/MB
756 113 84	pressed	60	-	5 hole, 335 mm PCD	250	truck, Seddon
756 118 17	pressed	60	-	10 hole, 335 mm PCD	260	ROR/York 22.5"
756 119 01	pressed	45	-	6 hole, 250 mm PCD	198	York 15"



018 500 309




018 500 409



018 500 509



100 000 003



756 108 28



756 113 84




756 118 17



756 119 01

ABS/EBS SYSTEM



Any cable, loom, plug or socket relating to an ABS or EBS system. This includes sensor extension cables, diagnostic cables, power cables, etc.

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas® cable	note	voltage	can use
003 733 509	Loom	ECU connection	ABS DGXi	60 tooth	-	-	-		-	-	-		24V	
003 774 009	Cable	SPS Valve	ABS DGXi	-	9.0	-	(conduit)		-	-	-	rear axle	12/ 24V	
003 824 309	Chassis Loom	ADR reg. connection	ABS DGXi	60 tooth	-	-	-		-	-	-		24V	
003 843 309	Cable	diagnostics	ABS Modular to DDU/ Info-centre	-	24.0	-	PVC		-	-	-		-	
003 846 709	Cable	diagnostics	ABS Modular to DDU/Info-centre	-	2.0	-	PVC		-	-	-		-	
003 852 809	Framatone Connector Kit	power ISO 7638	ABS Modular	-	-	-	-		unfused	-	-	9-way	24V	
003 852 909	Framatone Connector Kit	power ISO 7638	ABS Modular	-	-	-	-		fused	-	-	9-way	24V	
003 854 509	Cable & Socket	power ISO 7638	ABS Modular	-	16.0	-	PVC	pins x 5	fused	-	-	w/o socket	24V	
003 855 209	Framatone Connector Kit	power ISO 1185 (24N)	ABS Modular	-	-	-	-		-	-	-	4-way	24V	
003 863 709	Cable	diagnostics	ABS Modal	-	1.3	-	PVC		-	-	-		-	
003 892 709	Cable	diagnostics	ABS Modal to Info-centre	-	18.0	-	PVC		-	-	-		-	
042 022 709	Vehicle Power Connector	drawbar trailers	all	-	-	-	-		-	-	-		12V	
042 022 809	Vehicle Power Connector	semi trailers	all	-	-	-	-		-	-	-		12V	
042 507 709	Cable	diagnostics	ABS Modal to DDU	-	2.0	-	PVC		-	-	-		-	
042 507 809	Cable	diagnostics	ABS Modal to DDU	-	18.0	-	PVC		-	-	-		-	
059 507 609	Cable	power ISO 7638	ABS MGX	-	100.0	-	PVC		-	-	-	5 core (black, red, white, yellow, brown/black)	24V	
059 507 709	Cable	diagnostics	ABS MGX	-	100.0	-	PVC		-	-	-	2 core (black, yellow)	24V	



003 824 309



003 843 309



003 846 709



003 852 809



003 852 909



003 855 209



003 863 709



042 022 809



042 507 709



042 507 809



059 507 609



059 507 709

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas' cable	note	voltage	can use
059 507 809	Cable	power ISO 1185 (24N)	ABS MGX	-	100.0	-	PVC		-	-	-	2 core (red, white)	24V	
059 508 809	Cable	diagnostics	for green warning lamp	-	14.0	-	PVC		-	-	-	2 core (black, yellow)	24V	
059 508 909	Cable	power ISO 1185 (24N)	ABS MGX	-	14.0	-	PVC		-	-	-	2 core (red, white)	24V	
059 509 409	Cable	sensor extension	ABS MGX	60 tooth	100.0	-	Hypalon		-	-	-		-	
059 509 809	Cable	sensor extension	ABS MGX	80/100 tooth	2.5	-	PUR		-	-	-	plug to eyelets	-	
059 510 109	Cable	sensor extension	ABS various	60 tooth	20.0	-	PUR		-	-	-		-	
059 510 409	Cable	sensor extension	ABS MGX	80/100 tooth	3.0	-	PUR		-	-	-	plug to eyelets	-	
059 510 609	Cable	sensor extension	ABS various	60 tooth	50.0	-	PUR		-	-	-	2 core (black, brown)	-	
059 515 609	Cable	sensor extension	ABS various	60 tooth	100.0	-	PUR		-	-	-	2 core (black, brown)	-	
059 521 909	Cable	diagnostics	for green warning lamp	-	9.0	-	PVC		-	-	-	2 core (black, yellow)	24V	
364 077 021	Cable	sensor extension	ABS DGi	100 tooth	8.0	-	PUR		-	-	-		-	
364 077 031	Cable	sensor extension	ABS DGi	100 tooth	10.0	-	PUR		-	-	-		-	
364 096 102	Cable & Socket	power ISO 7638	ABS Modal	-	12.0	green	PVC	pins x 5	fused	-	-	5 core (purple, red, yellow, white, black)	24V	
364 096 112	Cable & Socket	power ISO 7638	ABS Modal	-	16.0	green	PVC	pins x 5	fused	-	-	5 core (purple, red, yellow, white, black)	24V	
364 143 001	Cable & Socket	power ISO 7638	ABS Modal	-	12.0	-	conduit	pins x 5	unfused	-	-	semi-trailer	12V	
364 175 101	Cable & Socket	power ISO 7638	ABS Modal	-	12.0	-	conduit		unfused	-	-	Modal only	24V	
364 193 001	Cable	power ISO 1185 (24N)	ABS Modal	-	10.0	-	conduit		-	-	-		12V	
364 194 001	Cable	power ISO 1185 (24N)	ABS Modal	-	12.0	-	PVC		-	-	-	3 core	24V	
364 194 021	Cable	power ISO 1185 (24N)	ABS Modal	-	9.0	-	PVC		-	-	-	3 core	24V	
364 212 001	Cable	sensor extension	ABS Modal	-	4.0	red 1A	PUR		-	-	-	Modal only	-	
364 212 011	Cable	sensor extension	ABS Modal	-	4.0	red 1B	PUR		-	-	-	Modal only	-	
364 212 021	Cable	sensor extension	ABS Modal	-	4.0	blue 3A	PUR		-	-	-	Modal only	-	
364 212 031	Cable	sensor extension	ABS Modal	-	4.0	blue 2A	PUR		-	-	-	Modal only	-	
364 212 041	Cable	sensor extension	ABS Modal	-	4.0	blue 2B	PUR		-	-	-	Modal only	-	
364 212 051	Cable	sensor extension	ABS Modal	-	4.0	yellow 3B	PUR		-	-	-	Modal only	-	
364 215 001	Cable	power ISO 3731 (24S)	ABS Modal	-	12.0	-	PVC		-	-	-		24V	
364 295 001	Loom	ECU connection	ABS Modular 1 Upgrade	2S/1M	-	-	-		-	2x3.0	w/o	19 pin	24V	



059 508 809



059 509 409



059 509 809



059 510 409



059 510 609



059 521 909



364 077 031



364 096 102



364 096 112



364 143 001



364 175 101



364 193 001



364 194 001



364 212 001



364 212 011



364 212 031



364 212 041



364 295 001

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas' cable	note	voltage	can use
364 307 001	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x3.0 & 2x6.0	c/w (6.0 m)	28 pin	24V	*
364 307 011	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	4x4.0	c/w (6.0 m)	28 pin	24V	*
364 307 021	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x4.0 & 2x6.0	c/w (7.0 m)	28 pin	24V	*
364 307 031	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x4.0 & 2x6.0	c/w (7.0 m)	28 pin	24V	*
364 329 001	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	c/w (4.0 m)	28 pin	24V	●
364 329 011	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x4.0	c/w (6.0 m)	28 pin	24V	●
364 329 021	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	c/w (7.0 m)	28 pin	24V	●
364 329 031	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x1.5	c/w (4.0 m)	28 pin	24V	●
364 329 041	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x4.0	c/w (7.0 m)	28 pin	24V	●
364 338 001	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x3.0	c/w (6.0 m)	28 pin	24V	*
364 338 011	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x6.0	c/w (6.0 m)	28 pin	24V	*
364 338 021	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x3.0	c/w (7.0 m)	28 pin	24V	*
364 339 001	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x3.0 & 2x6.0	w/o	28 pin	24V	*
364 340 001	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x3.0 & 2x6.0	c/w (6.0 m)	28 pin; w/o 24N	24V	*
364 340 011	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	4x4.0	c/w (6.0 m)	28 pin; w/o 24N	24V	*
364 341 001	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	2x3.0 & 2x6.0	w/o	28 pin; w/o 24N	24V	*
364 341 011	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-	-	-	4x4.0	w/o	28 pin; w/o 24N	24V	*
364 343 001	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x3.0	w/o	28 pin	24V	*
364 343 011	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x6.0	w/o	28 pin	24V	*
364 344 001	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x3.0	c/w (6.0 m)	28 pin; w/o 24N	24V	*
364 344 021	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x6.0	c/w (6.0 m)	28 pin; w/o 24N	24V	*
364 345 001	Loom	ECU connection	ABS Modular 2	2S/2M	-	-	-	-	-	2x3.0	w/o	28 pin; w/o 24N	24V	*
364 346 001	Loom	ECU connection	ABS Modular 1 Upgrade	2S/1M	-	-	-	-	-	2x3.0	w/o	19 pin; w/o 24N	24V	❖
364 347 001	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	c/w (6.0 m)	28 pin; w/o 24N	24V	●


* Can Use 950 364 419

● Can Use 950 364 418

❖ Can Use 950 364 417



364 307 001



364 307 011



364 307 021



364 329 001



364 329 011



364 329 021



364 338 001



364 338 011



364 338 021



364 339 001



364 340 001



364 340 011



364 341 011



364 343 001



364 344 001



364 345 001



364 346 001



364 347 001

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas' cable	note	voltage	can use
364 347 011	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	c/w (7.0 m)	28 pin; w/o 24N	24V	*
364 348 001	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	w/o	28 pin	24V	*
364 349 001	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-	-	-	2x3.0	w/o	28 pin; w/o 24N	24V	*
364 357 001	Cable & Socket	power ISO 7638	ABS Modular	-	12.0	black	PVC	pins x 5	unfused	-	-	framatone connector fitted	24V	
364 357 011	Cable & Socket	power ISO 7638	ABS Modular	-	9.0	black	PVC	pins x 5	unfused	-	-	framatone connector fitted	24V	
364 358 001	Cable	power ISO 1185 (24N)	ABS Modular 2	-	12.0	-	PVC	-	-	-	-	framatone connector fitted	24V	
364 359 001	Loom	ECU connection	ABS Modular 1 Upgrade	2S/1M	-	-	-	-	-	2x3.0	w/o	19 pin	24V	●
364 359 011	Loom	ECU connection	ABS Modular 1 Upgrade	2S/1M	-	-	-	-	-	2x4.0	w/o	19 pin	24V	●
364 362 011	Cable & Socket	power ISO 7638	ABS Modular	-	9.0	green	PVC	pins x 5	fused	-	-	framatone connector fitted	24V	
364 362 021	Cable & Socket	power ISO 7638	ABS Modular	-	14.0	green	PVC	pins x 5	fused	-	-	framatone connector fitted	24V	
364 364 031	Cable & Socket	power ISO 7638	ABS Modular	-	16.0	green	PVC	pins x 5 (crimp)	fused	-	-	framatone connector loose	24V	
364 366 021	Cable & Socket	power ISO 7638	ABS Modular	-	14.0	black	PUR	pins x 5	unfused	-	-	framatone connector loose	24V	
364 374 001	Cable	diagnostics	Info-centre extension kit	-	6.0	-	PUR	-	-	-	-	framatone bulkhead connector loose	24V	
364 377 001	Cable	diagnostics	Info-centre extension	-	6.0	-	PUR	-	-	-	-	framatone connector fitted	24V	
364 377 011	Cable	diagnostics	Info-centre extension	-	6.0	-	PVC	-	-	-	-	framatone connector fitted	24V	
364 384 001	Cable	sensor extension	ABS Modular	-	3.0	-	PUR	-	-	-	-	for middle sensor	-	
756 12 127	Cable	power ISO 1185 (24N)	ABS MGX	-	12.5	-	PVC	-	-	-	-	2 core (red, white)	24V	
756 12 128	Cable	power ISO 3731 (24S)	ABS MGX	-	12.5	-	PVC	-	-	-	-	2 core (black, brown/black)	24V	
814 001 601	Cable	diagnostics	PC to EBS EB+	-	6.5	-	PUR	-	-	-	-	for direct ECU connection	-	
814 001 611	Cable	diagnostics	PC to EBS EB+	-	15.0	-	PUR	-	-	-	-	for direct ECU connection	-	
814 001 621	Cable	diagnostics	PC to EBS EB+	-	20.0	-	PUR	-	-	-	-	for direct ECU connection	-	

* Can Use 950 364 418

● Can Use 950 364 417



364 347 011



364 348 001



364 349 001



364 357 001



364 357 011



364 358 001



364 359 001



364 359 011



364 362 011



364 362 021



364 364 031



364 366 021



364 377 001



364 377 011



364 384 001



814 001 601



814 001 611



814 001 621

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas' cable	note	voltage	can use
814 011 001	Cable	diagnostics	PC to EBS EB+	-	6.5	-	PUR		-	-	-	for Side Of Vehicle connection	-	
814 011 011	Cable	diagnostics	PC to EBS EB+	-	15.0	-	PUR		-	-	-	for Side Of Vehicle connection	-	
815 001 401	PC Interface	diagnostics	PC to EBS EB+	-	-	-	-		-	-	-	-	-	
815 018 001	Head Board Interface	diagnostics	EBS EB+ to Diag+/Info-centre	-	0.45	-	PVC		-	-	-	for ECU -> 08 2005	24V	
950 364 021	Cable	diagnostics	ABS Modal	-	0.3	-	PVC		-	-	-	for inside the ABS Modal gland box	12/24V	
950 364 024	Cable	sensor extension	ABS Modal	-	2.0	-	PUR		-	-	-	Modal only	-	
950 364 026	Cable	sensor extension	ABS Modal	-	6.0	-	PUR	accessories	-	-	-	Modal only	-	
950 364 031	Cable & Socket	power ISO 7638	ABS Modal	-	12.0	green	PUR	pins x 5	fused	-	-	Modal only	24V	
950 364 033	Cable & Plug	power ISO 7638	ABS Modal	-	12.0	-	PUR	pins x 5	-	-	-	drawbar trailers	24V	
950 364 036	Cable	power ISO 3731 (24S)	ABS Modal	-	12.0	-	PUR		-	-	-	Modal only	12/24V	
950 364 042	Cable	power ISO 1185 (24N)	ABS Modal	-	12.0	-	PUR	conduit	-	-	-	Modal only	12/24V	
950 364 043	Cable	power ISO 3731 (24S)	ABS Modal	-	12.0	-	PUR	conduit	-	-	-	Modal only	12/24V	
950 364 050	Cable	Modulator Valve	ABS Modal	-	8.0	-	PUR	accessories	-	-	-	Modal only	24V	
950 364 054	Cable	sensor extension	ABS Modal	-	8.0	-	PUR	accessories	-	-	-	Modal only	-	
950 364 063	Cable	diagnostics	ABS Modal to DDU/Info-centre	-	4.0	-	PVC		-	-	-	for remote DDU	24V	
950 364 072	Socket	power ISO 7638	ABS Modal/Modular	-	-	green	-	pins x 5 (crimp)	fused	-	-		24V	*
950 364 221	Loom	ECU conversion	ABS DGX	60 tooth	-	-	-		-	-	-	conversion from DGX to DGXi 60 tooth	24V	
950 364 402	Socket	power ISO 7638	ABS MGX/Modal/Modular	-	-	black	-	pins x 5 (crimp)	unfused	-	-		24V	*
950 364 403	Plug	power ISO 7638	ABS MGX/Modal/Modular	-	-	-	-	pins x 5, 2x4.0mm, 3x1.5mm	-	-	-		24V	
950 364 404	Cable & Socket	power ISO 7638	ABS MGX	-	12.0	green	PUR	pins x 5	fused	-	-		24V	
950 364 405	Cable & Socket	power ISO 7638	ABS Modal	-	12.0	black	PVC	pins x 5 & conduit	unfused	-	-	Modal only	24V	
950 364 406	Cable & Plug	power ISO 7638	ABS Modal	-	9.0	-	PUR	pins x 5	-	-	-	drawbar trailers	24V	


* Can Use 950 364 436



814 011 001



814 011 011



815 001 401



950 364 021



950 364 024



950 364 026



950 364 031



950 364 033



950 364 036



950 364 042



950 364 050



950 364 054



950 364 072



950 364 221



950 364 402



950 364 403



950 364 405



950 364 406

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas* cable	note	voltage	can use
950 364 407	Cable	power ISO 1185 (24N)	ABS Modal	-	12.0	-	PVC		-	-	-	Modal only	24V	
950 364 408	Cable	sensor extension	ABS Modal	-	3.0	-	PUR	accessories	-	-	-	Modal only	-	
950 364 410	Cable	sensor extension	ABS Modal	-	10.0	-	PUR	accessories	-	-	-	Modal only	-	
950 364 411	Cable	Modulator Valve	ABS Modal	-	4.0	-	PUR	accessories	-	-	-	Modal only	24V	
950 364 412	Cable	Modulator Valve	ABS Modal	-	6.0	-	PUR	accessories	-	-	-	Modal only	24V	
950 364 413	Cable	Modulator Valve	ABS Modal	-	10.0	-	PUR	accessories	-	-	-	Modal only	24V	
950 364 417	Loom	ECU connection	ABS Modular 1 Upgrade	2S/1M	-	-	-		-	2x4.0	w/o	19 pin	24V	
950 364 418	Loom	ECU connection	ABS Modular 1 Plus	2S/1M	-	-	-		-	2x4.0	c/w (7.0 m)	28 pin	24V	
950 364 419	Loom	ECU connection	ABS Modular 2	4S/2M	-	-	-		-	2x4.0 & 2x6.0	c/w (7.0 m)	28 pin	24V	
950 364 420	Socket	power ISO 7638	ABS Modal/Modular	-	-	red	-	pins x 5 (screw)	unfused	-	-	can replace black socket	24V	*
950 364 421	Cable & Socket	power ISO 7638	ABS Modular	-	12.0	green	PVC	pins x 5	fused	-	-	framatone connector fitted	24V	
950 364 422	Cable & Socket	power ISO 7638	ABS Modular	-	12.0	black	PUR	pins x 5	unfused	-	-	framatone connector fitted	24V	
950 364 423	Cable & Socket	power ISO 7638	ABS Modular	-	12.0	green	PVC	pins x 5	fused	-	-	framatone connector loose	24V	
950 364 424	Cable & Socket	power ISO 7638	ABS Modular	-	12.0	black	PUR	pins x 5	unfused	-	-	framatone connector loose	24V	
950 364 425	Cable	power ISO 1185 (24N)	ABS Modular 1	-	12.0	-	PVC		-	-	-	framatone connector fitted	24V	
950 364 426	Cable	power ISO 1185 (24N)	ABS Modular 2	-	12.0	-	PUR		-	-	-	framatone connector fitted	24V	
950 364 427	Cable	power ISO 3731 (24S)	ABS Modular	-	12.0	-	PVC		-	-	-		24V	
950 364 429	Cable & Plug	power ISO 7638	ABS Modular	-	12.0	-	PVC	pins x 5	-	-	-	framatone connector fitted, drawbar	24V	
950 364 436	Socket	power ISO 7638	universal	-	-	blue	-	pins x 7 unfused	fused+	-	-		24V	
950 364 507	Cable	sensor extension	ABS Modular	-	6.0	-	PUR		-	-	-		-	
950 364 818	Framatone Connector Kit	diagnostics	ABS Modular & EB+	-	-	-	-		-	-	-	for Side Of Vehicle connection	-	

* Can Use 950 364 436



950 364 407



950 364 408



950 364 410



950 364 411



950 364 412



950 364 417



950 364 418



950 364 419



950 364 420



950 364 421



950 364 422



950 364 423



950 364 424



950 364 425



950 364 427



950 364 429



950 364 507



950 364 818

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas [®] cable	note	voltage	can use
950 610 010	Plug	power ISO 7638	EBS EB+	-	-	-	-	pins x 7	unfused	-	-		24V	
950 610 020	Socket	power ISO 7638	EBS EB+	-	-	black	-	pins x 7	unfused	-	-		24V	
950 610 030	Parking Socket	power ISO 7638	EBS EB+	-	-	-	-	pins x 7	-	-	-		-	
950 610 040	Flex Coil (Suzie)	power ISO 7638	EBS EB+	-	4.0	-	PUR	pins x 7	-	-	-		24V	
950 611 010	Flex Coil (Suzie)	power ISO?	all	-	3.5	-	PUR	1x12V & 1x24V metal plug	-	-	-		12/24V	
950 611 030	Flex Coil (Suzie)	power ISO 1185 (24N)	all	-	#	-	PUR		-	-	-		24V	
950 611 035	Flex Coil (Suzie)	power ISO 3731 (24S)	all	-	#	-	PUR		-	-	-		24V	
950 800 401	Cable & Socket	power ISO 7638	EBS EB+	-	12.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 402	Cable & Socket	power ISO 7638	EBS EB+	-	16.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 403	Cable & Socket	power ISO 7638	EBS EB+	-	18.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 404	Cable & Socket	power ISO 7638	EBS EB+	-	9.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 405	Cable & Socket	power ISO 7638	EBS EB+	-	14.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 406	Cable & Socket	power ISO 7638	EBS EB+	-	6.0	blue	PUR	pins x 7 & CANBUS ISO 11992	unfused	-	-		24V	
950 800 411	Cable & Plug	power ISO 7638	EBS EB+	-	9.0	blue	PUR	pins x 7 & CANBUS ISO 11992	-	-	-		24V	
950 800 412	Cable & Plug	power ISO 7638	EBS EB+	-	12.0	blue	PUR	pins x 7 & CANBUS ISO 11992	-	-	-		24V	
950 800 421	Cable	power ISO 1185 (24N)	EBS EB+	-	12.0	yellow	PUR		-	-	-		24V	
950 800 422	Cable	power ISO 1185 (24N)	EBS EB+	-	6.0	yellow	PUR		-	-	-		24V	
950 800 423	Cable	power ISO 1185 (24N)	EBS EB+	-	16.0	yellow	PUR		-	-	-		24V	
950 800 424	Cable	power ISO 1185 (24N)	EBS EB+	-	4.0	yellow	PUR		-	-	-		24V	
950 800 431	Cable	CANBUS (auxiliary)	EBS EB+	-	7.0	-	PUR		-	-	-		24V	
950 800 432	Cable	CANBUS (auxiliary)	EBS EB+	-	18.0	-	PUR		-	-	-		24V	
950 800 433	Cable	CANBUS (auxiliary)	EBS EB+	-	2.0	-	PUR		-	-	-		24V	
950 800 434	Cable	CANBUS (auxiliary)	EBS EB+	-	4.0	-	PUR		-	-	-		24V	
950 800 441	Cable	sensor extension	EBS EB+	-	3.0	-	PUR		-	-	-		24V	
950 800 442	Cable	sensor extension	EBS EB+	-	2.0	-	PUR		-	-	-		24V	



950 610 010



950 610 020



950 610 030



950 610 040



950 611 010



950 611 030



950 611 035



950 800 401



950 800 402



950 800 403



950 800 421



950 800 431



950 800 441



950 800 442

ABS/EBS SYSTEM

part number	type	for	system	system configuration	length (m)	colour indication	material	including	fuse	sensor cables (m)	Colas [®] cable	note	voltage	can use
950 800 443	Cable	sensor extension	EBS EB+	-	6.0	-	PUR		-	-	-		24V	
950 800 444	Cable	sensor extension	EBS EB+	-	10.0	-	PUR		-	-	-		24V	
950 800 445	Cable	sensor extension	EBS EB+	-	14.0	-	PUR		-	-	-		24V	
950 800 446	Cable	sensor extension	EBS EB+	-	8.0	-	PUR		-	-	-		24V	
950 800 447	Cable	sensor extension	EBS EB+	-	12.0	-	PUR		-	-	-		24V	
950 800 451	Cable	REV Pressure Switch	EBS EB+	-	10.0	-	PUR		-	-	-		24V	
950 800 452	Cable	REV Pressure Switch	EBS EB+	-	2.0	-	PUR		-	-	-		24V	
950 800 453	Cable	REV Pressure Switch	EBS EB+	-	0.75	-	PUR		-	-	-		24V	
950 800 454	Cable	REV Pressure Switch	EBS EB+	-	3.0	-	PUR		-	-	-		24V	
950 800 455	Cable	REV Pressure Switch	EBS EB+	-	5.0	-	PUR		-	-	-		24V	
950 800 456	Cable	REV Pressure Switch	EBS EB+	-	8.0	-	PUR		-	-	-		24V	
950 800 461	Cable	diagnostics	EBS EB+ to Diag+/Info-centre	-	6.5	-	PUR		-	-	-	chassis cable	-	
950 800 462	Cable	diagnostics	EBS EB+ to Diag+/Info-centre	-	2.5	-	PUR		-	-	-	chassis cable	-	
950 800 463	Cable	diagnostics	EBS EB+ to Diag+/Info-centre	-	5.0	-	PUR		-	-	-	chassis cable	-	
950 800 464	Cable	diagnostics	EBS EB+ to Diag+/Info-centre	-	15.0	-	PUR		-	-	-	chassis cable	-	
950 800 471	Cable	EB+ 3M link	EBS EB+	-	12.0	white	PUR		-	-	-	(power B - power B link)	-	
950 800 472	Cable	EB+ 3M link	EBS EB+	-	2.0	orange	PUR		-	-	-	(power B - power B link)	-	
950 800 473	Cable	EB+ 3M link	EBS EB+	-	5.0	light beige	PUR		-	-	-	(power B - power B link)	-	
950 800 474	Cable	EB+ 3M link	EBS EB+	-	14.0	red	PUR		-	-	-	(power B - power B link)	-	
950 800 475	Cable	EB+ 3M link	EBS EB+	-	10.0	purple	PUR		-	-	-	(power B - power B link)	-	
950 800 476	Cable	EB+ 3M link	EBS EB+	-	8.0	green	PUR		-	-	-	(power B - power B link)	-	
950 800 481	Cable	auxiliary connection	EBS EB+	-	7.0	-	PUR		-	-	-	for Colas/ILAS-E; DIN 72585	-	
950 800 482	Cable	auxiliary connection	EBS EB+	-	18.0	-	PUR		-	-	-	for Colas/ILAS-E; DIN 72585	-	
950 800 483	Cable	auxiliary connection	EBS EB+	-	1.0	-	PUR		-	-	-	for Colas/ILAS-E; DIN 72585	-	
950 800 484	Cable	auxiliary connection	EBS EB+	-	2.0	-	PUR		-	-	-	for Colas/ILAS-E; DIN 72585	-	
950 800 485	Cable	auxiliary connection	EBS EB+	-	5.0	-	PUR		-	-	-	for Colas/ILAS-E; DIN 72585	-	
950 800 901	Socket	power ISO 7638	EBS EB+	-	-	black	-	pins x 7 (crimp)	unfused	-	-		24V	



950 800 443



950 800 451



950 800 455



950 800 901

ABS/EBS SYSTEM



Junction Box

Service Manual

Warning Lamp

Warning Lamp Controller

part number	description
000 700 042	Service Manual; for ABS Modal
000 700 080	Service Manual; for ABS Modular
003 616 009	Printed Circuit Board; for ABS Modal; for connection of 2 ECU's
003 768 209	Junction Box; for ABS MGX; Printed Circuit Board; ISO 7638, 24S & 24N; for semi-trailer; unfused
003 786 109	Junction Box; for ABS MGX; Printed Circuit Board; ISO 7638, 24S & 24N; for semi-trailer; fused; c/w conduit
003 794 209	Junction Box; for ABS MGX; Printed Circuit Board; ISO 7638, 24S & 24N; for semi-trailer; fused
028 042 409	Load Plate Label; for EPV & EB+; (use only on laser printer)
028 506 809	Label; for ABS general; for ABS; c/w Haldex Brake Systems logo
028 518 909	Label; for ABS Modular; pictorial (replace the diagnostic cap when not in use)
028 525 709	Label; for ABS general; pictorial (>10 km/h + lamp = ABS failure); plastic
028 526 209	Label; for EBS EB+; pictorial (must connect the ISO 7638)
028 527 609	Label; for EBS EB+; 'Haldex EB+"; 32x7.5cm
028 527 709	Label; for EBS EB+; 'Haldex EB+"; 21.5x15cm
028 530 109	Label; for EBS EB+; Load Plate Data
042 507 409	Case; for the original Diagnostic Display Unit
311 067 007	Warning Lamp; green; c/w 11m cable (ADR)
364 328 001	ABS Kit; ECU Modular 1 Plus & modulator valve kit; 2S/1M
393 670 001	ABS Kit; ECU Modular 1 Upgrade & modulator valve kit; 2S/1M; to replace MGX system
750 612 98	ABS Kit; ECU MGX 2 & MCER valve kit; c/w bracket; c/w power cables; to replace Bendix MDR
750 613 34	Warning Lamp; Cab mounted kit



000 700 042



000 700 080



003 616 009



003 768 209




003 786 109



028 042 409



028 506 809



028 518 909



028 525 709



028 526 209



028 527 609



028 527 709



028 530 109



042 507 409



364 328 001



393 670 001



750 612 98



750 613 34

part number	description
756 116 75	Junction Box; for ABS MGX; standard; 24S & 24N
756 121 08	Label; for ABS MGX; ABS instruction (Fruehauf)
756 121 09	Label; for ABS MGX; ABS instruction
759 611 12	Monitor Unit Conversion Kit; for ABS GX; Mark I to Mark II conversion
815 012 001	Stability Sensor (Accelerometer); cable (m): 2.5
815 015 001	Lining Wear Sensor Interface; for EBS EB+; c/w various cables (PUR); standard version
815 016 001	Lining Wear Sensor Interface; for EBS EB+; c/w various cables (PUR); Meritor version
950 364 111	Warning Lamp Controller; for ABS MGX; ballast & relay
950 364 303	Monitor Unit; for ABS GX; Mark II; 24V
950 364 602	Sensor & Exciter Kit; for ROR 22.5" brake; c/w 60 tooth pressed exciter
950 364 607	Sensor & Exciter Kit; for BPW 10-12 tonne axle
950 364 701	Label; for ABS DGX; ABS instruction
950 364 702	Label; for ABS general; pictoral (>10 km/h + lamp = ABS failure)
950 364 710	Warning Lamp; green; not assembled; w/o bracket; w/o bulb
964 009 001	Sensor & Exciter Kit; (2x 950364503 & 1x 100000001); for BPW 9 tonne axle



756 116 75



756 121 08




756 121 09



759 611 12



815 012 001



815 015 001



815 016 001



950 364 111



950 364 303



950 364 602



950 364 607



950 364 701



950 364 702

950 364 710

ABS/EBS SYSTEM



Pin

Sensor Sleeve

Manifold Kit

Bulb

part number	description
003 787 409	Click-fit Connector Kit; for ABS Modal ECU gland box (4S/2M system)
003 787 509	Click-fit Connector Kit; for ABS Modal ECU gland box (4S/3M system)
003 791 909	Click-fit Connector Kit; for ABS Modal ECU gland box; for ISO 7638 cable
003 792 009	Click-fit Connector Kit; for ABS Modal ECU gland box; for sensor cable
003 792 109	Click-fit Connector Kit; for ABS Modal ECU gland box; for modulator valve cable
003 918 409	Blanking Plug; for EBS EB+ ECU (universal); for positions S2A, S2B, PSW & AUX1-5
014 700 809	Bracket; for ABS Sensor (ABS DGX); for axle connection
014 700 909	Bracket; for ABS Sensor (ABS DGX); for axle connection
014 705 709	Bracket; for ABS Sensor (ABS DGX); for axle connection
014 717 109	Bracket; for ABS Sensor (ABS DGX); for axle connection; for 60 tooth sensor
015 502 909	Bracket; for ABS Modular (1M system); for valve & ECU chassis connection
016 700 809	Stud; for ABS Sensor (ABS DGX); for axle connection
024 500 309	O-ring; for ABS Modal ECU click-fit blanking plug (027503209); for ABS Modal ECU gland box
025 049 209	Washer; for SPS Valve Elbow Connector (ABS DGX); rubber
026 500 009	Blanking Plug; for DDU socket
027 503 109	Click-fit Connector; for ABS Modal ECU gland box
027 503 209	Click-fit Blanking Plug; for ABS Modal ECU gland box
027 503 309	Inhibit Key; for ABS Modal; for ABS Modal cables
027 503 509	3-way Connector Housing; for ABS Modal; for ABS Modal cables
027 504 309	Nut; for ABS Modal ECU click-fit connector; for 5 core cable



003 787 409



003 787 509



003 791 909



003 792 009



003 792 109



003 918 409



014 700 809



014 705 709



014 717 109



016 700 809



024 500 309



025 049 209



026 500 009



027 503 109



027 503 209



027 503 309



027 503 509



027 504 309

part number	description
027 504 409	Cable Grip; for ABS Modal ECU click-fit connector; for 3 core cable; 5-9mm
027 504 509	Cable Grip; for ABS Modal ECU click-fit connector; for 5 core cable; 6-12mm
027 526 009	Blanking Plug; for EBS EB+ Lining Wear Sensor Interface (815015001)
042 011 309	Pin; for ISO 7638 Plug; female; 6.0 mm
042 011 409	Pin; for ISO 7638 Plug; female; 6.0 mm
042 507 909	Soldered Connector; for ABS DGXi Loom; for DDU connection
042 516 609	Nut; for ABS Modal ECU click-fit connector; for ISO 7638 cable
042 516 709	Washer; for ABS Modal ECU click-fit connector; rubber; for ISO 7638 cable
042 516 809	Nut Gland; for ISO 7638 Socket
042 548 009	Spade Connector; for electrical connection; x1; for 1.5 mm cable
042 548 109	Spade Connector; for electrical connection; x1; for 6.0 mm cable
042 549 509	Spade Connector; for electrical connection; x1; for 2.5 mm cable
042 566 409	Pin; for ISO 7638 Socket; x1; 1.5 mm
042 572 209	Pin; for ISO 7638 Socket; male; 1.5 mm; fused
056 501 009	Bail Latch; for ABS Modular; old type
056 501 109	Bail Latch; for ABS Modular; new type
059 511 409	Cable Marker; 1A
059 511 509	Cable Marker; 1B
059 511 609	Cable Marker; 3A
059 511 709	Cable Marker; 2A
059 511 809	Cable Marker; 2B
059 511 909	Cable Marker; 3B
059 512 309	Sensor Sleeve; for ABS Sensor (80 & 100 tooth); pressed type
059 512 409	Cable Marker (elastic band); red
059 512 509	Cable Marker (elastic band); blue
756 102 45	Heat Shrink Sleeve; for electrical connection; for crimp connectors
756 113 39	Flag Receptacle; for ABS GX ECU connector
756 117 15	Bolt; for ABS Sensor (60 tooth); M5x20



027 504 409



027 504 509



027 526 009



042 011 309



042 011 409



042 516 609



042 516 709



042 516 809



042 548 009



042 548 109




042 549 509



042 566 409



042 572 209



056 501 109



059 511 409



059 511 509



059 511 609



059 511 709



059 511 909



059 512 309



059 512 409



059 512 509

ABS/EBS SYSTEM

part number	description
756 117 59	Exhaust Valve Piston; for MCER Valve (ABS MGX)
756 118 18	Bracket; for ABS Sensor (ABS MGX); for axle connection
756 118 20	Bracket; for ABS MGX; for MCER Valve & ECU chassis connection
756 123 02	Spade Connector; for electrical connection; x1; for ABS DGX diagnostic interface
756 124 09	Sensor Adaptor; for ABS Sensor (ABS MGX); In-axle sensor
756 124 11	Drive Shaft; for In-hub Sensor (ABS MGX)
756 126 53	Bar Jumper; for ABS MGX ECU (green, black & grey casing); straight (dog bone)
756 130 41	Connector Housing; for SPS Valve Elbow Connector (ABS DGX); elbow section
756 130 56	Nut; for SPS Valve Elbow Connector (ABS DGX)
756 130 57	Grommet; for SPS Valve Elbow Connector (ABS DGX); rubber; for crimp connectors
756 132 18	Connection Box; for electrical connection (ABS MGX); orange
759 610 02	Heat Shrink Sleeve; for electrical connection; x10
759 610 04	In-line Crimp; for electrical connection; x10
950 364 018	Manifold Kit; for ABS Modal (3M system)
950 364 023	Bracket; for ABS Modal (1M system); for valve & ECU chassis connection
950 364 061	Click-fit Connector Kit; for ABS Modal ECU gland box; c/w connectors & blanking plugs
950 364 074	Silencer Kit; for ABS Modulator Valve
950 364 075	Manifold Kit; for ABS Modal (2M system); c/w input restrictor
950 364 108	Polar Fuse Board; for ABS MGX ECU (universal)
950 364 110	Flow Control Valve; for MCER Valve (ABS MGX); male to female; tandem axle trailers with mechanical suspension only
950 364 112	Lid; for ABS MGX ECU; black
950 364 218	Repair Kit; for SPS Valve (ABS DGX)
950 364 219	Valve Base Kit; for SPS Valve (ABS DGX)
950 364 220	Electrical Connector Kit; for SPS Valve (ABS DGX)
950 364 401	Pin; for ISO 7638 Socket (green cover); fused
950 364 430	Pin Kit; for ISO 7638 Socket; fused
950 364 711	Bulb; for ABS trailer warning lamp; 24V, 5W; double pole
950 800 903	Pressure Switch Kit; for Relay Emergency Valve (EBS EB+); c/w O-ring & Backing Washer
LAMPMOD	Bulb Kit; for ABS Modal



756 117 59



756 118 18



756 118 20



756 123 02



756 124 11




756 126 53



756 132 18



759 610 02



759 610 04



950 364 018



950 364 061



950 364 074




950 364 075



950 364 108



950 364 112



950 364 218



950 364 219



950 364 220



950 364 401



950 364 430



950 364 711



950 800 903

ABS/EBS SYSTEM

part number	description
750 613 74	Reset Tool; for ABS MGX
815 001 001	PC Interface Software Kit; for EBS EB+; DIAG+; version II; for direct ECU & Side Of vehicle connection
903 030 001	Test Set; for ABS MGX; c/w loom
903 045 001	ABS Diagnostic Display Unit (DDU); for ABS DGX/Modal; to replace old DDU
903 046 001	PC Interface Software Kit; for ABS Modular; End Of Line Test (EOLT); Windows version; c/w guide
905 030 001	Loom; for ABS MGX; c/w bag; part of ABS MGX ECU test kit 903030001



750 613 74



815 001 001



903 030 001



903 045 001



903 046 001



905 030 001

AIR SUSPENSION/LIFT AXLE

Also known as Container Valve.

Raise/Lower Valves are fitted to commercial vehicles with air suspension and allow the operator to raise or lower the chassis height. Their main function is to allow vehicles to be raised or lowered to the same height as loading bays, to allow easy access to the vehicle.

Electro-Pneumatic Raise/Lower Valves are similar to the above but the circuits are controlled electrically. It is also possible to operate the function directly from the cabin.

The Colas® Valve has many additional optional features, including a 'dead mans handle' and automatic reset to ride height.



Aluminium

Electro-magnetic

Colas®

part number	type	ports	push-in fittings	return to ride height	dead man's handle	handle at 90 degrees	voltage	electrical connection	dual circuit	note
338 021 001	pneumatic (Aluminium)	4xM12x1.5 & 2xM14x1.5	w/o	w/o	w/o	no	-	-	yes	
338 031 611	electro-magnetic	-	-	w/o	w/o	-	24V	1x M27, 3 pin	yes	
338 032 001	electro-magnetic	-	-	w/o	w/o	-	24V	2x M27, 3 pin	yes	
338 047 001	electro-magnetic	-	-	w/o	w/o	-	24V	1x M27, 3 pin	yes	
338 050 101	electro-magnetic	-	-	w/o	w/o	-	24V	1x square, 4 pin	yes	
338 051 001	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	yes	
338 051 002	Colas®	8mm	c/w	c/w	c/w	yes	24V	flat x 3	yes	
338 051 101	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	yes	
338 051 102	Colas®	8mm	c/w	c/w	c/w	yes	24V	flat x 3	yes	
338 051 111	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	yes	c/w 13-4 pneumatic port
338 051 112	Colas®	8mm	c/w	c/w	c/w	yes	24V	flat x 3	yes	c/w 13-4 pneumatic port
338 051 121	Colas®	8mm	c/w	c/w	c/w	no	24V	DIN bayonett, 2 pin	yes	c/w filter
338 051 122	Colas®	8mm	c/w	c/w	c/w	yes	24V	DIN bayonett, 2 pin	yes	
338 051 131	Colas®	8mm	c/w	c/w	c/w	no	24V	DIN bayonett, 2 pin	yes	c/w 13-4 pneumatic port
338 051 132	Colas®	8mm	c/w	c/w	c/w	yes	24V	DIN bayonett, 2 pin	yes	c/w 13-4 pneumatic port
338 051 141	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	yes	c/w filter
338 052 101	Colas®	8mm	c/w	w/o	c/w	no	-	-	yes	
338 052 102	Colas®	8mm	c/w	w/o	c/w	yes	-	-	yes	
338 053 002	Colas®	8mm	c/w	w/o	w/o	yes	-	-	yes	
338 053 101	Colas®	8mm	c/w	w/o	w/o	no	-	-	yes	
338 054 001	Colas®	10mm	c/w	c/w	c/w	no	24V	flat x 3	yes	



338 021 001



338 032 001



338 047 001



338 050 101



338 051 001



338 051 002



338 051 101



338 051 102



338 051 111



338 051 112



338 051 121



338 052 101



338 053 101



338 054 001

AIR SUSPENSION/LIFT AXLE

part number	type	ports	push-in fittings	return to ride height	dead man's handle	handle at 90 degrees	voltage	electrical connection	dual circuit	note
338 054 002	Colas®	10mm	c/w	c/w	c/w	yes	24V	flat x 3	yes	
338 055 002	Colas®	8mm	c/w only	pneumatic	c/w	yes	-	-	yes	c/w 13-4 pneumatic port
338 055 101	Colas®	8mm	c/w only	pneumatic	c/w	no	-	-	yes	c/w 13-4 pneumatic port
338 056 001	Colas®	10mm	c/w	w/o	c/w	no	-	-	yes	
338 056 002	Colas®	10mm	c/w	w/o	c/w	yes	-	-	yes	
338 057 001	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	no	
338 057 002	Colas®	8mm	c/w	c/w	c/w	yes	24V	flat x 3	no	
338 057 101	Colas®	8mm	c/w	c/w	c/w	no	24V	flat x 3	no	
338 058 101	Colas®	8mm	c/w	c/w	c/w	no	24V	DIN bayonett, 2 pin	no	
338 059 101	Colas®	8mm	c/w	w/o	c/w	yes	-	-	no	
960 151 005	Colas® Valve Kit	8mm	c/w	c/w	c/w	no	24V	flat x 3	yes	(338051101+000800004+ PLATINE COLAS®)



338 055 101



338 056 001



338 057 001



338 057 101



338 058 101



338 059 101

AIR SUSPENSION/LIFT AXLE

Also known as Height Control Valve.

Fitted to vehicles with air suspension, Levelling Valves control the volume in the suspension air bags to maintain a constant height between the chassis and axle. Variations in the height of the chassis, resulting from load variations, are equalized by inflation or deflation of the air bags, in proportion to the respective load carried by the vehicle.

A height limitation feature allows a maximum vehicle height to be set.

Some versions include a dual ride height. This is used on, for example, "Mega" trailers, lift axles, "kneeling" on buses, etc.

EGP = Engineering Grade Plastic

CR = Controlled Response

IR = Immediate Response


CF = Controlled Flow



CR

IR

CF



Aluminium

EGP

part number	version	type	main ports	lever	restricted flow	height limitation	fittings	note
612 017 001	aluminium	1.25	M12x1.5	w/o (round)	w/o	w/o		
612 017 061	aluminium	1.25	M12x1.5	loose/round	w/o	w/o		
612 017 071	aluminium	1.25	M12x1.5	loose/round	w/o	w/o		
612 017 091	aluminium	3.0	M12x1.5	loose/round	w/o	w/o		
612 031 001	aluminium	1.3	M12x1.5 & M16x1.5	w/o (flat)	w/o	c/w		w/o protection cap
612 031 011	aluminium	1.3	M12x1.5 & M16x1.5	w/o (flat)	w/o	c/w		c/w protection cap
612 032 001	aluminium	1.3	M12x1.5 & M16x1.5	loose/round	c/w	c/w		
612 035 001	EGP	1.25	M12x1.5	w/o (round)	c/w	w/o		
612 035 011	EGP	1.25	M12x1.5	loose/round	c/w	w/o		
612 035 021	EGP	3.0	M12x1.5	loose/round	c/w	w/o		
612 035 031	EGP	4.0	M12x1.5	loose/round	c/w	w/o		
612 035 041	EGP	1.25	8 mm push-in	loose/round	c/w	w/o		
612 035 051	EGP	3.0	8 mm push-in	loose/round	c/w	w/o		
612 035 061	EGP	4.0	8 mm push-in	loose/round	c/w	w/o		
612 035 071	EGP	5.0	8 mm push-in	loose/round	c/w	w/o		
612 036 001	EGP	1.25	1/4"-18NPTF	w/o (round)	c/w	w/o		
612 046 011	EGP	3.0	8 mm push-in	loose/round	c/w	c/w		c/w 2nd ride height @ 20 degrees
612 046 031	EGP	3.0	8 mm push-in	loose/round	c/w	c/w		c/w 2nd ride height @ 35 degrees
612 046 111	EGP	3.0	8 mm push-in	loose/round	c/w	c/w		c/w 2nd ride height @ 20 degrees
612 048 101	EGP	1.25	M12x1.5	assembled/flat/straight/120mm	c/w	w/o		EvoBus



612 017 001



612 017 061/071/091



612 031 001



612 031 011



612 032 001



612 035 011/021/031



612 035 041/051



612 035 061/071



612 036 001



612 046 011



612 046 111



612 048 101

AIR SUSPENSION/LIFT AXLE

part number	version	type	main ports	lever	restricted flow	height limitation	fittings	note
612 048 111	EGP	3.0	M12x1.5	assembled/flat/60mm offset/160mm	c/w	w/o		EvoBus
612 048 121	EGP	4.0	M12x1.5	assembled/flat/straight/120mm	c/w	w/o		EvoBus
612 048 131	EGP	1.25	M12x1.5	assembled/flat/60mm offset/160mm	c/w	w/o		EvoBus
612 048 141	EGP	1.25	8 mm push-in	assembled/flat/straight/120mm	c/w	w/o		EvoBus
612 048 151	EGP	3.0	8 mm push-in	assembled/flat/60mm offset/160mm	c/w	w/o		EvoBus
612 048 161	EGP	4.0	8 mm push-in	assembled/flat/straight/120mm	c/w	w/o		EvoBus
612 048 171	EGP	3.0	M12x1.5	assembled/flat/30mm offset/70mm	c/w	w/o		EvoBus
612 048 181	EGP	1.25	M12x1.5	assembled/flat/60mm offset/120mm	c/w	w/o		EvoBus
612 048 191	EGP	3.0	M12x1.5	assembled/flat/60mm offset/120mm	c/w	w/o		EvoBus
900 540 07	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	1/4"	
905 541 14	CR (Zinc)	-	1/4" NPT	assembled/flat/offset	w/o	w/o		
905 541 47	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	M10	Iveco Eurocargo 60-10
905 541 83	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	3/8"	
905 542 41	IR (Zinc)	-	1/4" NPT	w/o (round)	w/o	w/o		
905 542 73	IR (Zinc)	-	M12x1.5	w/o (round)	w/o	w/o		dump valve normally open
905 543 34	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	1/4" & 3/8"	dump valve normally open
905 544 57	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	M10	dump valve normally open
905 546 48	CR (Zinc)	-	1/8" NPT	assembled/flat/offset	w/o	w/o	1/4" & 3/8"	dump valve normally closed
905 546 60	CF (plastic)	-	1/4" NPT	w/o (flat)	w/o	w/o		for truck cab suspension
905 546 63	CF (plastic)	-	M12x1.5	w/o (flat)	w/o	w/o		for truck cab suspension



612 048 111



612 048 131



612 048 171



612 048 181



900 540 07



905 541 47



905 542 41



905 542 73



905 544 57




905 546 63

AIR SUSPENSION/LIFT AXLE

Also known as Pressure Reducing Valve or Pressure Regulator.

Pressure Limiting Valves are used mainly in lift axle systems, where the air bags operate at a pressure lower than the system pressure. They can also be used to supply pressure limited pressurised air to other ancillary devices.



part number	pre-set pressure (bar)	setting range (bar)	ports	max. operating pressure (bar)
357 001 002	0.8	0.0-1.6	M22x1.5	8
357 001 004	0.2	0.0-1.6	M22x1.5	10
357 004 021	6.0	0.0-7.5	M22x1.5	10
357 004 024	3.5	0.0-7.5	M22x1.5	10
357 004 025	4.5	0.0-7.5	M22x1.5	10
357 004 051	5.0	5.0-10.0	M22x1.5	10
357 012 021	7.3	6.5-8.5	M22x1.5	12
357 012 022	7.5	6.5-8.5	M22x1.5	12
357 012 031	5.0	0.0-8.5	M22x1.5	12
357 012 032	6.0	0.0-8.5	M22x1.5	12
567 002 002	1.5	0.0-1.5	M12 & M16x1.5	10
567 006 001	0.3	-	M12x1.5	8



357 001 002



357 004 021



357 004 024



357 004 025



357 012 021



357 012 022



357 012 031



567 002 002

AIR SUSPENSION/LIFT AXLE

ILAS® (Integrated Lift-Axle System) integrates a number of valves, required to control a lift-axle, into one compact unit. Depending on the selected option, it can be configured to operate fully automatically to control the lift-axle, or to manually lift the axle with automatic drop function. It ensures correct axle positioning, with all loads, minimising the cost of wear on tyres and running gear. The traction-support function allows manual axle-lower, for extra traction in slippery conditions.

ILAS® is the original 2 circuit, 6 port system.

ILAS® III is the next generation, smaller, single circuit, 5 port system.

ILAS®-E is designed specifically to work with electronically controlled air brake systems (EB+ or EPV).



ILAS®

ILAS® III

ILAS®-E

part number	version	control	auto-lower setting (bar)	auto-lower range (bar)	auto-raise setting (bar)	auto-raise range (bar)	manual operation	ports	note
352 028 001	ILAS®	pneumatic/manual	2.5	2.5(+/-0.3)	-	-	raise & lower	6x 8mm push-in	
352 028 011	ILAS®	pneumatic/manual	3.0	3.0-5.0	-	-	raise & lower	6x 8mm push-in	
352 028 012	ILAS®	pneumatic/manual	3.5	3.0-5.0	-	-	raise & lower	6x 8mm push-in	
352 028 013	ILAS®	pneumatic/manual	4.0	3.0-5.0	-	-	raise & lower	6x 8mm push-in	
352 028 014	ILAS®	pneumatic/manual	4.5	3.0-5.0	-	-	raise & lower	6x 8mm push-in	
352 032 030	ILAS®	pneumatic/manual	3.0	3.0-5.0	-	-	raise only	6x 8mm push-in	
352 032 035	ILAS®	pneumatic/manual	3.5	3.0-5.0	-	-	raise only	6x 8mm push-in	
352 032 045	ILAS®	pneumatic/manual	4.5	3.0-5.0	-	-	raise only	6x 8mm push-in	
352 035 A35	ILAS®	pneumatic only	3.5	3.0-5.3	0.7	0.7-3.1	none	6x 8mm push-in	
352 035 C42	ILAS®	pneumatic only	4.2	2.1-2.9	0.9	0.9-1.9	none	6x 8mm push-in	
352 035 H30	ILAS®	pneumatic only	3.0	3.0-5.3	1.4	0.7-3.1	none	6x 8mm push-in	
352 035 P36	ILAS®	pneumatic only	3.6	3.6-6.0	2.2	1.5-3.2	none	6x 8mm push-in	
352 037 I32	ILAS®	pneumatic/manual/electric	3.2	3.0	1.5	0.7-2.2	raise & lower	6x 8mm push-in	Schwarzmueller
352 037 Z51	ILAS®	pneumatic/manual/electric	5.1	3.6-6.0	3.2	0.7-3.2	raise & lower	6x 8mm push-in	Schwarzmueller
352 047 025	ILAS® III	pneumatic/manual	2.5	1.5-2.9	-	0.9-1.9	raise & lower	5x 8mm push-in	basic version
352 047 030	ILAS® III	pneumatic/manual	3.0	3.0-5.3	-	-	raise & lower	5x 8mm push-in	
352 047 032	ILAS® III	pneumatic/manual	3.2	3.0-5.3	-	-	raise & lower	5x 8mm push-in	
352 047 035	ILAS® III	pneumatic/manual	3.5	3.0-5.3	-	-	raise & lower	5x 8mm push-in	
352 047 040	ILAS® III	pneumatic/manual	4.0	3.6-6.0	-	-	raise & lower	5x 8mm push-in	
352 047 045	ILAS® III	pneumatic/manual	4.5	3.6-6.0	-	-	raise & lower	5x 8mm push-in	
352 047 048	ILAS® III	pneumatic/manual	4.8	3.6-6.0	-	-	raise & lower	5x 8mm push-in	
352 047 100	ILAS® III	pneumatic/manual	unset	3.0-5.3	-	-	raise & lower	5x 8mm push-in	
352 047 200	ILAS® III	pneumatic/manual	unset	1.5-2.9	-	-	raise & lower	5x 8mm push-in	
352 049 000	ILAS® III	pneumatic/manual	unset	3.6-6.0	-	-	raise & lower	6x M12x1.5	
352 049 100	ILAS® III	pneumatic/manual	unset	3.0-5.3	-	-	raise & lower	6x M12x1.5	
352 049 200	ILAS® III	pneumatic/manual	unset	1.5-2.9	-	-	raise & lower	6x M12x1.5	
352 051 000	ILAS® III	pneumatic only	unset	3.6-6.0	unset	1.5-3.0	none	5x 8mm push-in	
352 051 100	ILAS® III	pneumatic only	unset	3.0-5.3	unset	0.8-3.5	none	5x 8mm push-in	



352 028 014



352 032 045



352 035 A35



352 037 Z51



352 047 200



352 049 100



352 049 200

AIR SUSPENSION/LIFT AXLE

part number	version	control	auto-lower setting (bar)	auto-lower range (bar)	auto-raise setting (bar)	auto-raise range (bar)	manual operation	ports	note
352 051 200	ILAS® III	pneumatic only	unset	2.5-2.9	unset	0.8-3.5	none	5x 8mm push-in	
352 051 I40	ILAS® III	pneumatic only	4.0	3.0-5.3	1.5	0.7-3.1	none	5x 8mm push-in	
352 054 E35	ILAS®	pneumatic only	3.5	3.0-5.3	1.1	0.7-3.1	none	6x 8mm push-in	
352 054 I33	ILAS®	pneumatic only	3.3	3.0-5.3	1.5	0.7-3.1	none	6x 8mm push-in	
352 054 X53	ILAS®	pneumatic only	5.3	2.5-6.0	3.0	0.8-3.5	none	6x 8mm push-in	Schmitz
352 061 101	ILAS®-E	electric	-	-	-	-	none	4x M16x1.5	blade terminal 3-pins
352 061 111	ILAS®-E	electric	-	-	-	-	none	4x M16x1.5	DIN Bayonet DIN 72585-A1-2.1-SN/K1
352 062 101	ILAS®-E	electric	-	-	-	-	none	4x 8mm push-in	blade terminal 3-pins
352 062 111	ILAS®-E	electric	-	-	-	-	none	4x 8mm push-in	DIN Bayonet DIN 72585-A1-2.1-SN/K1



352 051 I40



352 054 E35



352 054 I33



352 054 X53



352 061 101



352 061 111



352 062 101



352 062 111

AIR SUSPENSION/LIFT AXLE

Multi-way valves are used for charging or discharging in pneumatic control systems.

3/2-Way Valves are used to switch an air supply from one port to another, or cut off an air supply. They are commonly used to control lift axles on air suspension systems, and rear steer axles. The lift axle of an unladen vehicle can be raised manually but will be automatically lowered when the vehicle is laden.

3/2-Way Solenoid Valves are as above but electronically controlled.

3-Way Pilot Valves are also used for manual or automatic charging/discharging in pneumatic control systems, and for lift axle control.



Push-Button Valve

Push Pull Valve



3/2-Way Solenoid Valve

3-Way Pilot Valve

part number	type	way	control	knob	ports	bellow	mounting point	filter	nominal diameter (mm)	voltage	cable exit	max. operating pressure (bar)	note
332 005 021	Push Button Valve	3/2-way	manual	round	M12x1.5	w/o	-	inlet	-	-	-	8.0	
332 005 141	Push Button Valve	3/2-way	manual	round	M12x1.5	w/o	-	w/o	-	-	-	8.0	knob ±6 degrees pivotable
352 022 001	Control Valve	3/2-way	pneumatic	w/o	M16x1.5 & M22x1.5	w/o	c/w	w/o	-	-	-	8.5	2.5 bar operating pressure
352 022 011	Control Valve	3/2-way	pneumatic	w/o	M16x1.5 & M22x1.5	w/o	c/w	w/o	-	-	-	8.5	3.0 bar operating pressure
352 042 001	Control Valve	3/2-way	manual (auto-drop)	black, round, c/w label	M16x1.5 & M22x1.5	c/w	w/o	w/o	-	-	-	8.5	1.5 bar operating pressure
352 042 011	Control Valve	3/2-way	manual (auto-drop)	black, square, c/w label	M16x1.5 & M22x1.5	c/w	c/w	w/o	-	-	-	8.5	0.6 bar operating pressure
352 053 001	3/2-Way Valve	3/2-way	pneumatic	w/o	M16x1.5 & M22x1.5	w/o	c/w	w/o	-	-	-	8.5	2.0 bar switch pressure
352 057 001	Control Valve	3/2-way	manual (auto-drop)	black, square, c/w label	M16x1.5 & M22x1.5	c/w	w/o	w/o	-	-	-	8.5	1.5 bar control pressure
352 057 011	Control Valve	3/2-way	manual (auto-drop)	black, square, c/w label	M16x1.5 & M22x1.5	c/w	w/o	w/o	-	-	-	8.5	0.6 bar control pressure
360 009 141	3/2-Way Solenoid Valve	3/2-way	electronic	-	-	-	-	exhaust	-	12-24V	above	8.0	normally exhausting
360 009 241	3/2-Way Solenoid Valve	3/2-way	electronic	-	-	-	-	w/o	-	12-24V	above	8.0	exhausting or charging, c/w connection for 6mm tube
360 009 341	3/2-Way Solenoid Valve	3/2-way	electronic	-	-	-	-	w/o	-	12-24V	above	8.0	exhausting or charging, basic version
551 018 001	3/2-Way Valve	3/2-way	manual	plunger	M14x1.5	-	-	-	6.0	-	-	8.0	
554 005 001	3/2-Way Valve	3/2-way	pneumatic	w/o	M14x1.5	-	-	-	6.0	-	-	8.0	charge @ 2.7 Bar, discharge @ 0.9-0.15 Bar



332 005 021



332 005 141



352 022 001



352 022 011



352 042 001



352 042 011



352 053 001



360 009 141



360 009 241



360 009 341



551 018 001



554 005 001

AIR SUSPENSION/LIFT AXLE

part number	type	way	control	knob	ports	bellow	mounting point	filter	nominal diameter (mm)	voltage	cable exit	max. operating pressure (bar)	note
554 020 001	3/2-Way Valve	3/2-way	pneumatic	w/o	M16x1.5	-	-	-	-	-	-	10.0	
905 54 614	3-Way Pilot Valve	3/2-way	pneumatic	-	A=M12 B=M10	-	c/w	-	-	-	-	8.5	
905 54 615	3-Way Pilot Valve	3/2-way	pneumatic	-	1/4" NPT	-	c/w	-	-	-	-	8.5	
905 54 977	3-Way Pilot Valve	3/2-way	pneumatic	-	3/8" push-in & 1/4" push-in	-	c/w	-	-	-	-	8.5	
905 54 990	3-Way Pilot Valve	3/2-way	pneumatic	-	3/8" push-in	-	c/w	-	-	-	-	8.5	



554 020 001



905 54 614



905 54 615

Shut-Off Cocks are used to switch off an air supply. They are commonly used on lift axle systems to lower the lift axle for servicing. The exhaust is used to exhaust the line behind the cock; in the example of a lift-axle, the lift-axle air bag would deflate through the cock exhaust.



part number	type	turn	exhaust	ports
334 047 001	DIN 74293	1/4	c/w	M22x1.5
334 077 001	type B	1/4	c/w	M22x1.5



334 047 001



334 077 001

AIR SUSPENSION/LIFT AXLE

part number	description
003 607 619	Timer Relay Kit; for ILAS® 352032...; 24V
014 707 109	Data Plate; for raise/lower valve 338021001
014 707 209	Data Plate; for raise/lower valve 338021001
028 030 309	Information Label; for raise/lower valve 338036006; general instruction for 'raise & lower' & 'drive'
028 035 509	Data Plate; for ILAS® 352035.../ 037...; auto-raise & auto-lower pressure setting data
028 041 019	Information Label; for Colas®; general instruction for 'raise & lower' & 'drive'

AIR SUSPENSION/LIFT AXLE



003 607 619



028 035 509

AIR SUSPENSION/LIFT AXLE



Knob

Linkage

Silencer

Dump Valve

part number	description
002 0530 090	Knob; for Lift Axle Valve; black; square; c/w label (diagramatic)
003 575 709	Linkage; for Levelling Valve (612.....); for valve connection; round
003 587 409	Silencer; for Colas® Valve (352018021); M16x150
003 603 309	Connection Kit; for ILAS®
003 607 009	Connection Kit; for ILAS® (352028.../ 352033.../ 352035.../ 352037.../ 352054...); push-in fittings
003 607 709	Connection Kit; for Electro-magnetic Raise/Lower Valve (338047001)
003 607 909	Connection Kit; for ILAS® Solenoid (360014001)
003 614 419	Cable Connector; for ILAS®
003 614 509	Connection Kit; for ILAS® (352037Z51)
003 624 309	Solenoid Mounting Kit; for ILAS®-E
015 102 609	Washer; for Electro-magnetic Raise/Lower Valve (338050101/ 338047001)
016 313 309	Cover; for Electro-magnetic Raise/Lower Valve (338050101/ 338031611/ 338032001/ 338047001)
016 354 509	Tube; for ILAS® (various)
016 357 909	Square Piece; for Levelling Valve (612035...)
016 358 409	Support Ring; for Electro-magnetic Raise/Lower Valve (338050101/ 338047001)
021 048 309	Spring; for Raise/Lower Valve (338021001/ 338048001)
021 067 609	Spring; for ILAS®
021 067 709	Spring; for ILAS® (352022011)
023 014 809	Gasket; for Electro-Magnetic Raise/Lower Valve Solenoid
023 015 609	Gasket; for Electro-Magnetic Raise/Lower Valve Solenoid
024 007 409	O-ring; for Raise/Lower Valve (338021001/ 338048001)
024 025 509	O-ring; for ILAS® (various)
024 027 709	O-ring; for Electro-magnetic Raise/Lower Valve (338047001/ 338050101)
024 055 009	O-ring; for ILAS® (various)
024 055 109	O-ring; for Electro-magnetic Raise/Lower Valve (338031611/ 338032001/ 338047001)
024 055 509	O-ring; for Electro-magnetic Raise/Lower Valve (338050101/ 338031611/ 338032001/ 338047001)
024 062 009	O-ring; for Electro-magnetic Raise/Lower Valve (338050101/ 338047001)
024 063 509	O-ring; for Electro-magnetic Raise/Lower Valve (338031611/ 338047001/ 338050101/ 360014001)
024 063 609	O-ring; for Electro-magnetic Raise/Lower Valve (338031611/ 338047001/ 338050101/ 352037Z51/ 360014001)
024 065 609	O-ring; for ILAS®




002 0530 090



003 575 709



003 587 409



003 603 309



003 607 909



003 614 509



003 624 309




016 358 409




021 048 309



021 067 709



023 014 809



023 015 609

AIR SUSPENSION/LIFT AXLE

part number	description
025 007 509	Valve Poppet; for Pressure Limiting Valve (321010101)
025 011 909	Diaphragm; for Pressure Limiting Valve
025 012 209	Gasket Ring; for Pressure Limiting Valve (357012021/ ..022/ ..031/ ..032/ ..033)
025 031 309	Valve Seat; for Electro-magnetic Raise/Lower Valve (338021001/ 338047001)
025 033 709	Flap Exhaust Seal; for ILAS® III (321019001/ 352047.../ 352049100)
025 046 609	Lever Connector; for Levelling Valve (612.....); elbow piece
025 052 409	Protection Cap; for Push Button Valve (332005141)
025 053 709	Washer; for ILAS®; watertight
025 056 509	Bellow; for ILAS®; rubber
026 013 709	Disc; for Raise/Lower Valve (338050101/ 338031611/ 338032001/ 338047001); for Disc Valve 026015409
026 015 409	Disc Valve; for Raise/Lower Valve (338050101/ 338031611/ 338032001/ 338047001)
026 015 609	Valve Plate Complete; for Unloader Valve (31201....)
027 049 009	Knob; for ILAS®; black; round; w/o label
027 050 209	Knob; for Lift Axle Valve; black; square; w/o label
027 050 309	Purge Valve; for Levelling Valve (352061001 & ..011/ 352062001/ 612031001 & ..011/ 612032001)
027 053 009	Washer; for Raise/Lower Valve (338050101/ 338047001)
027 054 409	Sleeve; for Raise/Lower Valve (338050101/ 338047001)
027 055 309	Sleeve; for Raise/Lower Valve (338050101/ 338047001)
027 066 509	Restrictor; for Colas® Valve (338051...); 0.8 mm throttle; white; where hight limitation is required
028 023 509	Instruction Plate; for Raise/Lower Valve (aluminium); English & German language; circular
031 000 909	Silencer; for ILAS®; for exhaust; M22x1.5
031 001 309	Silencer; for ILAS®; for exhaust; R1/8"
032 071 409	Fitting; for Colas® Valve
041 009 809	Solenoid; for Electro-magnetic Raise/Lower Valve (338.....)
041 011 009	Solenoid; for Electro-Magnetic Raise/Lower Valve & ILAS® (338032001/ 352037...)
041 011 509	Solenoid; for Electro-magnetic Raise/Lower Valve (338031611/ 338047001/ 360014001); double piston
041 011 909	Solenoid; for Electro-magnetic Raise/Lower Valve (338050101)
042 002 009	Connector Housing; for 3/2-Way Solenoid Valve (360009141/ ..241/ ..341)
042 018 009	Nut; for ILAS® I (352037Z51)



025 007 509



025 012 209



025 033 709



025 046 609



025 056 509



026 015 409



027 049 009



027 050 209



027 055 309



027 066 509



028 023 509



031 000 909



031 001 309



032 071 409



041 009 809



041 011 009



041 011 509



041 011 909



042 002 009



042 018 009

AIR SUSPENSION/LIFT AXLE

part number	description
042 021 009	Angular Cone; for ILAS® I (352037251)
045 006 309	Protection Cap; for Raise/Lower Valve (338021001/ 338048001); to protect the handle screw
051 004 909	Bolt; for Levelling Valve (612035...); hexagon type; M6x10; ISO 4017
051 009 909	Bolt; for Levelling Valve (612032001); hexagon type; M8x12; ISO 4017
051 063 009	Bolt; for Raise/Lower Valve (338021001); hexagon type; M8x12; DIN 933
051 063 109	Screw; for Colas® Valve Handle
054 002 509	Washer; for Pressure Limiting Valve; aluminium; 18x22
054 009 409	Washer; for Raise/Lower Valve; M8; aluminium
055 002 809	Toothed Disc; for Colas® Valve; 8 teeth
056 028 909	Circlips; for ILAS®
059 046 009	Silencer; for ILAS®
059 046 409	Port Insert Sleeve; for ILAS®; for push-in fitting
059 521 709	Exhaust Filter; for Colas® Valve; screw-in; plastic
360 014 001	Solenoid Kit; for ILAS® (352032...); c/w push-in fitting base; 24V
393 477 001	Mounting Kit; for Colas® Valve; (1x 027066509, 1x 032071409)
481 002 24	Linkage; for Levelling Valve (90554...); SRK 167; max length: 15-7/8"; (for type CR)
481 002 25	Linkage; for Levelling Valve (90554...); SRK 168; max length: 19-5/8"; (for type CR)
481 002 67	Linkage; for Levelling Valve (90554...); SRK 205; max length: 13-1/2"; c/w 8" control arm; (for type IR)
481 002 87	Linkage; for Levelling Valve (90554...); SRK 225; max length: 13-1/2"; c/w 12" control arm; (for type IR)
481 003 67	Linkage; for Levelling Valve (90554...); SRK 503 strap linkage; max length: 13-1/2"; c/w 12" control arm; (for type IR)
612 025 001	Linkage; for Levelling Valve (612...); chassis connection; M8
900 545 20	Linkage; for Levelling Valve (90054007)
900 546 30	Lever Connector; for Levelling Valve (90...); elbow piece
905 541 48	Filter; for Levelling Valve Dump Valve (90554461); metric
905 543 35	Dump Valve; for Levelling Valve; normally open; (for type CR); imperial fittings
905 544 61	Dump Valve; for Levelling Valve; normally open; (for type CR); metric fittings
905 549 02	Dump Valve; for Levelling Valve; normally closed; (for type CR); imperial fittings
950 338 001	Repair Kit; for Raise/Lower Valve (338007...)



045 006 309



051 004 909



051 009 909



051 063 009



051 063 109



054 002 509



054 009 409



055 002 809



056 028 909



059 046 009



059 046 409




059 521 709



360 014 001



481 002 25



481 002 87



612 025 001



900 546 30



905 541 48




905 544 61




950 338 001

AIR SUSPENSION/LIFT AXLE


part number	description
950 338 002	Repair Kit; for Raise/Lower Valve (338020001)
950 338 004	Repair Kit; for Raise/Lower Valve (338023...)
950 338 005	Repair Kit; for Raise/Lower Valve (338021.../ 338036...)
950 338 006	Repair Kit; for Raise/Lower Valve (338029001)
950 338 008	Repair Kit; for Raise/Lower Valve (338032001)
950 338 013	Solenoid Kit; for Electro-magnetic Raise/Lower Valve (338031...)
950 338 014	Repair Kit; for Electro-magnetic Raise/Lower Valve (338031111)
950 338 022	Repair Kit; for Electro-magnetic Raise/Lower Valve (338045001/ 338049.../ 338050001)
950 338 023	Assembly Kit; for Colas® Solenoid
950 338 027	Handle Kit; for Colas® Valve (338051.../ 338056...); c/w spindle
950 338 030	Repair Kit; for Colas® Valve (338053001); c/w valve, fixing material, exhaust filter
950 338 031	Repair Kit; for Colas® Valve (338052001); c/w valve, fixing material, exhaust filter
950 338 032	Handle Kit; for Colas® Valve (338051.../ 338056...); w/o spindle
950 338 100	Handle Kit; for Raise/Lower Valve (338021001)
950 352 010	Solenoid Kit; for ILAS®-E & Colas® (352061001/ 352062001 / Colas); c/w 003618709
950 352 011	Solenoid Kit; for ILAS®-E (352061011/ 352062011)
950 357 001	Repair Kit; for Pressure Limiting Valve (357004...)
950 551 002	Repair Kit; for Hand Lever 3/2-Way Valve (551012...)
950 612 001	Repair Kit; for Levelling Valve (612017.../ 612023.../ 612033...)
950 612 004	Repair Kit; for Levelling Valve (612018.../ 612022...)
950 612 006	Repair Kit; for Levelling Valve (612031...)
950 612 007	Repair Kit; for Levelling Valve (612032...)
950 612 009	Repair Kit; for Levelling Valve (612025001)
960 338 021	Handle Kit; for Raise/Lower Valve (338021001); aluminium; (1x 054009409, 1x 011115109, 1x 051009909, 1x 021048309, 1x 045006309)




950 338 002



950 338 004



950 338 006




950 338 008



950 338 013



950 338 014



950 338 022



950 338 023



950 338 027



950 338 032



950 338 100



950 352 010



950 352 011



950 357 001



950 551 002



950 612 001



950 612 004



950 612 006



950 612 009

part number	description
904 053 001	Pressure Regulating/Settng Tool; for ILAS® III (352047.../ 352049.../ 352051...)
904 054 001	Adjusting Key; for Levelling Valve (612031.../ 612032...)



904 053 001

AIR TREATMENT

Air driers remove water, carbon, oil and dirt impurities from compressed air before it enters the air tanks. Regular maintenance of the air drier, particularly changing the cartridge, will help increase the service life of brake components.

The SDX version uses a Multi-Treatment Cartridge (MTC) helping reduce overall size, while allowing outstanding drying performance. The MTC has a higher capacity, greater efficiency and a longer service life than rival air-drying units.



part number	cut-out (bar)	cut-out tolerance	range	inlet 1 / outlet 21	outlet 22	heating element	port 4 signal outlet	silencer port 3 exhaust outlet	Blackbox No.	application	note
77055	w/o governor	-	-	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	c/w	86792S	USA basic unit	
77304	9.5	±0.2	0.6+0.4	Voss 12	Voss 8	24V Costal	-	c/w	77411S	D-C	
77316	8.1	±0.2	0.6+0.4	M22x1.5	M12x1.5	w/o	-	c/w	71847S	DAB	
77497	10.0	+0.2	1.0+0.2	M22x1.5	-	24V Costal	M12x1.5	c/w	78141S	Sisu	
78124	12.5	±0.2	1.3±0.2	M22x1.5	-	w/o	M12x1.5	c/w	78709S	Iveco/Karosa	
78127	8.9	±0.2	1.3±0.2	1/2"NPTF	-	24V Costal	1/4"NPTF	c/w	78712S	Foden Trucks	
78128	w/o governor	-	-	M22x1.5	M12x1.5	w/o	M12x1.5	w/o (ø25)	78175S	Terex 2566C/3066C (Post '98)	c/w 3 screws M12x35
78130	w/o governor	-	-	Voss 12	Voss 8	24V Costal	Voss 8	c/w	78186S	D-C	M-B
78209	10.0	±0.2	1.0+0.3	M22x1.5	-	w/o	-	c/w	78169S	Renault	
78210	12.5	-0.5	1.0+0.3	M22x1.5	-	w/o	-	c/w	78170S	Renault	
78211	8.7	+0.3	1.0+0.3	M22x1.5	-	w/o	-	c/w	78171S	Renault	
78217	10.0	±0.2	1.0+0.3	M22x1.5	-	w/o	-	w/o (quick)	78728S	Renault	
78219	8.7	+0.3	1.0+0.3	M22x1.5	-	w/o	-	w/o (ø20)	78730S	Renault	
78286	8.6	±0.2	1.4+0.3/-0.1	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	c/w	86791S	USA basic unit	
78648	8.8	±0.2	0.6+0.4	M22x1.5	M12x1.5	24V Costal	-	c/w	78699S	Van Hool	
78649	9.9	-0.3	1.2+0.4	M22x1.5	-	24V Costal	-	c/w	78716S	Vogel	
78752	8.7	+0.3	1.0+0.3	M22x1.5	-	w/o	-	w/o (quick)	78945S	Renault	
78753	10.2	+0.3	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5	c/w	78704S	Volvo	
78754	10.0	±0.2	1.0+0.2	M22x1.5	M12x1.5	24V Costal	M12x1.5	c/w	78141S	Sisu	
78757	8.5	+0.4	0.8±0.3	M22x1.5	-	w/o	-	c/w	78947S	Otosan	
78758	w/o governor	-	-	M22x1.5	M12x1.5	24V Costal	M12x1.5	c/w	87333S	Kockums	
78982	w/o governor	-	-	M22x1.5	M12x1.5	w/o	Voss 8	c/w	78186S	Volvo	to replace Wabco TD
78983	w/o governor	-	-	M22x1.5	M12x1.5	w/o	M12x1.5	c/w	87333S	Oudsten Bussen	



77304



77316



77497



78124



78127



78130



78209



78211



78219



78648



78649



78754



78982



78983

AIR TREATMENT

part number	cut-out (bar)	cut-out tolerance	range	inlet 1 / outlet 21	outlet 22	heating element	port 4 signal outlet	silencer port 3 exhaust outlet	Blackbox No.	application	note
78984	9.3	±0.2	0.9±0.3	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	873465	Scania	
78985	12.2	±0.2	0.9+0.7	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	873475	Scania	
78986	10.3	±0.2	0.9±0.3	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	873485	Scania	
78988	8.5	±0.2	0.8±0.2	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	787175	Volvo	
78990	12.0	±0.2	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	787035	Volvo	
83327	11.0	±0.2	1.3±0.3	M22x1.5	M12x1.5	24V Costal	-	c/w	833415	Jeltz	
83392	8.1	±0.2	0.6+0.4	M22x1.5	M12x1.5	w/o	-	c/w	718475	El Detalle	
83493	8.0	+0.3	1.5±0.2	M22x1.5	M12x1.5	24V Costal	-	c/w	865755	Kamaz	
86576	10.0	±0.2	0.8±0.2	M22x1.5	M12x1.5	24V Costal	M12x1.5/plugged	c/w	865835	Dennis Bus	
87189	10.0	±0.2	1.4±0.3	M22x1.5	-	w/o	M12x1.5/plugged	c/w	789495	Dennis Bus	
87194	8.1	±0.2	1.0±0.2	M22x1.5	M12x1.5	w/o	-	c/w	894775	Nasco Cairo	
87282	10.8	±0.2	1.3±0.2	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	873325	Volvo	
87295	10.3	±0.2	0.9±0.3	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	873485	Scania	
87296	8.5	±0.2	0.8±0.2	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	787175	Volvo	
87297	11.5	+0.3	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	781045	Volvo	
87298	w/o governor	-	-	M22x1.5	M12x1.5	w/o	M12x1.5	c/w	873335	Volvo	
87337	10.0	±0.2	1.4±0.3	M22x1.5	M12x1.5	w/o	M12x1.5/plugged	c/w	789495	Volvo	
89104	10.0	±0.2	1.0+0.5	Voss 12	Voss 8	w/o	-	c/w	891255	Volks Wagen	
89274	9.8	+0.3	1.0+0.3	1/2"NPTF	1/4"NPTF	24V Packard	1/4"NPTF/plugged	w/o (ø20)	892755	Caterpillar	
89464	w/o governor	-	-	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	894465	Scania	
90026	9.1	+0.4	1.3+0.1/-0.3	M22x1.5	M12x1.5	24V Costal	M12x1.5	c/w	900395	Temsa	
90201	8.0	±0.2	0.8±0.2	M22x1.5	M12x1.5	24V Costal	M12x1.5	c/w	913235	Optare	
90215	9.5	±0.2	0.9±0.3	M22x1.5	M12x1.5	24V Deutsch	M12x1.5	w/o (ø20)	902165	Scania	
90268	8.5	±0.2	0.8±0.2	1/2"NPTF	1/4"NPTF	w/o	-	c/w	902695	Volvo	
90451	8.5	±0.2	0.8±0.2	M22x1.5	M12x1.5	24V Costal	-	w/o (quick)	904535	Liebherr	
90474	w/o governor	-	-	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	c/w	867925	USA basic unit	
90475	8.6	+0.2	1.4+0.3/-0.1	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	c/w	867915	USA basic unit	
90498	w/o governor	-	-	1/2"NPTF	1/4"NPTF	24V Packard	1/4"NPTF	c/w	867925	Van Hool	



78984



78985



78986



78988



78990



83327



83493



86576



87189



87194



87282



87295



87296



87297



87298



87337



90215



90498

AIR TREATMENT

part number	cut-out (bar)	cut-out tolerance	range	inlet 1 / outlet 21	outlet 22	heating element	port 4 signal outlet	silencer port 3 exhaust outlet	Blackbox No.	application	note
90548	12.0	±0.2	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5	c/w	90549S	Volvo	
90994	w/o governor	-	-	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	w/o (ø20)	90995S	USA basic unit	
90996	8.6	+0.2	1.4+0.3/-0.1	1/2"NPTF	1/4"NPTF	w/o	1/4"NPTF	w/o (ø20)	90997S	USA basic unit	
91309	w/o governor	-	-	1/2"NPTF	1/4"NPTF	24V Packard	1/4"NPTF	c/w	86792S	Van Hool	
91379	w/o governor	-	-	M22x1.5	-	24V Costal	1/4"NPTF	c/w	86792S	CRMS	
91390	8.5	±0.3	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5	w/o (ø20)	91598S	Transdev	
92060	8.1	±0.2	1.0±0.2	M22x1.5	M12x1.5	w/o	-	c/w	89477S	Volvo	
92196	8.5	±0.2	0.8±0.2	1/2"NPTF	1/4"NPTF	30V Packard	1/4"NPTF	c/w	92223S	Nova Bus	
92925	12.0	±0.2	1.0±0.3	M22x1.5	M12x1.5	w/o	M12x1.5	w/o M12x1.5	92923S	Volvo	Sealed valve unit
92926	8.5	±0.2	0.8±0.2	M22x1.5	M12x1.5	w/o	M12x1.5	w/o (ø20)	92924S	Volvo	Sealed valve unit
93179	9.8	±0.2	0.9+0/-0.2	M22x1.5	M12x1.5	24V Costal	M12x1.5/plugged	w/o (quick)	93440S	VDL Jonckheere	c/w SVU & MTC+
93363	8.5	±0.2	0.6+0.4	M22x1.5	M12x1.5	w/o	M12x1.5	c/w	93362S	TAT, SA	c/w MTC+
93096	10.8	±0.2	1.3±0.2	M22x1.5	M12x1.5	w/o	M12x1.5	w/o (ø20)	93101S	Volvo	Sealed Valve Unit (SVU) & MTC+
93572	9.3	±0.2	1.4±0.3	1/2"NPTF	1/4"NPTF	30V Packard	-	c/w	93671S	MCI Coach	
93680	8.3	±0.2	1.0±0.2	M22x1.5	M12x1.5	12V Deutsch	M12x1.5	c/w	93679S	BMC	c/w MTC+
93729	10.3	±0.2	0.9±0.3	M22x1.5	M12x1.5	30V Deutsch	M12x1.5	w/o (ø20)	93728S	Scania	c/w MTC+



90548



91309



91379



93179

Air driers remove water, carbon, oil and dirt impurities from compressed air before it enters the air tanks. Regular maintenance of the air drier, particularly changing the cartridge, will help increase the service life of brake components.

The SD version was the original Haldex Single Drier.



part number	cut-out (bar)	cut-out tolerance	range	safety valve	chassis connection	inlet 1 / outlet 2	heating element	electrical connection	regeneration	purge tank connection	silencer/ exhaust outlet	unloading valve/ governor signal inlet	governor valve connection	note	application
71230	w/o governor	-	-	w/o	M12x1.75	M22x1.5	plug-in, 24V/90W	w/o	on-line	-	c/w	M10x1	-		*
71232	8.1	±0.2	0.6+0.4	13 bar	M12x1.5	M22x1.5	M24, 24V/90W	M24	off-line	M10x1	c/w M22x1.5	connected	connected		
71233	w/o governor	-	-	13 bar	M12x1.5	M22x1.5	M24, 24V/90W	M24	off-line	M10x1	c/w M22x1.5	M10x1	M10x1	c/w governor valve bracket	
71239	w/o governor	-	-	w/o	M12x1.75	M22x1.5	plug-in, 24V/90W	w/o	off-line	M10x1	c/w	M10x1	M10x1		*
71240	w/o governor	-	-	13 bar	M12x1.5	M22x1.5	w/o	w/o	off-line	M10x1	c/w M22x1.5	M10x1	M10x1	c/w governor valve bracket	●
71247	w/o governor	-	-	w/o	M12x1.75	M22x1.5	plug-in, 24V/90W	w/o	off-line	M10x1	c/w M22x1.5	M10x1	M10x1		❖

* Volvo Truck

● D-C Evobus/Volvo/Terex (Pre '98) 2566C & 3066C Truck

❖ Volvo



71230



71233



71239



71240

AIR TREATMENT

Air driers remove water, carbon, oil and dirt impurities from compressed air before it enters the air tanks. Regular maintenance of the air drier, particularly changing the cartridge, will help increase the service life of brake components.

Of the Twin Drier (TD) version, only series 200 remains in production.



part number	series	cut-out (bar)	cut-out tolerance	range	safety valve	chassis connection	inlet / outlet 21	heating element	unloading valve/ governor signal inlet	drain valve/ exhaust outlet	silencer/ exhaust outlet	gasket unloading valve	max. operating pressure (bar)	application
71200	200	8	+0.4	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	w/o	10	Renault
71201	200	8.9	+0.4	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	w/o	10	Renault
71202	200	8.5	±0.2	0.6+0.4	13 bar	M12x1.5	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	w/o	10	D-C
71203	200	w/o governor	-	-	13 bar	M12x1.5	M22x1.5	w/o	c/w (M10x1)	c/w	w/o	w/o	10	
71206	200	w/o governor	-	-	w/o	M12x1.75	M22x1.5	M24, 24V/90W	w/o	c/w nipple ø10 (R 1/4")	w/o	w/o	10	Scania Bus
71208	200	10	±0.2	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	w/o	13	Renault
71209	200	9.5	±0.2	0.6+0.4	13 bar	M12x1.5	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	w/o	10	D-C
71215	200	w/o governor	-	-	w/o	M12x1.5	M22x1.5	M24, 24V/90W	w/o	c/w nipple ø10 (R 1/4")	w/o	w/o	10	Fiat Tramway
71216	200	8.9	+0.4	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	c/w	10	Renault Truck R285/R340/R385/R420
83377	200	8	+0.4	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	c/w	10	Renault
83378	200	10	±0.2	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	c/w	13	Renault
83379	200	8.9	+0.4	0.7+0.5	13 bar	M12x1.75	M22x1.5	M27, 24V/90W	c/w (connected)	c/w	c/w (ø18)	c/w	10	Renault
90028	200	w/o governor	-	-	w/o	M12x1.75	M22x1.5	M24, 24V/90W	w/o	c/w nipple ø10 (R 1/4")	w/o	w/o	10	Gothenburg Tramway



71200



71201



71203



71206

AIR TREATMENT

The ECAM (Electronically Controlled Air Management) unit is used on trucks and buses with airbrakes (with or without air suspension), and other pneumatic equipment. It combines many valves required for pneumatic air management and drying, into one compact unit.

Features :

- Air Drier
- Electrical unloader (with back-up)
- 4 circuit protection valve
- Pressure limiting valves
- Safety valve
- Pressure protection valve
- Adaptive regeneration control without reservoir
- Connection for external feeding
- Heater (option)
- Full pneumatic back-up system
- Parking brake control in accordance (ECE R13, A.8, 2.3) CAN-Bus
- ISO 9141 MAN-Cats
- Integral ECU



part number	software	ports	electric plug standard	operating voltage ECU	operating pressure (bar)	cut-out (bar)
950 310 014	D3/V5.01	Voss 232/M16x1.5/M22x1.5	DIN 72585	16.8-32V DC	14.0	12.5

AIR TREATMENT

The Drain Valve is fitted to allow venting and draining of the air tanks.

The Automatic Drain Valve (ADV) automatically discharges the condensate collected in the air tanks. The 'Elec' version uses an electronic signal (e.g. brake lights) to initiate the discharge, while the 'P Diff' version uses air tank pressure differential. Both can be drained manually, if required. The 'Elec' version includes heated options to prevent freezing.

Manual Drain Valves allow manual discharge only.

The Drain Tap is spring loaded to close automatically after use.



ADV (Elec)

ADV (P Diff)

ADV (In-Tank)



Manual

Drain Tap

part number	type	version	connection thread	cable length (m)	pressure variation Dp (bar)	electrical connection	relay	max. operating pressure (bar)	note	application
206 001 001	Automatic Drain Valve (ADV)	P Diff	1/4" NPTF	w/o	-	-	-	-		
206 001 011	Automatic Drain Valve (ADV)	P Diff	M22x1.5	w/o	-	-	-	-		
206 001 401	Automatic Drain Valve (ADV)	P Diff	1/4" NPTF	1.2	-	-	-	-		
206 001 601	Automatic Drain Valve (ADV)	P Diff	1/4" NPTF	1.8	-	-	-	-		
206 001 611	Automatic Drain Valve (ADV)	P Diff	M22x1.5	1.8	-	-	-	-	c/w reducer	
206 002 001	Manual Drain Valve	-	1/4" NPTF	w/o	-	-	-	-		
206 002 401	Manual Drain Valve	-	1/4" NPTF	1.2	-	-	-	-		
206 004 001	Drain Tap	-	1/4" NPTF	-	-	-	-	-	petcock type	
206 005 401	Manual Drain Valve	-	M22x1.5	1.2	-	-	-	-		
206 005 751	Manual Drain Valve	-	M22x1.5	2.3	-	-	-	-	c/w ring	
315 016 001	Automatic Drain Valve (ADV), In-Tank	-	M22x1.5	-	0.2-0.5 bar	-	-	8/15		*
315 016 011	Automatic Drain Valve (ADV), In-Tank	-	M22x1.5	-	0.8 bar	-	-	8		*
315 016 021	Automatic Drain Valve (ADV), In-Tank	-	M22x1.5	-	0.2 bar	-	-	8		*

* For all trucks (excluding Volvo)



206 001 001



206 001 011



206 001 601



206 001 611



206 002 001



206 002 401



206 004 001



206 005 401



206 005 751



315 016 001



315 016 011



315 016 021

part number	type	version	connection thread	cable length (m)	pressure variation Dp (bar)	electrical connection	relay	max. operating pressure (bar)	note	application
315 018 001	Manual Drain Valve	-	1/2" NPTF	w/o	-	-	-	-		
315 019 001	Manual Drain Valve	-	M22x1.5	w/o	-	-	-	-		
315 019 011	Manual Drain Valve	-	M22x1.5	w/o	-	-	-	-	c/w ring	
315 031 001	Automatic Drain Valve (ADV), In-Tank	-	M22x1.5	-	0.2-0.4 bar	-	-	20		
71311	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M24, 24V/0.5A	w/o	20		Scania
71313	Automatic Drain Valve (ADV)	Elec	1/4" NPTF	-	-	M24, 24V/0.5A	w/o	20	strainer Ø 5.5; w/o nut SW 30	
71315	Automatic Drain Valve (ADV)	Elec	1/4" NPTF	-	-	M24, 12V/1A	w/o	20	strainer Ø 5.5; w/o nut SW 30	
71317	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M24, 12V/1A	w/o	20		
71318	Automatic Drain Valve (ADV)	Elec	1/2" NPTF	-	-	M24, 24V/0.5A	w/o	20	w/o nut SW 30	
71323	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M27, 24V/0.5A	w/o	20		D-C
71325	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M24, 24V/0.5A	w/o	20	w/o nut SW 30	DAF
71341	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M24, 24V/0.5A	c/w	20	c/w Electrical Contact & Relay	
71345	Automatic Drain Valve (ADV)	Elec	1/4" NPTF	-	-	M24, 12V/1A	c/w	20	c/w Electrical Contact & Relay	
71347	Automatic Drain Valve (ADV)	Elec	M22x1.5	-	-	M24, 12V/1A	c/w	20	c/w Electrical Contact & Relay	
89179	Automatic Drain Valve (ADV)	Elec	1/4" NPTF	-	-	24V/0.5A	w/o	20	c/w pigtail (0.3m cable); strainer Ø 5.5	USA
89180	Automatic Drain Valve (ADV)	Elec	1/4" NPTF	-	-	12V/1A	w/o	20	c/w pigtail (0.3m cable); strainer Ø 5.5	USA



315 018 001



315 019 001



315 019 011



315 031 001



71311



71313



71315



71317



71318



71323



71325



71341



71345



71347

AIR TREATMENT


The Consep Condenser is fitted in the compressor's discharge line to prevent oil, liquid water, carbon and dirt entering the brake system. It helps to significantly increase the Air Drier Cartridge life. Oil entering the Air Drier desiccant cartridge would render the desiccant useless. Consep can be easily retrofitted.




part number	version	thread connection	voltage/current	electrical connection	drain collector	ADV No	ADV info.	max. operating pressure (bar)	note	application
77278	6-screw	M22x1.5	-	-	-	-	w/o ADV	20	outlet 3 = M22x1.5	
78968	6-screw	M22x1.5	24V/0.5A	M24x1	c/w	78696S	ADV turned 180 degrees	20		Iveco Cityclass Euro 2
91790	Quick-fit	(1) M22x1.5, (2) Voss 232 NG12	24V/0.5A	M27x1	c/w	92003S		20		EvoBus
92573	Quick-fit	M22x1.5	24V/0.5A	M24x1	c/w	92569S		20		Scania
92573S	Quick-fit	M22x1.5	24V/0.5A	M24x1	c/w	92569S		20	c/w electrical contact assembly kit (inc. relay)	Scania
92671	Quick-fit	M22x1.5	24V/0.5A	M27x1	c/w	92003S		20		EvoBus
92693	Quick-fit	M22x1.5	24V/0.5A	M27x1	w/o	92692S		20		DC
92695	Quick-fit	M22x1.5	24V/0.5A	M24x1	w/o	92694S		20		Volvo
92751	Quick-fit	1/2"NPTF	24V/0.5A	pigtail, cable L=0.3m	w/o	92749S		20	Anodized housing	USA
92752	Quick-fit	1/2"NPTF	12V/1A	pigtail, cable L=0.3m	w/o	92750S		20	Anodized housing	USA
92793	Quick-fit	M22x1.5	24V/0.5A	pigtail, cable L=1m, DIN contact	w/o	92790S		20		Volvo
92794	Quick-fit	M22x1.5	24V/0.5A	M24x1	c/w	92569S	draining box turned 180 degrees	20		
92795	Quick-fit	M22x1.5	12V/1A	M24x1	w/o	92791S		20		
92796	Quick-fit	M22x1.5	24V/0.5A	M24x1	w/o	92694S	ADV turned 180 degrees	20		Iveco
92797	Quick-fit	M22x1.5	24V/0.5A	pigtail, cable L=1m, Deutsch contact	c/w	92997S	draining box turned 60 degrees	20		Scania
92838	Quick-fit	M22x1.5	-	-	-	-	w/o ADV	20	outlet 3 = M22x1.5	
92939	Quick-fit	M22x1.5	24V/0.5A	pigtail, cable L=1m, DIN contact	c/w	92996S	swivel draining box	20		Volvo
92992	Quick-fit	M22x1.5	24V/0.5A	pigtail, cable L=1m, DIN contact	c/w	92993S	draining box turned 60 degrees	20		Scania



77278



78968



91790



92573S



92671



92695



92796

In-line Filters are used to protect valves in air brake systems from rust and dirt particles. The filter is placed into the pipe-lines of compressed air installations, particularly on trailers, before the Relay Emergency Valve. The system will remain operable in either direction of flow, even if the filter should become blocked.



part number	thread connection	filter	max. operating pressure (bar)	note
310 005 001	M16x1.5	clip-in	20.0	for pipe circuits to DIN 74347
310 005 011	M22x1.5	clip-in	20.0	for pipe circuits to DIN 74347, standard OE fit



310 005 001



310 005 011

AIR TREATMENT

The Antifreeze Injector permits an antifreeze agent to be injected into the compressor's discharge line, in order to prevent freezing or the formation of ice in the reservoirs, pipes, valves, etc. This helps, in cold countries, on vehicles without an Air Drier or Condenser.



part number	operation	reservoir volume (litres)	switching positions	output quantity (cc)	cut-off device	ports	max. operating pressure (bar)
313 019 011	automatic	0.5	2	0.50	w/o	M22x1.5	18.0
313 019 021	automatic	0.25	w/o	0.50	w/o	M22x1.5	18.0

AIR TREATMENT



313 019 011



313 019 021

part number	description
90066	Air Drier Kit, Single (SDX); for Volvo F Truck; to replace Wabco TD; contains SDX 78990
KN33000	Air Drier, Pure Air; 12V
KN33010	Air Drier, Pure Air; 24V
KN33500	Air Drier, Areo II




KN33010

AIR TREATMENT



part number	description
016 025 219	Threaded Joint; for Anti-Freeze Injector
022 000 109	Circlip; for In-line Filter
024 016 509	O-ring; for Anti-Freeze Injector (329020281/...301/...321)
024 027 609	O-ring; for ECAM
024 044 309	O-ring; for Anti-Freeze Injector
024 064 109	O-ring; for Air Drier Cartridge (031004109)
025 015 409	Washer; for Anti-Freeze Injector
026 003 309	Valve Poppet; for Anti-Freeze Injector; complete lower section
027 001 309	Reservoir; for Anti-Freeze Injector; 0.25l
027 010 909	Reservoir Lid; for Anti-Freeze Injector
027 011 019	Bracket; for Anti-Freeze Injector
027 044 509	Filter; for Anti-Freeze Injector
029 000 309	Filter; for In-line Filter
041 013 609	Time & Brake Relay; for Automatic Drain Valve/Consep; side & brake light; 24V
041 013 709	Time & Brake Relay; for Automatic Drain Valve/Consep; side & brake light; 12V
05001	Time Relay; for Automatic Drain Valve; heated; 24V
059 003 209	Pull-ring; for Manual Drain Valve
173709	Crimp; for Manual Drain Valve; to secure cable
54183S	Valve Lifter; for Automatic Drain Valve/Consep; for ADV/Consep w/o drain collector
71020	Repair Kit; for Twin Air Drier Drain Valve (73333S)
71034	Air Drier Cartridge Kit; for Twin Air Drier (series 100 & 200); x2; 10 bar
71036	Centre Section Repair Kit; for Twin Air Drier (series 100); 10 bar
71038	Repair Kit; for Twin Air Drier Shuttle Valve (series 100 & 200)
71039	Centre Section Repair Kit; for Twin Air Drier (series 100); 13 bar
71053	Unloading Valve & Repair Kit; for Single Air Drier (series 100); (c/w unloading valve 73400)



part number	description
71054	Air Drier Cartridge & Repair Kit; for Single Air Drier (series 100 & 200)
71057	Repair Kit; for Single/Twin Air Drier Unloading Valve (73400, 73343S & 73342); series 100
71058	Repair Kit; for Twin Air Drier Non-Return Valve (universal)
71059	Air Drier Cartridge Kit; for Single Air Drier (series 100 & 200)
71060	Repair Kit; for Single Air Drier Non-return Valve Outlet (universal)
71136S	Regeneration Tank; 6 litre
71137S	Regeneration Tank Strap; x2
71139S	Regeneration Tank; 5 litre; c/w straps
71327	Repair Kit; for Automatic Drain Valve (universal, 1.3 & 2.0 MPa); complete
71376	Repair Kit; for Consep (original 6-screw); Condenser side; complete
71378	Lower Part / Pick Up; for Consep; 1/4" NPTF
71847S	Black Box; for Single Air Drier SDX
71868S	Cartridge Grip Ring Kit; for Single Air Drier SDX
73084S	Gasket; for Single/Twin Air Drier (series 100 & 200)
73096	O-ring; for Single/Twin Air Drier (series 100 & 200); 150x4
73148S	Sleeve; for Single/Twin Air Drier (series 100 & 200); 15mm
73176S	Non-return Valve Outlet; for Twin Air Drier (series 100 & 200); thread: M22; length: 33mm
73198	Canister; for Single/Twin Air Drier
73200S	Safety Valve; for Single/Twin Air Drier (series 100); 13 bar; M16x1.5; w/o cap
73268S	Washer; for Twin Air Drier (series 100 & 200); metal bar with hole; (for 13 bar version)
73314S	Hose Connection; for Drain Valve/Unloading Valve; M10x1 (6mm); 90 degrees; c/w nut & cone
73316S	Non-return Valve Outlet; for Twin Air Drier (series 100 & 200); thread: M22; length: 70mm
73333S	Drain Valve; for Twin Air Drier (series 100 & 200); aluminium; (yellow)
73340S	Diaphragm; for Single/Twin Air Drier (series 100 & 200)
73342	Unloading Valve; for Twin Air Drier (series 100); aluminium; (yellow); c/w adapter
73343S	Unloading Valve; for Twin Air Drier (series 100); aluminium; (yellow)
73351	Non-return Valve Outlet; for Single Air Drier (series 100); thread: M22; length: 33mm; c/w feed back
73354S	Inlet Nipple; for Single Air Drier (series 100); thread: M22; length: 33mm



71054



71057



71058



71059



71060



71136S



71327



71376




71847S



71868S



73084S



73096



73176S



73198



73200S



73268S



73314S



73316S



73333S



73342



73343S

AIR TREATMENT

part number	description
73436S	Plastic Tightening; for Twin Air Drier (series 100 & 200)
73444	Silencer Kit; for Twin Air Drier (series 100 & 200)
73481S	Heating Element; for Single/Twin Air Drier (series 100 & 200); 24V/90W; connection: M24
73482S	Non-return Valve Inlet; for Twin Air Drier (series 100 & 200); thread: M22/M24; length: 70mm
73483S	Non-return Valve Inlet; for Twin Air Drier (series 100 & 200); thread: M22/M24; length: 33mm
73492S	Heating Element; for Single/Twin Air Drier (series 100 & 200); 24V/90W; connection: 2 pin plug
73561S	Inlet Valve; for Twin Air Drier (series 100 & 200); thread: M22/M24; length: 70mm; w/o non-return valve
73568	Adapter; for Single/Twin Air Drier, Automatic Drain Valve & Consep; for heating element/coil; M27; eye screw
73574S	Unloading Valve; for Single Air Drier (series 200); plastic/aluminium
73582S	Governor Valve Bracket; for Single/Twin Air Drier (series 200)
73589S	Drain Valve; for Twin Air Drier (series 200); plastic
73614	Repair Kit; for Twin Air Drier Drain Valve (73589S & 73666S)
73615	Air Drier Cartridge Kit; for Twin Air Drier (series 100 & 200); x2; 13 bar
73616	Repair Kit; for Single/Twin Air Drier Unloading Valve (73574S & 73686S)
73618	Unloading Valve & Repair Kit; for Single Air Drier (series 200); (c/w unloading valve 73574S)
73620	Centre Section Repair Kit; for Twin Air Drier (series 200); 10 bar
73622	Centre Section Repair Kit; for Twin Air Drier (series 200); 13 bar
73666S	Drain Valve; for Twin Air Drier (series 100 & 200); plastic; R 1/4" outlet
73686S	Unloading Valve; for Twin Air Drier (series 200); plastic/aluminium
73687S	Adapter; for Twin Air Drier Unloading Valve (series 200); aluminium; M16x1.5
73716S	Heating Element; for Single/Twin Air Drier (series 200); 24V/90W; connection: M27
73775	Silencer Kit; for Twin Air Drier (series 200); c/w gasket & unloading valve
76281S	Relay; for Automatic Drain Valve/Consep; 24V
76282S	Relay; for Automatic Drain Valve/Consep; 12V
76283S	Electrical Connection Kit; for Automatic Drain Valve/Consep; M24; (can be used on air driers)



73436S



73444



73481S



73482S



73483S



73492S



73568




73574S



73582S



73589S



73614




73615



73616



73618



73620



73622



73666S



73686S




73687S



73716S



73775



76281S



76283S

part number	description
76284S	Electrical Connection Kit; for Automatic Drain Valve/Consep; M27; (can be used on air driers)
77112S	Regeneration Valve; for Single Air Drier SDX; ø0.7
77244S	Heating Element; for Single Air Drier SDX; 24V/90W; connection: M27; Costal Kit
77359S	Turbo Protection Valve; for Single Air Drier SDX; connection: M22x1.5; 2.7 bar; (cut off valve)
77362	Automatic Drain Valve Kit; for Consep; 24V; M27; w/o drain collector
77362S	Automatic Drain Valve Kit; for Consep; 24V; M27; w/o drain collector
77411S	Black Box; for Single Air Drier SDX
77412S	Black Box; for Single Air Drier SDX
77434S	Regeneration Valve; for Single Air Drier SDX; ø0.9
77435S	Regeneration Valve; for Single Air Drier SDX; ø1.1
77484S	Blind Plug Kit; for Single Air Drier SDX; for plugged port 5
78104S	Black Box; for Single Air Drier SDX
78106S	Turbo Protection Valve; for Single Air Drier SDX; connection: 1/2" NPTF; 2.7 bar; (cut off valve)
78133S	Black Box; for Single Air Drier SDX
78140S	Black Box; for Single Air Drier SDX
78141S	Black Box; for Single Air Drier SDX
78150S	Heating Element; for Single Air Drier SDX; 24V/90W; cable length: 0.5m; Deutsch kit
78164	Repair Kit; for Consep (original 6-screw); Condenser side; c/w O-rings, 6 nuts & bolts; w/o cyclone
78165	Coil Kit; for Automatic Drain Valve/Consep; 24V; connection: M27
78166	Coil Kit; for Automatic Drain Valve/Consep; 12V; connection: M24
78169S	Black Box; for Single Air Drier SDX
78170S	Black Box; for Single Air Drier SDX
78171S	Black Box; for Single Air Drier SDX
78175S	Black Box; for Single Air Drier SDX
78186S	Black Box; for Single Air Drier SDX
78190	Drain Valve; for Twin Air Drier (series 200); plastic; (as 73589S)
78193	Drain Valve; for Twin Air Drier (series 100 & 200); plastic; R 1/4" outlet; (as 73666S)



76284S



77112S



77244S



77359S



77362



77362S



77411S



77412S



77434S



77435S



78104S



78106S



78140S



78141S



78150S



78164



78165



78166



78169S



78170S



78171S



78175S



78186S



78193

AIR TREATMENT

part number	description
78199S	Heating Element; for Single Air Drier SDX; 24V/90W; Packard kit
78223S	Heating Element; for Single Air Drier SDX; 12V/90W; Packard kit
78240	Draining Box Kit; for Automatic Drain Valve/Consep (universal)
78682S	Depot Valve; for Single Air Drier SDX; fits air driers with inlet port M22x1.5
78699S	Black Box; for Single Air Drier SDX
78701S	Ball Non-return Valve Inlet; for Single Air Drier SDX; for air driers with regeneration valve
78703S	Black Box; for Single Air Drier SDX
78704S	Black Box; for Single Air Drier SDX
78705S	Black Box; for Single Air Drier SDX
78706S	Black Box; for Single Air Drier SDX
78707S	Black Box; for Single Air Drier SDX
78708S	Black Box; for Single Air Drier SDX
78712S	Black Box; for Single Air Drier SDX
78716S	Black Box; for Single Air Drier SDX
78717S	Black Box; for Single Air Drier SDX
78720S	Black Box; for Single Air Drier SDX
78728S	Black Box; for Single Air Drier SDX
78730S	Black Box; for Single Air Drier SDX
78780S	Silencer Kit; for Single Air Drier (series 100 & 200)
78800	Air Drier Cartridge Kit; for Single Air Drier SDX (MTC version); for air driers with regeneration valve; c/w ball
78801S	Non-return Valve Outlet; for Single Air Drier SDX (universal); 2x check valve cone
78831S	O-ring; for Single Air Drier SDX; 150x3
78840S	Non-return Valve Outlet; for Single Air Drier SDX; for air driers with serial no. after week 7 09
78945S	Black Box; for Single Air Drier SDX
78947S	Black Box; for Single Air Drier SDX
78949S	Black Box; for Single Air Drier SDX
78954S	Black Box; for Single Air Drier SDX
78964	Air Drier Cartridge Kit; for Single Air Drier SDX (MTC version); for air driers w/o regeneration valve
83248S	Safety Valve Protector; for Single Air Drier SDX (with safety valve)



78199S



78240



78682S



78699S



78701S



78703S



78704S



78705S



78706S



78707S



78712S



78716S



78717S



78730S



78800



78801S



78840S



78945S



78949S



78964




83248S

part number	description
83341S	Black Box; for Single Air Drier SDX
83376S	Black Box; for Single Air Drier SDX
86512	Cap c/w Fixing Flange; for Consep
86575S	Black Box; for Single Air Drier SDX
86583S	Black Box; for Single Air Drier SDX
86791S	Black Box; for Single Air Drier SDX
86792S	Black Box; for Single Air Drier SDX
86907S	Black Box; for Single Air Drier SDX
87219S	Black Box; for Single Air Drier SDX
87255	Coil Kit; for Automatic Drain Valve/Consep; 24V; connection: M24
87332S	Black Box; for Single Air Drier SDX
87333S	Black Box; for Single Air Drier SDX
87342	Automatic Drain Valve Kit; for Consep; 24V; M27; c/w drain collector
87346S	Black Box; for Single Air Drier SDX
87347S	Black Box; for Single Air Drier SDX
87348S	Black Box; for Single Air Drier SDX
89125S	Black Box; for Single Air Drier SDX
89184S	Black Box; for Single Air Drier SDX
89185S	Black Box; for Single Air Drier SDX
89203	Silencer Kit; for Single Air Drier SDX
89275S	Black Box; for Single Air Drier SDX
89446S	Black Box; for Single Air Drier SDX
89454	Coil Kit; for Automatic Drain Valve/Consep; 24V; c/w pigtail (cable length: 0.3m)
89455	Coil Kit; for Automatic Drain Valve/Consep; 12V; c/w pigtail (cable length: 0.3m)
89477S	Black Box; for Single Air Drier SDX
90027	Core Complete; for Automatic Drain Valve/Consep
90039S	Black Box; for Single Air Drier SDX
90216S	Black Box; for Single Air Drier SDX
90269S	Black Box; for Single Air Drier SDX
90361	Safety Valve; for Single Air Drier SDX; 11 bar; M16x1.5; red cap
90362	Safety Valve; for Single Air Drier SDX/Single/Twin Air Drier (series 200); 13 bar; M16x1.5; green cap



83341S



86791S



86792S



86907S



87255



87332S



87342



87346S



87347S



87348S



89184S



89203



89446S



89454



90216S



90269S



90361



90362

AIR TREATMENT

part number	description
90363	Safety Valve; for Single Air Drier SDX; 17 bar; M16x1.5; yellow cap
90364	Repair Kit; for Consep (original 6-screw); ADV side; complete
90453S	Black Box; for Single Air Drier SDX
90549S	Black Box; for Single Air Drier SDX
90821	Coil Kit; for Automatic Drain Valve/Consep; 24V; c/w pigtail (cable length: 1m); AMP
90968	Air Drier Cartridge Kit; for Air Drier USA (Purest); (MTC cartridge & grip ring)
90969	Air Drier Cartridge; for Air Drier USA (Purest); MTC Cartridge
90995S	Black Box; for Single Air Drier SDX
90997S	Black Box; for Single Air Drier SDX
91164	Repair Kit
91286	Turbo Protection Valve; for Single Air Drier SDX; connection: M27x1.5; 2.7 bar; (built in)
91323S	Black Box; for Single Air Drier SDX
91436S	Black Box; for Single Air Drier SDX
91598S	Black Box; for Single Air Drier SDX
91917	Coil Kit; for Automatic Drain Valve/Consep; 24V; c/w pigtail (cable length: 1m); DIN
91918	Coil Kit; for Automatic Drain Valve/Consep; 24V; c/w pigtail (cable length: 1m); Deutsch kit
91919	Coil Kit; for Automatic Drain Valve/Consep; 24V; c/w pigtail (cable length: 1m); Packard
92003S	Automatic Drain Valve Kit; for Consep (91790/ 92671); 24V; M27; c/w drain collector
92078	Air Drier Cartridge Kit; for Single Air Drier SDX (MTC-light)
92223S	Black Box; for Single Air Drier SDX
92534S	Black Box; for Single Air Drier SDX
92569S	Automatic Drain Valve Kit; for Consep (92573/ 92794); 24V; M24; c/w drain collector; ADV to be at 180 degrees when fitted to 92794
92692S	Automatic Drain Valve Kit; for Consep (92693); 24V; M27; w/o drain collector
92750S	Automatic Drain Valve Kit; for Consep (92752); 12V; c/w pigtail, cable L=0.3m; w/o drain collector
92790S	Automatic Drain Valve Kit; for Consep (92793); 24V; c/w pigtail, cable L=1m, DIN contact; w/o drain collector
92791S	Automatic Drain Valve Kit; for Consep (92795); 12V; M24; w/o drain collector
92794S	Automatic Drain Valve Kit; for Consep (92751); 24V; c/w pigtail, cable L=0.3m; w/o drain collector
92826	Repair Kit; for Consep (Quick-fit); Condenser side; complete
92832	Repair Kit; for Consep (Quick-fit); Condenser side; c/w O-rings & 4 locking collar nuts; w/o cyclone
92833	Repair Kit; for Consep (Quick-fit); ADV side; complete
92923S	Black Box; for Single Air Drier SDX
92924S	Black Box; for Single Air Drier SDX
92993S	Automatic Drain Valve Kit; for Consep (92992); 24V; c/w pigtail, cable L=1m, DIN contact; c/w drain collector; draining box turned 60 degrees
92996S	Automatic Drain Valve Kit; for Consep (92939); 24V; c/w pigtail, cable L=1m, DIN contact; c/w swivel draining box
92997S	Automatic Drain Valve Kit; for Consep (92797); 24V; c/w pigtail, cable L=1m, Deutsch contact; c/w drain collector; draining box turned 60 degrees
93100	Draining Box Kit; for Automatic Drain Valve/Consep (universal); c/w swivel
93337S	Heating Element; for Single Air Drier SDX; 24V/90W; DIN
93362S	Black Box; for Single Air Drier SDX
93440S	Black Box; for Single Air Drier SDX
93522	Air Drier Cartridge Kit; for Single Air Drier SDX (MTC+)
93734S	Heating Element; for Single Air Drier SDX; 12V/90W; connection: M27; Costal Kit
93735S	Heating Element; for Single Air Drier SDX; 12V/90W; cable length: 0.5m; Deutsch kit
950 310 009	Air Drier Cartridge; for ECAM
950 313 001	Repair Kit; for Anti-Freeze Injector (313001001)
950 313 002	Repair Kit; for Anti-Freeze Injector (313002.../ 313005.../ 313007...)
950 313 003	Repair Kit; for Anti-Freeze Injector (313014011)
950 782 090	Repair Kit; for Single Air Drier SDX (78209); for Renault; c/w 78169S, 78800 & 78801S
950 782 100	Repair Kit; for Single Air Drier SDX (78210); for Renault; c/w 78170S, 78800 & 78801S
950 782 110	Repair Kit; for Single Air Drier SDX (78211); for Renault; c/w 78171S, 78800 & 78801S
950 782 170	Repair Kit; for Single Air Drier SDX (78217); for Renault; c/w 78728S, 78800 & 78801S



90363



90364



90549S



92003S



92826




92832



92833



950 310 009



950 313 001



950 313 002



950 313 003

part number	description
950 782 190	Repair Kit; for Single Air Drier SDX (78219); for Renault; c/w 78730S, 78800 & 78801S
950 787 520	Repair Kit; for Single Air Drier SDX (78752); for Renault; c/w 78945S, 78800 & 78801S
950 787 530	Repair Kit; for Single Air Drier SDX (78753); for Volvo; c/w 78704S, 78964 & 78801S
950 789 880	Repair Kit; for Single Air Drier SDX (78988); for Volvo; c/w 78717S, 78964 & 78801S
950 789 900	Repair Kit; for Single Air Drier SDX (78990); for Volvo; c/w 78703S, 78964 & 78801S
950 834 910	Repair Kit; for Single Air Drier SDX (83491); for Iveco Bus
950 872 820	Repair Kit; for Single Air Drier SDX (87282); for Volvo; c/w 87332S, 78964 & 78801S
950 872 960	Repair Kit; for Single Air Drier SDX (87296); for Volvo; c/w 78717S, 78964 & 78801S
950 872 970	Repair Kit; for Single Air Drier SDX (87297); for Volvo; c/w 78104S, 78964 & 78801S
950 873 370	Repair Kit; for Single Air Drier SDX (87337); for Volvo; c/w 78949S, 78964 & 78801S
950 902 680	Repair Kit; for Single Air Drier SDX (90268); for Volvo; c/w 90269S, 78964 & 78801S
DA33120	Air Drier Cartridge; for Air Drier USA (Pure Air Plus); 6.5" tall
DQ6026	Air Drier Cartridge & Repair Kit; for Air Drier USA (Pure Air Plus)
KN31250	Pressure Relief Valve; for Air Drier USA (Pure Air); short body; thread: 3/8"; 150 PSI; (OEM N1178AB)
RN60A	Service Kit; for Air Drier USA (Pure Air); complete
RN60E	Lower Cover Repair Kit; for Air Drier USA (Pure Air); 24V
RN60F	Purge Valve Repair Kit; for Air Drier USA (Pure Air)
RN60K	Drainer Elbow; for Air Drier USA (Pure Air)
RN969	Bulk Recharge Kit; for Air Drier USA (Aerofiner II)
RN970	Purge Valve Repair Kit; for Air Drier USA (Aerofiner II)
RN973	Recharge Canister Kit; for Air Drier USA (Aerofiner II)



950 789 880



DA33120



DQ6026



KN31250



RN60A




RN60E



RN60F



RN60K



RN969



RN970

AIR TREATMENT

part number	description
73651S	Tool; for Twin Air Drier; for 'G' ring (shuttle valve)
73653S	Dismantling Tool; for Single/Twin Air Drier (78183S); for governor valve (to adjust governor screw)
73654S	Tool; for Twin Air Drier; for valve locating screw

AIR TREATMENT




73651S



73654S

AIR BRAKE

Compressors harness the energy of the engine, either belt or gear driven, to compress air for supply to the air brake and air suspension systems. The compressed air is passed, via. an Air Drier, into truck or trailer air tanks for storage, until required.



single cylinder

twin cylinder

part number	type	cooling medium	no. of cylinders	version	voltage	ports	stroke volume (cm ³)	output capacity (l/min)	max. speed (rpm)	max. operating pressure (bar)	weight (kg)	flap valve	hydraulic pump bracket for ZF pump	note	application
301 109 003	Compressor	air cooled	1	KS100 DLU	-	M22x1.5	100	150	3000	8	8.4	c/w	-	universal version Konus 20	
301 110 028	Compressor	air cooled	1	KS100 DLU	-	M22x1.5	100	150	3000	8	8.6	c/w	-	universal version Konus 25	
301 111 011	Compressor	air cooled	1	KS100 DLPB	-	M22x1.5	100	150	3000	8	9.0	c/w	-		
301 112 003	Compressor	air cooled	1	KS100 DLE	-	M22x1.5	100	150	3000	8	8.4	w/o	-	Eicher + Hanomag Ölrücklauf	
301 114 001	Compressor	air cooled	1	KS100 TL	-	M22x1.5	100	150	3000	8	8.4	w/o	-		
301 205 101	Compressor	air cooled	1	K225 DLPZ	-	M26x1.5	229	330	3000	8	11.5	c/w	c/w		
306 012 011	Electro-compressor	air cooled	1	-	12V	3/8"	-	52	2400	10	25.0	c/w	-	c/w freeze protection	
330 600 06	Compressor	water cooled	2	EL 13020 (N7002A)	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	292	525.6	3000	10	22.7	-	-	base mounted; pulley driven	Leyland Titan/ Gardner
330 600 07	Compressor	water cooled	2	EL 16020 (N7202)	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	365	657	3000	10	22.7	-	-	base mounted; pulley driven	Leyland Olympian/ Victory Nationals 2/ Gardner
330 600 32	Compressor	water cooled	2	EL16100 (NT7210-E)	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	365	657	3000	10	22.7	-	-	flange mounted; (1x 33060034, 1x SN3711K)	DDC
330 600 39	Compressor	water cooled	2	EL 1300 (NT7015D)	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	292	525.6	3000	10	22.7	-	-	base mounted	Caterpillar
EL16060	Compressor	water cooled	2	(N7206)	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	365	657	3000	10	22.7	-	-	base mounted	
NT7022N	Compressor	water cooled	2	EL 1300	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	292	525.6	3000	10	22.7	-	-		John Deere
NT7204	Compressor	water cooled	2	EL 16040	-	exhaust: 1/2" NPT; water in/out: 1/2" NPT; governor: 1/8" NPT; oil feed: 1/8" NPT; inlet: 0.8"x1.8"	365	657	3000	10	22.7	-	-		Cummins



301 109 003



301 110 028



301 111 011



301 112 003



301 114 001



301 205 101



330 600 07



330 600 32



330 600 39



NT7204


AIR BRAKE

Compressors, usually belt or gear driven directly from the engine or gearbox, have no means of temporary disengagement. Therefore, since a vehicle's air requirement is not constant, some means of disconnecting the compressor from the reservoirs is necessary in order to prevent dangerously high pressures from building up. The system should also allow the compressor to replace air as it is used.

The two most common methods of controlling the charging and maximum pressure of the air system are:

- An Unloader Valve, mounted in series between the compressor and the air reservoirs.
- A Governor Valve, mounted in parallel with the compressor, and connected to an integrated unloader device in the compressor.

The safety valve prevents build-up of excessive pressure. The tyre inflator connection provides a means of filling tyres and external air brake installations or, vice versa, filling the vehicle's own system (in case of failure) from an external source of compressed air. A connection for ancillary equipment facilitates, for instance, antifreezing the brake system.



part number	cut-out (bar)	switching range (bar)	safety valve op. pressure (bar)	signal (22/23)	ancillary port	tyre inflator connection	application
312 013 012	7.3±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Kass
312 013 014	8.1±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Volvo/Kass/Iveco/MAN/D-C
312 013 015	7.8±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Iveco
312 013 031	9.5±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Iveco
312 017 012	7.3±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Kass/Iveco/MAN/D-C
312 017 014	8.1±0.2	0.6+0.4	10-12	cut-in	plugged	c/w	Renault/Iveco/MAN/D-C
312 017 041	10.0±0.2	0.7+0.5	10-12	cut-in	plugged	c/w	MAN/D-C
312 019 011	5.3-5.6	4.8	9-11	-	w/o	c/w	
312 019 012	7.35±0.2	6.2-6.6	9-11	-	w/o	c/w	
312 029 014	8.1±0.2	0.6+0.4	9-11	cut-out	w/o	c/w	
312 030 001	8.1±0.2	0.6+0.4	9-11	cut-out	open	c/w	Kass/DAF/D-C
312 030 002	10.0±0.2	0.6+0.4	10-12	cut-out	open	c/w	
312 041 001	8.1±0.2	0.6+0.4	9-11	cut-out	open	w/o	
312 041 002	9.5±0.2	0.6+0.4	10-12	cut-out	open	w/o	
312 042 001	8.1±0.2	0.6+0.4	9-11	cut-out	open	w/o	



312 013 012



312 013 014



312 013 015



312 013 031



312 017 012



312 017 014



312 019 011



312 019 012



312 029 014



312 030 001



312 041 001



312 041 002



312 042 001

Compressors, usually belt or gear driven directly from the engine or gearbox, have no means of temporary disengagement. Therefore, since a vehicles air requirement is not constant, some means of disconnecting the compressor from the reservoirs is necessary in order to prevent dangerously high pressures from building up. The system should also allow the compressor to replace air as it is used.

The two most common methods of controlling the charging and maximum pressure of the air system are:

- An Unloader Valve, mounted in series between the compressor and the air reservoirs.
- A Governor Valve, mounted in parallel with the compressor, and connected to an integrated unloader device in the compressor.



Governor valves operate when a pre-set air reservoir storage pressure is reached. It activates the unloader mechanism in the air compressor to maintain the required system pressure.

part number	cut-in (bar)	nominal range	unloader port	note
312 040 011	7.2 +0.34	1.6±0.5	1/8" 27 NPTF	c/w gaskets & plugs
73183S	8.1±0.2	0.8±0.2	M10x1.0	for the Haldex Air Drier (series 100/200)
N30190Y	7.2 +0.34	1.6±0.5	1/8" 27 NPTF	

AIR BRAKE



312 040 011



73183S



N30190Y

AIR BRAKE

Also known as Pressure Relief Valve.

Safety Valves protect air brake systems from excessive air pressure build-up should the compressor unloading device fail.



part number	pre-set opening pressure (bar)	setting range opening pressure (bar)	dust cap	thread
315 004 001	11.0	7.0-12.0	w/o	M22x1.5
315 004 002	8.0	7.0-12.0	w/o	M22x1.5
315 004 003	9.5	7.0-12.0	w/o	M22x1.5
315 004 022	1.0	0.9-1.4	w/o	M22x1.5
315 004 031	0.6	0.5-0.65	w/o	M22x1.5
315 004 121	1.3	0.9-1.4	c/w	M22x1.5
N1178BB	10.3	-	w/o	3/8-18 NPTF

AIR BRAKE



315 004 003



315 004 022



315 004 031



315 004 121



N1178BB

Also known as 4-Way Protection Valve and Quadruple Protection Valve.

The Multi-Circuit Protection Valve is installed to charge 4 independent circuits with compressed air. In modern applications, the service brake system is charged first to a high pressure before the parking brake (spring brake) is charged. If one circuit fails (pressure loss) it protects the other circuits against complete pressure loss. It also allows sequential charging of reservoirs.

Those ports not used can be closed pressure-tight.



part number	no. of circuits	type	opening pressure (bar)	closing pressure (bar)	no. of ports	priority on circuit 1 or 2	non-return valve on circuits 3 & 4	supply port	delivery ports	max. operating pressure (bar)	application
314 059 001	4	Diaphragm	7.0-0.3	4.5	5	yes	yes	1xM22x1.5	4xM16x1.5	18	MAN/DAF
314 060 001	4	Diaphragm	7.0-0.3	4.5	5	yes	yes	1xM22x1.5	4xM16x1.5	18	MAN
314 067 001	4	Diaphragm	7.0-0.3	4.5	5	no	no	1xM22x1.5	4xM16x1.5	18	Iveco
314 096 501	4	Diaphragm	7.0-0.3	4.5	5	no	no	1xM22x1.5	4xM16x1.5	18	D-C



314 059 001



314 067 001



314 096 501

AIR BRAKE

Also known as Charge Valve, Overflow Valve & Pressure Safeguard Valve.

The Pressure Protection Valve protects air brake circuits; if one circuit fails (pressure loss) it protects the other circuits against complete pressure loss.

There are three types:

- **With backflow**, is installed, for instance, between two reservoirs when compressed air for the brake system is drawn from both reservoirs. When the pressure drops in the first reservoir, a balancing of pressure in both reservoirs takes place.
- **Without backflow**, is designed for brake systems where ancillary equipment is operated from a separate reservoir. An example of this would be a suspension tank, which would empty if a suspension air bag burst, but the brake system air tank would be protected.
- **With limited backflow**, is used where only a limited amount of backflow is required. Applications are the same as 'without backflow'.



part number	opening pressure (bar)	closing pressure (bar)	backflow	ports	max. operating pressure (bar)	DIN 74279
314 012 001	4.5-0.3	-	w/o	M22x1.5	20.0	C4.5-22
314 012 002	5.0-0.3	-	w/o	M22x1.5	20.0	C5.0-22
314 012 003	5.5-0.4	-	w/o	M22x1.5	20.0	C5.5-22
314 012 004	6.0-0.4	-	w/o	M22x1.5	20.0	C6.0-22
314 012 005	6.5-0.4	-	w/o	M22x1.5	20.0	C6.5-22
314 012 104	6.2-0.2	-	w/o	M22x1.5	10.0	C6.0-22
314 013 001	4.5-0.3	-	c/w	M22x1.5	20.0	A4.5-22
314 013 002	6.0-0.4	-	c/w	M22x1.5	20.0	A6.0-22
314 013 003	5.5-0.4	-	c/w	M22x1.5	20.0	A5.5-22
314 013 005	6.5-0.4	-	c/w	M22x1.5	20.0	A6.5-22
314 013 006	3.5-0.3	-	c/w	M22x1.5	20.0	A3.5-22
314 013 008	7.3-0.4	-	c/w	M22x1.5	20.0	A7.3-22
314 013 012	0.8-0.3	-	c/w	M22x1.5	20.0	A0.8-22
314 013 023	8.3-0.4	-	c/w	M22x1.5	20.0	A8.3-22
314 014 001	4.5-0.3	3.5	limited	M22x1.5	20.0	B4.5-22
314 014 002	6.0-0.4	5.0	limited	M22x1.5	20.0	B6.0-22
314 014 003	6.2-0.2	5.7±0.2	limited	M22x1.5	20.0	B6.2-22
314 014 005	5.5-0.4	-	limited	M22x1.5	20.0	B5.5-22
314 014 008	7.3-0.3	-	limited	M22x1.5	20.0	B7.3-22
314 014 012	0.5±0.2	0.8±0.2	limited	M22x1.5	20.0	B0.5-22
314 014 031	10.0-0.4	-	limited	M22x1.5	20.0	B10.0-22
314 110 001	4.5	-	c/w	M22x1.5	20.0	A4.5-22
514 007 011	-	0.5...2.8	w/o	M10x1.0	7.5	-
905 541 07	75 PSIG	70 PSIG	c/w	1/4" NPT	10.0	-
905 541 51	6.1	5.2	c/w	M12	10.0	-
905 541 74	5.1	4.2	c/w	M12	10.0	-
905 542 66	6.1	5.2	c/w	M16	10.0	-
KN31000	6.5	4.5	w/o	1/4" FPT	10.0	-



314 *** **



905 541 07



905 541 51



905 541 74



905 542 66

AIR BRAKE

Also known as Foot Brake Valve.

The Service Brake Valve is used for progressive pressure control, in pneumatic or hydraulic braking systems. It controls a fully gradual supply of air to the brake actuators, during both the application and release of the brakes.


With dual circuit systems (on-road vehicles), in case of failure in one braking circuit, the other circuit will remain fully effective.



with pedal

plunger operated

part number	no. of circuits	pedal	operation	reduction	pressure variation Dp (bar)	no. of ports	ports	front axle regulation	max. operating pressure (bar)	application
320 003 103	single circuit	@ 20 degrees	pneumatic	w/o	w/o	3	M22x1.5	w/o	8.0	
320 052 011	double circuit	w/o (plunger)	pneumatic	2.0:1	0.1	5	M16x1.5	front axle regulation exhaust port	10	MAN/VW
320 053 001	double circuit	w/o (plunger)	pneumatic	w/o	0.3	4	M16x1.5	w/o	10	MAN/VW/Nissan
320 059 001	double circuit	w/o (plunger)	pneumatic	w/o	0.5	4	M16x1.5	w/o	10	
320 060 101	double circuit	w/o (plunger)	pneumatic	1.5:1	0.4	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 102	double circuit	w/o (plunger)	pneumatic	1.5:1	0.2	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 103	double circuit	w/o (plunger)	pneumatic	1.5:1	0.1	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 111	double circuit	w/o (plunger)	pneumatic	2.0:1	0.4	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 112	double circuit	w/o (plunger)	pneumatic	2.0:1	0.2	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 113	double circuit	w/o (plunger)	pneumatic	2.0:1	0.1	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 121	double circuit	w/o (plunger)	pneumatic	2.7:1	0.4	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 122	double circuit	w/o (plunger)	pneumatic	2.7:1	0.2	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 060 123	double circuit	w/o (plunger)	pneumatic	2.7:1	0.1	5	M22x1.5 & M16x1.5	front axle regulation exhaust port GWN 00.025	10	
320 062 111	double circuit	w/o (plunger)	pneumatic	2.0:1	0.3	5	M22x1.5 & M16x1.5	front axle regulation exhaust port	10	
320 063 101	double circuit	w/o (plunger)	pneumatic	1.5:1	0.4	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 102	double circuit	w/o (plunger)	pneumatic	1.5:1	0.2	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 103	double circuit	w/o (plunger)	pneumatic	1.5:1	0.1	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 104	double circuit	w/o (plunger)	pneumatic	1.5:1	0.6	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	MAN
320 063 111	double circuit	w/o (plunger)	pneumatic	2.0:1	0.4	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 112	double circuit	w/o (plunger)	pneumatic	2.0:1	0.2	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 113	double circuit	w/o (plunger)	pneumatic	2.0:1	0.1	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 114	double circuit	w/o (plunger)	pneumatic	2.0:1	0.6	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	



320 003 103

320 052 011

320 053 001

320 059 001

320 060 101

320 060 102

320 060 103

320 060 111

320 060 112

320 060 122

320 060 123

320 063 101

320 063 103

320 063 112

320 063 114

AIR BRAKE

part number	no. of circuits	pedal	operation	reduction	pressure variation Dp (bar)	no. of ports	ports	front axle regulation	max. operating pressure (bar)	application
320 063 121	double circuit	w/o (plunger)	pneumatic	2.7:1	0.4	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 122	double circuit	w/o (plunger)	pneumatic	2.7:1	0.2	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 063 123	double circuit	w/o (plunger)	pneumatic	2.7:1	0.1	5	M22x16 & M16x1.5	front axle regulation exhaust port	10	
320 065 001	double circuit	w/o (plunger)	pneumatic	w/o	w/o	4	M16x1.5 & M12x1.5	w/o	10	D-C
320 066 001	double circuit	w/o (plunger)	hydraulic	w/o	w/o	4	M16x1.5 & M14x1.5	w/o	80/8.0	
560 002 133	single circuit	@ 45 degrees	pneumatic	w/o	w/o	2	M22x1.5	w/o	5.5	for excavators
560 025 041	single circuit	@ 27 degrees	hydraulic	w/o	w/o	3	M14x1.5	w/o	30...40	for excavators
560 030 001	single circuit	@ 45 degrees	hydraulic	w/o	w/o	3	M14x1.5	w/o	40	for excavators
560 035 001	single circuit	@ 22 degrees	hydraulic	w/o	w/o	3	M14x1.5	w/o	30...40	for excavators
560 037 001	single circuit	@ 27 degrees	hydraulic	w/o	w/o	3	M14x1.5	w/o	30...40	for excavators
KN22100	single circuit	w/o (plunger)	pneumatic	w/o	w/o	8	supply 2x 1/2" & 2x 1/4"; delivery 4x 1/2"	w/o	9	USA
KN22150	double circuit	w/o (plunger)	pneumatic	w/o	w/o	8	3/8 18NPTF	w/o	9	USA
KN22501	double circuit	@ 45 degrees	pneumatic	w/o	w/o	8	3/8 18NPTF	w/o	9	USA
KN22600	single circuit	@ 45 degrees	pneumatic	w/o	w/o	8	3/8 18NPTF	w/o	9	USA
N30099LA	double circuit	w/o (plunger)	pneumatic	w/o	w/o	8	3/8 18NPTF	w/o	9	USA



320 063 121



320 063 122



320 063 123



320 065 001



560 002 133



KN22501

Also known as Hand Control Valve.

Hand Brake Valves are sensitive and progressive charge/exhaust valves, used to control the spring brake. In the emergency position, if the lever is released, the valve automatically switches to the release position. In the parking brake position, the lever is locked in place.



part number	lever length (mm)	handle type	gate position	test position	no. of ports	ports	max. operating pressure (bar)
328 008 031	160	smooth	w/o	w/o	3	M12x1.5	5.5
328 026 001	105	lipped	R/H	c/w	6	M14x1.5	8




328 008 031

AIR BRAKE

The single circuit Trailer Control Valve controls the single-line inverted system of the trailer, in conjunction with the service brakes of the towing vehicle.

The double circuit Trailer Control Valve controls the twin line air brake system of the towed vehicle in twin-line/double circuit air brakes with spring loaded brake chambers. It acts as a relay valve with 3 control ports and delivers compressed air to the red coupling head (emergency line).



Single circuit

Double circuit

part number	no. of lines	service pressure (bar)	pressure limitation Pe (bars)	predominance (bar)	pressure lead	plug connection	cut-off valve	integrated 2/2-way throttle valve	ports	note	application
329 006 121	1	<7.3	5.3	-	-	-	-	-	M22x1.5	for inverted trailer system	
329 006 341	1	>7.3	5.3	-	-	-	-	-	M22x1.5	for inverted trailer system	
329 006 361	1	>7.3	5.3	-	-	-	-	-	M22x1.5	for inverted trailer system	
329 024 071	1	7.3-8.5	5.3	-	-	-	-	-	M22x1.5	for inverted trailer system	
355 029 501	2	10.0	-	w/o	w/o	w/o	w/o	c/w	M16x1.5		tractor
355 094 001	2	11.0	-	0.15	c/w	c/w	c/w	c/w	4xM22x1.5 & 2xM16x1.5	c/w silencer	D-C
355 094 011	2	11.0	-	0.15	c/w	c/w	c/w	c/w	4xM22x1.5 & 2xM16x1.5	c/w exhaust supply	D-C



329 006 121

329 006 341

329 006 361


329 024 071

355 029 501

355 094 001

AIR BRAKE

Trailer Control Valves (hydraulic control) serve in conjunction with the hydraulic master-cylinder of the motor vehicle to control the air brake system on the trailer



Single circuit

Double circuit

part number	no. of circuits	control pressure @ 6 bar	medium	hydr. control volume	control lever	hydraulic ports	pneumatic ports	max. hydraulic pressure (bar)	max. pneumatic pressure (bar)
329 017 241	single circuit	40±10%	mineral oil	1.2 cm ³	looped	M12x1.5	M16x1.5	150	10
329 020 201	double circuit	60±10%	brake fluid	1.2 cm ³	looped	M12x1.25	M16x1.5	150	10
329 020 241	double circuit	60±10%	brake fluid	1.2 cm ³	flat	M12x1.25	M16x1.5	150	10
329 020 251	double circuit	86±10%	brake fluid	1.2 cm ³	flat	M12x1.25	M16x1.5	150	10
329 020 261	double circuit	8±10%	mineral oil	2.5 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 271	double circuit	8±10%	brake fluid	2.5 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 281	double circuit	60±10%	mineral oil	1.2 cm ³	looped	M12x1.0	M16x1.5	150	10
329 020 291	double circuit	15±10%	brake fluid	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 301	double circuit	15±10%	mineral oil	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 311	double circuit	20±10%	brake fluid	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 321	double circuit	20±10%	mineral oil	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 331	double circuit	30±10%	brake fluid	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 341	double circuit	30±10%	mineral oil	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 371	double circuit	40±10%	brake fluid	1.2 cm ³	looped	M12x1.0	M16x1.5	150	10
329 020 401	double circuit	8.5±10%	mineral oil	2.5 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 421	double circuit	60±10%	brake fluid	1.2 cm ³	flat	M12x1.0	M16x1.5	150	10
329 020 471	double circuit	60±10%	mineral oil	1.2 cm ³	looped	M12x1.0	M16x1.5	150	10



329 017 241



329 020 201



329 020 241



329 020 251



329 020 261



329 020 271



329 020 281



329 020 291



329 020 301



329 020 311



329 020 321



329 020 331



329 020 401



329 020 421

AIR BRAKE

Couplings allow air lines to be connected between the towing vehicle and trailer. Tractor couplings have a self-seal valve to automatically close the air supply when disconnected.

Palm Couplings are original equipment throughout Europe, except for the UK where C & CA couplings are the norm. On UK trailer headboards:

- Emergency line = Male C Coupling
- Service line = Female C Coupling
- Auxiliary line = Male CA Coupling

Many Palm Couplings have a cam on the housing to prevent incorrect connection of the emergency and service couplings.

Dummy Couplings are used to store and seal the Palm Coupling head when not in use, to prevent damage and dirt ingress.



Palm Coupling

Dummy Coupling

Male C

Female C

part number	type	colour indication	for line	cover	port	automatic shut-off	connection cam	valve lifter	check valve	test point	filter	standard	max. operating pressure (bar)	note	can use
200 015 001	Male C Coupling	-	emergency	-	1/2" NPTF	-	-	w/o	-	w/o	w/o	BSAU138a	10.0		*
200 016 011	Male CA Coupling	-	secondary	-	M22x1.5	-	-	w/o	-	w/o	w/o	BSAU138a	10.0		
200 017 041	Female C Coupling	-	service	-	M22x1.5	-	-	c/w	-	w/o	w/o	BSAU138a	10.0		●
200 018 001	Female CA Coupling	-	secondary	-	1/2" NPTF	-	-	w/o	-	w/o	w/o	BSAU138a	10.0		
334 004 001	Palm Coupling	black	emergency	plastic	M22x1.5	automatic	w/o	-	-	w/o	w/o	DIN 74294-A	8.0		
334 007 001	Palm Coupling	black	emergency	plastic	M22x1.5	w/o	w/o	-	-	w/o	w/o	DIN 74294-B	8.0		
334 025 031	Palm Coupling	yellow	service	plastic	M16x1.5	w/o	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 026 031	Palm Coupling	red	emergency	plastic	M16x1.5	w/o	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 028 001	Dummy Palm Coupling	-	service/emergency	-	-	-	-	-	-	-	-	-	-	for couplings w/o self-seal valve	
334 043 001	Palm Coupling	black	service/emergency	plastic	M22x1.5	automatic	w/o	-	-	w/o	w/o	DIN 74294	10.0		
334 053 201	Palm Coupling	black	service/emergency	plastic	M16x1.5	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 053 211	Palm Coupling	-	service/emergency	w/o	M16x1.5	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		

* 339022001

● 339023001



200 015 001



200 016 011



200 017 041



200 018 001



334 004 001



334 007 001



334 025 031



334 026 031



334 028 001



334 043 001



334 053 201



334 053 211

AIR BRAKE

part number	type	colour indication	for line	cover	port	automatic shut-off	connection cam	valve lifter	check valve	test point	filter	standard	max. operating pressure (bar)	note	can use
334 053 221	Palm Coupling	black	service/emergency	plastic	M22x1.5	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 053 231	Palm Coupling	-	service/emergency	w/o	M22x1.5	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 053 261	Palm Coupling	-	service/emergency	w/o	1/2" NPTF	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 053 301	Palm Coupling	-	service/emergency	w/o	M22x1.5	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 053 311	Palm Coupling	-	service/emergency	w/o	1/2" NPTF	w/o	w/o	-	-	w/o	w/o	ISO 1728	10.0		
334 054 201	Palm Coupling	yellow	service	plastic	M16x1.5	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 054 211	Palm Coupling	yellow	service	plastic	M22x1.5	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 054 231	Palm Coupling	yellow	service	plastic	1/2" NPTF	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 054 241	Palm Coupling	yellow	service	plastic	M16x1.5	locating pin	c/w	-	-	c/w	w/o	ISO 1728	10.0		
334 055 201	Palm Coupling	red	emergency	plastic	M16x1.5	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 055 211	Palm Coupling	red	emergency	plastic	M22x1.5	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 055 231	Palm Coupling	red	emergency	plastic	1/2" NPTF	locating pin	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 055 401	Palm Coupling	red	emergency	plastic	M16x1.5	locating pin	c/w	-	-	w/o	c/w	ISO 1728	10.0		
334 063 001	Palm Coupling	red	emergency	steel	M16x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 063 011	Palm Coupling	red	emergency	plastic	M16x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 064 001	Palm Coupling	yellow	service	steel	M16x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 064 011	Palm Coupling	yellow	service	plastic	M16x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 066 001	Dummy Palm Coupling	-	service/emergency	-	-	-	-	-	-	-	-	-	-	for couplings c/w self-seal valve	
334 071 001	Palm Coupling	red	emergency	steel	M22x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
334 072 001	Palm Coupling	yellow	service	steel	M22x1.5	automatic	c/w	-	-	w/o	w/o	ISO 1728	10.0		
339 018 001	Female C Coupling	red	emergency	-	M22x1.5	-	-	w/o	-	w/o	w/o	BSAU138b	10.0	c/w self-seal valve	
339 019 001	Male C Coupling	yellow	service	-	M22x1.5	-	-	w/o	-	w/o	w/o	BSAU138b	10.0	c/w self-seal valve	
339 020 001	Female C Coupling	red	emergency	-	M16x1.5	-	-	w/o	-	w/o	w/o	BSAU138b	10.0	c/w self-seal valve	
339 021 001	Male C Coupling	yellow	service	-	M16x1.5	-	-	w/o	-	w/o	w/o	BSAU138b	10.0	c/w self-seal valve	



334 053 221



334 053 231/261



334 053 301/311



334 054 201/ 211/ 231



334 054 241



334 055 201/211/ 231



334 055 401



334 063 001



334 063 011



334 064 001



334 064 011



334 066 001



334 071 001



334 072 001



339 018 001



339 019 001



339 020 001



339 021 001

AIR BRAKE

part number	type	colour indication	for line	cover	port	automatic shut-off	connection cam	valve lifter	check valve	test point	filter	standard	max. operating pressure (bar)	note	can use
339 022 001	Male C Coupling	red	emergency	-	M22x1.5	-	-	w/o	-	w/o	w/o	BSAU138b	10.0		
339 023 001	Female C Coupling	yellow	service	-	M22x1.5	-	-	c/w	-	w/o	w/o	BSAU138b	10.0		
N20415NB	Palm Coupling	red	emergency	w/o	1/2" NPTF	w/o	c/w	-	w/o	w/o	c/w	EST-3119	10.0	USA	
N20415PB	Palm Coupling	blue	service	w/o	1/2" NPTF	w/o	c/w	-	w/o	w/o	c/w	EST-3119	10.0	USA	

AIR BRAKE



339 022 001



339 023 001



N20415NB



N20415PB

AIR BRAKE

In general, 3/2-Way Valves are used for charging or discharging purposes in pneumatic control systems.

Park Valves are used to apply or release the spring portion on diaphragm spring brakes. Pulling the knob outwards releases the air from the spring, which allows the spring to expand, which, in turn applies the brakes. The brakes are released by pushing the knob inwards, which allows air to compress the springs.

Shunt Valves are used to release the brakes on a trailer when it is uncoupled from a tractor unit. The shunt valve is operated by pushing the knob in; this releases the service brakes and allows the trailer to be manoeuvred around the yard without the emergency (red) line being coupled. Brakes are re-applied by pulling the knob out. Also, the valve automatically resets when the emergency line is re-connected.

Combined Park and Shunt Valves combine the park and shunt functions into one single unit.

Auto Release Valves have the same function as Shunt Valves but are connected directly to the Relay Emergency Valve.



Shunt Valve

Combined Park & Shunt

Release Valve

part number	type	control	knob	bellow	return spring	mounting point	ports	for	max. operating pressure (bar)	note
207 012 001	Shunt Valve	manual	blue, round, UK label	w/o	w/o	w/o	M16x1.5	-	8.5	ports do not have flush faces
207 012 021	Shunt Valve	manual	blue, round, UK label	c/w	w/o	w/o	M16x1.5	-	8.5	
207 013 001	Park Valve	manual	red, square, UK label	w/o	-	w/o	M16x1.5	-	8.5	ports do not have flush faces
207 013 021	Park Valve	manual	red, square, UK label	c/w	-	w/o	M16x1.5	-	8.5	
329 007 001	Trailer Brake Control Valve	mechanical	w/o	-	-	c/w	M22x1.5	-	8.0	service pressure (bar): 5.6; c/w spring
329 015 001	Trailer Brake Control Valve	mechanical	w/o	-	-	c/w	M22x1.5	-	8.0	
352 001 001	Release Valve, for REV Europa	automatic	black, round, w/o label	-	-	c/w	M22x1.5	350001... & 351006...	8.0	
352 005 401	Release Valve	automatic	black, round button	-	-	c/w	M22x1.5	-	8.0	
352 006 201	Release Valve	automatic	black, round button	-	-	c/w	M22x1.5	-	8.0	3-way
352 007 401	Release Valve	automatic	black, round button	-	-	c/w	M22x1.5	-	8.0	
352 012 001	Release Valve, for REV	automatic	black, round button	-	-	c/w	M22x1.5	351008... & 351009...	10.0	c/w seals
352 012 101	Release Valve, for REV	automatic	black, round button	-	-	c/w	M22x1.5	351008... & 351009...	10.0	



207 012 001



207 012 021



207 013 001



207 013 021



329 007 001



329 015 001



352 001 001



352 005 401



352 006 201



352 007 401



352 012 001



352 012 101

3/2-Way Valve

AIR BRAKE

part number	type	control	knob	bellow	return spring	mounting point	ports	for	max. operating pressure (bar)	note
352 018 001	Shunt Valve	manual	blue, round, c/w label	w/o	w/o	w/o	M16x1.5	-	8.5	ports do not have flush faces
352 018 011	Shunt Valve	manual	blue, round, c/w label	c/w	w/o	w/o	M16x1.5	-	8.5	
352 018 021	Shunt Valve	manual	black, round, w/o label	c/w	w/o	w/o	M16x1.5	-	8.5	army application
352 018 031	Shunt Valve	manual	black, round, w/o label	c/w	w/o	w/o	M16x1.5	-	8.5	army application, c/w flap valve
352 019 001	Park Valve	manual	red, square, c/w label	w/o	-	w/o	M16x1.5	-	8.5	ports do not have flush faces
352 019 011	Park Valve	manual	red, square, c/w label	c/w	-	w/o	M16x1.5	-	8.5	ports do not have flush faces
352 019 031	Park Valve	manual	red, square, w/o label	c/w	-	w/o	M16x1.5	-	8.5	
352 019 041	Park Valve	manual	red, round, w/o label	c/w	-	w/o	M16x1.5	-	8.5	
352 025 011	Shunt Valve	automatic	black, round button	w/o	c/w	w/o	M16x1.5	-	8.5	
352 026 011	Park Valve	automatic	w/o	w/o	-	w/o	M16x1.5	-	8.5	
352 029 001	Shunt Valve	automatic	w/o	w/o	w/o	w/o	M16x1.5	-	8.5	General Trailer/SDC
352 030 001	Park Valve	manual	w/o	w/o	-	w/o	M16x1.5	-	8.5	D-C/General Trailer/SDC/SESR special
352 044 001	Park & Shunt Valve Combined	manual	black/red	w/o	w/o	c/w	M16x1.5	-	8.5	w/o non-return valve in port 11, c/w instruction plate
352 045 001	Park & Shunt Valve Combined	manual	black/red	w/o	w/o	c/w	M16x1.5	-	8.5	c/w non-return valve in port 11, c/w instruction plate
352 046 001	Park & Shunt Valve Combined	manual	black/red	w/o	w/o	c/w	M16x1.5	-	8.5	c/w instruction plate; emergency function via parking section of spring brake
352 058 001	Park Valve	manual	red, square, c/w label	c/w	-	w/o	M16x1.5	-	8.5	c/w check valve (for parking brake only)
KN20001	Lever Operated On-Off Valve	manual	-	-	-	c/w	1/8" NPTF	-	8.5	twisted chrome lever; c/w exhaust
N13440DN	Lever Operated On-Off Valve	manual	-	-	-	c/w	M5 (1.5" centres)	-	8.5	twisted chrome lever; c/w exhaust



352 018 001



352 018 011



352 018 021



352 018 031



352 019 001



352 019 011



352 019 031



352 019 041



352 025 011/026 011



352 029 001/030 001



352 044 001/045 001



352 046 001



352 058 001



KN20001




N13440DN

AIR BRAKE

A Relay Valve is designed to speed up the admission and release of large volumes of air, e.g. for the application and release of brakes on a long wheel base vehicle. Positioned close to a compressed air source, it is normally signalled by a small volume of air from a control valve, to which it reacts precisely, quickly releasing a large volume of air.

Dual controlled relay valves, complete with a secondary control line, are fitted on air brake systems with combined diaphragm/spring brake actuators. They prevent simultaneous operation of service and secondary/parking brakes (anti-compound function)



single control line

dual control line

part number	port 1	port 2	port 4	chassis connection	max. operating pressure (bar)	note
355 018 001	M22x1.5	M22x1.5	M16x1.5	2 bolts, c/w nuts & washers	10.0	
355 018 011	M22x1.5	M22x1.5	M22x1.5	4 bolts, w/o nuts & washers	10.0	
355 018 071	M22x1.5	M16x1.5	M16x1.5	4 bolts, w/o nuts & washers	10.0	
355 023 061	M22x1.5	M22x1.5	M22x1.5	2 bolts, c/w nuts & washers	10.0	
355 093 001	M22x1.5	M22x1.5	M22x1.5	4 bolts, w/o nuts & washers	10.0	c/w secondary control line
KN28071	2x 1/2" NPT	2x 1/2" NPT	1x 1/4" & 1x 1/8" NPT	c/w K202000 bracket	9.5	c/w integrated 2-way check valve
KN28300	2x 1/2" NPT	2x 1/2" NPT	3/8" NPT	2x 0.34" dia. on 1.50" centers	9.5	



355 018 001



355 018 011



355 018 071



355 023 061



355 093 001



KN28071

A Relay Emergency Valve is fitted to trailers and operates as a Relay Valve during normal service operation. It speeds up the admission and release of large volumes of air, e.g. for the application and release of brakes on a long wheel base vehicle. However, the Relay Emergency Valve has an additional emergency function, which will automatically apply the trailer service brakes if the supply (red) line fails.

A predominance device ensures truck/trailer braking compatibility.



part number	no. of circuits	type	delivery ports	predominance (bar)	auto. release valve	light laden valve	max. operating pressure (bar)	note
350 001 101	single/dual circuit	SVZO/EG	4xM22x1.5	w/o	c/w	w/o	5.5/8.0	(351001131+352001001)
350 019 001	single circuit	SVZO	4xM22x1.5	w/o	c/w	w/o	5.5	(351006011+352001001)
350 020 201	single circuit	SVZO	4xM22x1.5	w/o	w/o	c/w	5.5	(351006001+352011101)
350 023 101	single circuit	SVZO	4xM22x1.5	w/o	w/o	c/w	5.5	(351006001+352011101)
350 026 002	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.0 adjustable	c/w	w/o	10.0	(351008012+352012001)
350 026 003	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.2	c/w	w/o	10.0	(351008013+352012001)
350 026 102	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.0 adjustable	c/w	w/o	10.0	universal version
350 027 002	dual circuit	EG	4xM22x1.5	0.0 adjustable	w/o	empty @ 2.0...2.5 bar, 1/2 @ 4.0...4.5 bar, fully laden @ reservoir pressure	10.0	(351008001+352011102)
350 027 202	dual circuit	SVZO	3xM22x1.5/1xM16x1.5	0.0 adjustable	w/o	empty @ 2.0...2.5 bar, 1/2 @ 4.0...4.5 bar, fully laden @ reservoir pressure	10.0	
350 028 001	dual circuit	Euro	4xM22x1.5	0.5	c/w	empty @ 2.0...2.5 bar, 1/2 @ 4.0...4.5 bar, fully laden @ reservoir pressure	10.0	(351008011+352012001+352011122)
350 028 101	dual circuit	SVZO	4xM22x1.5	w/o	w/o	c/w	10.0	
351 001 141	single/dual circuit	SVZO/EG	4xM22x1.5	w/o	c/w	w/o	5.5/8.0	universal version
351 001 611	single/dual circuit	SVZO/EG	4xM22x1.5	w/o	w/o	w/o	5.5/8.0	universal version
351 006 021	single circuit	SVZO	4xM22x1.5	w/o	w/o	w/o	8.0	universal version
351 008 022	dual circuit	EG	4xM22x1.5	0.0 adjustable	w/o	w/o	10.0	universal version



350 001 101



350 019 001



350 020 201



350 026 002



350 026 003



350 026 102



350 027 002



350 027 202



350 028 001



350 028 101



351 001 141



351 001 611



351 006 021



351 008 022

AIR BRAKE

part number	no. of circuits	type	delivery ports	predominance (bar)	auto. release valve	light laden valve	max. operating pressure (bar)	note
351 008 023	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.2 adjustable	w/o	w/o	10.0	universal version
351 008 024	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.3 adjustable	w/o	w/o	10.0	universal version
351 008 111	dual circuit	EG	3xM22x1.5/1xM16x1.5	0.5 adjustable	w/o	w/o	10.0	universal version
351 008 122	dual circuit	Euro	3xM22x1.5/1xM16x1.5	0.0 adjustable	w/o	w/o	10.0	universal version
351 008 124	dual circuit	Euro	3xM22x1.5/1xM16x1.5	0.3 adjustable	w/o	w/o	10.0	universal version
351 009 021	dual circuit	EG	4xM22x1.5	w/o	w/o	w/o	10.0	universal version
351 009 121	dual circuit	EG	3xM22x1.5/1xM16x1.5	w/o	w/o	w/o	10.0	universal version
351 022 001	dual circuit	EG	4xM16x1.5, 2xM22x1.5	0.2 adjustable	w/o	w/o	10.0	universal version
351 033 001	dual circuit	EG	4xM16x1.5, 2xM22x1.5	w/o	w/o	w/o	10.0	for EBS EB+
N4301AA	single circuit	USA	4x 1/4-18 NPTF	w/o	w/o	w/o	9.0	
N4301AE	single circuit	USA	4x 3/8-18 NPTF	w/o	w/o	w/o	9.0	



351 008 024



351 008 124



351 009 021



351 009 121



351 022 001



351 033 001



N4301AE

The Electronic Proportioning Valve "EPV" is an integration of a Relay Emergency Valve and an electronic load sensing function. Thus, a separate Pneumatic Load Sensing Valve is not required. Features include:

- Cost effective alternative to full EBS
- Integrated ECU, sensors and solenoids
- Integration of lift axle control (up to 2 axles)
- Integrated timing relay function for traction support
- Easier setting procedure (PC)
- Permanent ISO 7638 service
- Failure mode = return to 1:1 pressure supply




part number	comment	predominance	EPV cable (m)	test point
351 032 031	valve only	0.0-0.5 (set @ 0.0)	w/o	w/o
380 351 007	kit inc. 351032021	w/o predominance	1.5	c/w

AIR BRAKE

Single Check Valves (also known as Non-Return Valves or One Way Valves) allow air to flow only in one direction. A typical installation is an air tank inlet.

Double Check Valves (also known as Anti-Compound Valves) allow an actuator or an air line circuit to be charged from two independent sources; the source not being used is isolated by the internal shuttle or seal.



single

single

double

double

part number	type	version	mounting point	port 1(1)	port 12	port 2	port 22	note	max. operating pressure (bar)
003 839 109	Double Check Valve	piston	c/w	M22x1.5	M22x1.5	M22x1.5	-		10
205 001 001	Single Check Valve	Seal Disc	w/o	1/2" NPTF	-	1/2" NPTF male	-		10
205 001 011	Single Check Valve	Seal Disc	w/o	3/8" NPTF	-	3/8" NPTF male	-		10
205 004 001	Double Check Valve	ball	w/o	M16x1.5	M16x1.5	M16x1.5	-		8.25
314 001 001	Single Check Valve	shuttle piston	w/o	M22x1.5	-	M22x1.5	-		10
333 001 101	Double Check Valve	shuttle piston	c/w	M22x1.5	M22x1.5	M22x1.5	-		10
333 004 001	Double Check Valve	shuttle piston	w/o	M22x1.5	M22x1.5	M22x1.5	-		10
333 007 001	Double Check Valve	shuttle piston	w/o	M16x1.5	M16x1.5	M22x1.5	-		10
905 54 078	Low Pressure Check Valve	shuttle piston	w/o	1/8" NPT male	-	1/8" NPT female	-		8
KN23000	Single Check Valve	shuttle piston	w/o	1/2" male	-	1/2" female	-	USA	10
KN23080	Single Check Valve	shuttle piston	w/o	1/4" female	-	1/4" female	-	USA	10
KN25100	Double Check Valve	shuttle piston	w/o	3/8" FPT	1/2" MPT	3/8" FPT	3/8" FPT	USA	10
N20966G	Double Check Valve	shuttle piston	w/o	3/8" NPTF	1/2" NPTF male	3/8" NPTF	3/8" NPTF	USA	10



205 001 001



205 001 011



205 004 001



314 001 001



333 001 101



333 004 001



333 007 001



KN23000



KN25100

Quick Release Valves (QRV) have a high flow rate characteristic, allowing downstream air to be rapidly exhausted to atmosphere. They are most commonly used in conjunction with Spring Brake Chambers. When the parking portion of the Spring Brake is applied, the air released from the chamber holding off the spring, exhausts through the QRV.



2 or 4 port parallel

2 port opposite

single delivery port

c/w Double Check Valve

part number	type	port 1	port 2	port 3	mounting point	max. operating pressure (bar)	note	constitutes
350 036 001	4 port parallel	2x M16x1.5	4x M16x1.5	w/o thread	c/w	10.0	c/w double check valve	(356022001+333007001)
350 036 011	4 port parallel	2x M16x1.5	4x M16x1.5	M22x1.5	c/w	10.0	c/w double check valve	(356022031+337007001)
350 037 001	2 port parallel	2x M16x1.5	2x M16x1.5	w/o thread	c/w	10.0	c/w double check valve	(356023001+333007001)
350 037 011	2 port parallel	2x M16x1.5	2x M16x1.5	M22x1.5	c/w	10.0	c/w double check valve	(356023031+333007001)
356 001 001	1 port delivery	M22x1.5	1x M22x1.5	M22x1.5	w/o	7.35		
356 001 011	1 port delivery	M22x1.5	1x M22x1.5	M22x1.5	w/o	7.35	c/w reinforced diaphragm	
356 006 011	2 port opposite	M22x1.5	2x M22x1.5	M22x1.5	c/w	8.0		
356 012 061	2 port opposite	M22x1.5	2x M16x1.5	M16x1.5	c/w	8.0		
356 013 011	4 port crossed	M16x1.5	4x M16x1.5	M16x1.5	c/w	8.0		
356 022 001	4 port parallel	M22x1.5	4x M16x1.5	w/o thread	c/w	10.5		
356 022 011	4 port parallel	M22x1.5	4x M16x1.5	M22x1.5	c/w	10.5		
356 022 021	4 port parallel	1/2" NPTF	4x 1/4" NPTF	w/o thread	c/w	10.5		
356 022 031	4 port parallel	M22x1.5	4x M16x1.5	M22x1.5	c/w	10.5	c/w protected exhaust	
356 023 001	2 port parallel	M22x1.5	2x M16x1.5	w/o thread	c/w	10.5		
356 023 011	2 port parallel	M22x1.5	2x M16x1.5	M22x1.5	c/w	10.5		
356 023 021	2 port parallel	1/2" NPTF	2x 1/4" NPTF	w/o thread	c/w	10.5		
356 023 031	2 port parallel	M22x1.5	2x M16x1.5	M22x1.5	c/w	10.5	c/w protected exhaust	



350 036 001/011



350 037 011



356 001 001/011



356 006 011



356 012 061



356 013 011



356 022 ***/023 ***

AIR BRAKE

Connected with an electrical switch, this self-relieving two position Solenoid Valve, supplies pilot pressure to dump valves, pilot valves, or other basic accessories.



part number	open or closed	ports	voltage
900 540 74	normally closed	1/4" NPT	12V
900 540 75	normally open	1/4" NPT	12V
900 546 10	normally closed	1/4" NPT	24V

AIR BRAKE



900 540 75



900 546 10

AIR BRAKE

Air operated pressure switches activate electrical devices in air brake systems. They are the electrical control units to operate electrical devices such as warning signals, visual and audible signals, solenoid valves, etc...


A Stop Light Switch, incorporated in the footbrake circuit, completes an electrical circuit to illuminate the vehicle's stoplights as the brakes are applied.



spade terminals/ male port screw terminals/ female port Low Pressure Switch

part number	type	port	cut-in (bar)	cut-out (bar)	terminals	note
303 002 001	Stoplight Switch	1/4" NPTF male	-	-	-	operating pressure (bar): 0.2-0.34
361 006 102	Pressure Switch	M12x1.5 male	-	0.7	Screw	
361 006 201	Pressure Switch	M12x1.5 male	0.5	-	spade	
361 006 302	Pressure Switch	M12x1.5 male	-	5.5	spade	
361 006 305	Pressure Switch	M12x1.5 male	-	4.5	spade	
361 006 306	Pressure Switch	M12x1.5 male	-	2.5	spade	
361 007 001	Pressure Switch	M12x1.5	0.5	-	Screw	
361 007 103	Pressure Switch	M12x1.5	-	3.0	Screw	
361 007 104	Pressure Switch	M12x1.5	-	5.0	Screw	
361 007 201	Pressure Switch	M12x1.5	0.5	-	spade	
361 007 301	Pressure Switch	M12x1.5	-	4.5	spade	
361 007 302	Pressure Switch	M12x1.5	-	5.0	spade	
361 007 305	Pressure Switch	M12x1.5	-	5.5	spade	
40135	Low Pressure Switch	1/8" NPTF male	4.8±0.3 & below	-	2x #10-32 male studs	
900 540 88	Rotational Air Control Switch	1/8" NPT	-	-	-	manually operated

AIR BRAKE



40135

AIR BRAKE

Load Sensing Valves are used for self-operated proportioning of the air pressure delivered to the brake chambers, according to the load situation.

Control is exercised by load dependent variations either in the deflection on the suspension springs (mechanical control) or of the pressure in the air suspension bellows (pneumatic control).

The Combined LSV/REV Valve is a single unit comprising a Load Sensing Valve and a Relay Emergency Valve.



pneumatic


mechanical

combined LSV/REV

part number	type	automatic control	lever length (mm)	mount height (mm)	shock absorber	spring assembly	data plate	note	max. operating pressure (bar)
351 012 001	Combined LSV/REV	mechanical	25-90	140-1045	w/o	c/w	c/w		10
351 014 001	Combined LSV/REV	pneumatic	-	-	-	w/o	c/w	universal version; adjustable but unset	10
601 002 001	Load Sensing Valve	mechanical	90-176	140-1045	c/w	c/w	c/w		10
601 002 021	Load Sensing Valve	mechanical	25-50	140-1045	w/o	c/w	c/w		10
601 013 001	Load Sensing Valve	mechanical	50-130	120-1025	w/o	w/o	c/w	c/w special data plate	10
601 013 011	Load Sensing Valve	mechanical	50-130	120-1025	w/o	c/w	c/w		10
602 005 001	Load Sensing Valve	pneumatic	-	-	-	w/o	c/w	universal version; adjustable but unset	10
613 005 001	Variable Load Sensing Valve	mechanical	-	-	-	-	-	c/w linkage	10



351 012 001



351 014 001



601 002 001



601 002 021



601 013 001



601 013 011



602 005 001



613 005 001

Also known as Manual Light Laden Valve.

Manually operated Variable Load Valves can be used to vary the braking pressure of the trailer in relation to load.



part number	positions	@ empty (bar)	@ 1/4 (bar)	@ 1/2 (bar)	@ 3/4 (bar)	@ full (bar)	release position	ports	setting range empty (bar)	setting range 1/4 (bar)	setting range 1/2 (bar)	max. operating pressure (bar)
352 011 101	4	1.5/1.9	-	3.0/3.5	-	tank pressure	c/w	M22x1.5	1.0/2.0	-	3.0/4.5	5.3
352 011 102	4	2.0/2.5	-	4.0/4.5	-	tank pressure	c/w	M22x1.5	1.3/2.5	-	3.0/4.5	7.3
352 011 121	3	1.5/1.9	-	3.0/3.5	-	tank pressure	w/o	M22x1.5	1.0/2.0	-	3.0/4.5	5.3
352 011 122	3	2.0/2.5	-	4.0/4.5	-	tank pressure	w/o	M22x1.5	1.3/2.5	-	3.0/4.5	7.3
352 011 141	5	0.8/1.2	1.2/2.2	3.2/4.0	4.0/4.8	tank pressure	w/o	M22x1.5	0.5/1.2	0.8/2.2	-	7.3
352 011 171	5	1.0/1.3	2.0/2.3	3.0/3.5	4.0/4.5	tank pressure	w/o	M22x1.5	0.8/2.0	1.2/3.0	-	7.3
352 039 001	2	3.3	-	-	-	tank pressure	w/o	M22x1.5	-	-	-	10.0



352 011 101



352 011 102



352 011 122




352 011 141



352 011 171

AIR BRAKE

The Regulating Valve serves to adjust the braking pressure in proportion to the dynamic load transfer, in the event of partial brake applications, and to ensure rapid exhaust of the brake chambers. At full braking the system will receive full pressure.



part number	pressure setting (bar)	setting range (bar)	opening to end pressure (bar)	ports	quick release valve	mounting point	test point	max. operating pressure (bar)
356 005 101	3.0	0-4.0	-	M22x1.5	w/o	w/o	w/o	8.0
356 005 102	4.0	0-4.0	-	M22x1.5	w/o	w/o	w/o	8.0
356 005 103	2.5	0-4.0	-	M22x1.5	w/o	w/o	w/o	8.0
356 005 104	3.5	0-4.0	-	M22x1.5	w/o	w/o	w/o	8.0
356 009 011	2.0	0.0-5.5	0.5	M22x1.5	c/w	c/w	w/o	10.0
356 009 012	1.3	0.0-5.5	0.3	M22x1.5	c/w	c/w	w/o	10.0
356 010 011	3.5	0.0-5.5	0.8	M22x1.5	c/w	c/w	VGB (DIN 74326-B)	8.0
356 010 031	3.5	0.0-5.5	0.8	M22x1.5	c/w	c/w	M16x1.5 (ISO 3583)	8.0
900 540 82	unset	0-8.28	-	1/4" NPT	w/o	c/w	w/o	8.0

AIR BRAKE



356 005 ***



356 009 011



356 010 011



356 010 031



900 540 82

AIR BRAKE

Hydraulically operated Clutch Servos give air pressure assistance to reduce the effort required to disengage the clutch.



part number	displacement volume (cm³)	hydr. medium	port 3	length (mm)	weight (kg)	op. press. pneu. (bar)	op. press. hydr. (bar)
321 010 101	12.5	brake fluid DOT4+ or DOT4	w/o	275	3.6	8.5	140
321 015 001	16.7	brake fluid DOT4+ or DOT4	snorkel	275	3.6	8.5	140
321 019 001	17.8	brake fluid DOT4+ or super-DOT4	flap valve	235	1.9	10.0	140
321 020 001	16.7	brake fluid DOT4+ or DOT4	snorkel	231	1.9	10.0	140
321 023 001	17.8	brake fluid DOT4+ or super-DOT4	Boot	262	1.9	10.0	140
321 024 001	18.8	brake fluid DOT4+ or super-DOT4	Boot	234	1.9	10.0	140
337 002 001	-	brake fluid DOT4 or super-DOT4 or SAE J 1703	-	-	2.7	-	40



321 010 101



321 015 001



321 019 001



321 020 001




321 023 001



337 002 001

AIR BRAKE



Data Plate

Tube Coil

Flexastik

Bend Protection Spring

part number	description
013 0503 090	Tube Clamp; for 3/8" tube; 17/64" mounting hole
013 0504 090	Tube Clamp; for 1/2" tube; 17/64" mounting hole
022 018 309	Bend Protection Spring; for air hoses directly connected to couplings; (334054.../ 055...)
025 0501 090	Identification Tag; for airline; yellow; 'SERVICE'
025 0503 090	Identification Tag; for airline; blue; 'AUXILIARY'
028 002 609	Identification Tag; for palm coupling; red; 'EMERGENCY'
028 003 009	Identification Tag; for palm coupling; yellow; 'BREMSE'
028 003 109	Identification Tag; for palm coupling; yellow; 'SERVICE'
028 021 609	Data Plate; for Mechanical Load Sensing Valve; (D/GB/F)
028 027 909	Data Plate; for Mechanical Load Sensing Valve; (D/GB/F)
028 028 009	Data Plate; for Pneumatic Load Sensing Valve; (D/GB/F)
028 037 909	Data Plate; for Pneumatic Load Sensing Valve; (D/GB/PL)
028 038 309	Data Plate; for Combined Park & Shunt Valve (352044001/ 045001); general instructions; pictorial
028 040 509	Data Plate; for Pneumatic Load Sensing Valve; (K/CZ/RU/GB)
028 042 309	Instruction Label; for EPV
033 001 409	Armoured Hose Connection; M22/M22x1.5; length: 500mm; hi-temperature
033 001 509	Armoured Hose Connection; M22/M22x1.5; length: 650mm; hi-temperature
033 016 009	Suzie (air supply); yellow; 4.0 m useable length
033 016 509	Suzie (air supply); red; 4.0 m useable length
043 0533 090	Nipple; small; for frame; (11315)
11547	Hose Clamp; for Flexastik N30200AE; pack of 10
380 073 490	Air Brake Kit; for 2 axle semi-trailer
850 000 001	Air Brake Kit
940 000 030	Air Brake Kit; type HW 80
N30200AE	Flexastik; 40"; c/w hose clamp



013 0503 090

013 0504 090

022 018 309

025 0501 090

025 0503 090

028 002 609

028 003 009

028 003 109

028 021 609

028 027 909

028 028 009

028 038 309

028 042 309

033 001 409

033 001 509

033 016 009

033 016 509

N30200AE

AIR BRAKE

part number	description
N30200AG	Flexastik; 50"; c/w hose clamp
RAUMOTIVE JAUNE	Suzie (air supply); yellow; 4.0 m useable length; -40...+60 degrees
RAUMOTIVE NOIR	Suzie (air supply); black; 4.0 m useable length; -40...+60 degrees
RAUMOTIVE ROUGE	Suzie (air supply); red; 4.0 m useable length; -40...+60 degrees
SPIJAUNE	Suzie (air supply); yellow; 4.0 m useable length
SPINOIR	Suzie (air supply); black; 4.0 m useable length; male end
SPINOIRRV1	Suzie (air supply); black; 4.0 m useable length; Renault
SPIROUGE	Suzie (air supply); red; 4.0 m useable length



N30200AG



RAUMOTIVE JAUNE



RAUMOTIVE NOIR



RAUMOTIVE ROUGE



SPIJAUNE




SPINOIR



SPINOIRRV1

AIR BRAKE



Compressor Head

Gasket

Knob

Repair Kit

part number	description
002 0526 090	Knob; for Park Valve; red; square; c/w UK label ("pull to park")
002 0527 090	Knob; for Shunt Valve; blue; round; c/w UK label ("push to shunt")
003 005 209	Valve Poppet; for Service Brake Valve (320003103/ ..603/ ..114 & 560002303)
003 005 919	Valve Poppet; for Trailer Brake Control Valve (329007001)
003 009 309	Cylinder Head; for Compressor; M26x1.5
003 038 009	Cable Assembly; for Load Sensing Valve (mechanical); c/w cable, cable clamp & spring; 135 mm spring
003 038 609	Cable Assembly; for Load Sensing Valve (mechanical); c/w cable, cable clamp & spring; 120 mm spring
003 416 119	Con Rod; for Compressor
003 480 209	Spring; for Load Sensing Valve (mechanical)
003 485 509	Purge Valve; for Hydrail Clutch Servo (321027001)
003 500 409	Lever; for Trailer Control Valve (329020241/ 251/ 261/ 271/ 291/ 301/ 311/ 321/ 331/ 341/ 401/ 421)
003 508 909	Valve Poppet; for Service Brake Valve
003 535 309	Cable Clamp; for Load Sensing Valve (mechanical)
011 003 609	Cylinder Head; for Compressor
011 009 319	Pedal; for Service Brake Valve (320003103)
011 013 809	Housing; for Service Brake Valve (320003103)
011 100 009	Cover; for Service Brake Valve (320003103)
011 102 409	Handle; for Relay Emergency Valve (350026003)
011 128 209	Pedal; for Service Brake Valve (560002133/ ..303)
012 010 409	Compressor Head; for Compressor; single piston
012 038 919	Compressor Head; for Compressor
014 000 809	Spring Rest; for Load Sensing Valve (mechanical)
014 009 209	Brace Plate; for Trailer Control Valve
014 062 109	Thrust Piece; for Variable Load Valve
014 062 309	Base Casing; for Load Sensing Valve (351012001/ 601002.../ 601013...)
014 100 209	Locking Plate; for Manual Light Laden Valve (various)



002 0526 090



002 0527 090



003 005 209



003 005 919



003 038 009



003 038 609



003 480 209



003 485 509



003 508 909



003 535 309



012 010 409



014 000 809



014 009 209



014 062 109



014 062 309



014 100 209

AIR BRAKE

part number	description
014 101 509	Base Casing; for Load Sensing/ REV Combined (351014001/ 602005...)
014 111 109	Thrust Piece; for Load Sensing/ REV Combined (351012001/ 351014001)
014 718 309	Security Box; for Combined Park & Shunt Valve; prevents unauthorised use
015 052 609	Lever; for Load Sensing Valve (351012001/ 601002021/ 601013001/ 601016001)
016 015 119	Rod; for Service Brake Valve (320003103)
016 167 409	Valve Seat; for Relay Valve
016 186 509	Valve Seat; for Variable Load Valve (601002021/ 601013001/ 601016001/ 602005001/ 602006001)
016 188 609	Handle; for Hand Brake Valve (328011011)
016 310 709	Filter Body; for 3/2-Way Valve (360009141)
017 008 009	Plug; for Compressor
021 016 309	Compression Spring; for Variable Load Valve (601002021/ 601013001/ 601016001/ 602005001/ 602006001)
021 064 509	Spring; for Load Sensing Valve (602005001)
022 006 109	Spring; for Trailer Brake Control Valve (329007001)
022 014 709	Spring; for Load Sensing Valve (601002001); for lever
022 014 809	Spring; for Load Sensing Valve (601002011); for lever
022 018 909	Spring; for Load Sensing Valve (601013...); for lever
022 0501 090	Seal; for Palm Coupling; recessed type (USA)
022 0508 090	Dust Cap; for Pressure Switch (303001001/ 30340135); ø1.76"
023 001 919	Gasket; for Compressor
023 002 209	Gasket; for Compressor
023 002 409	Gasket; for Compressor
023 003 909	Gasket; for Compressor
023 004 009	Gasket; for Compressor
023 004 209	Gasket; for Compressor
023 004 609	Gasket; for Compressor
023 004 909	Gasket; for Compressor
023 005 209	Gasket; for Compressor
023 011 209	Gasket; for Compressor
023 011 409	Gasket; for Compressor (301153...)



014 101 509



014 718 309



016 015 119



016 167 409



016 310 709



017 008 009



021 016 309



021 064 509



022 006 109



022 014 709



022 014 809




022 018 909



022 0501 090



022 0508 090




023 002 209



023 002 409




023 003 909




023 004 009



023 004 209



023 004 609




023 004 909



023 005 209



023 011 209




023 011 409

AIR BRAKE

part number	description
023 011 809	Gasket; for Compressor
023 011 909	Gasket; for Compressor (301153...)
023 012 009	Gasket; for Compressor (301153...)
023 014 109	Gasket; for Compressor
023 015 809	Gasket; for Compressor
024 000 109	Nut Ring; for Service Brake Valve (320003...)
024 002 109	O-ring; for Relay Valve
024 005 609	Nut Ring; for piston (003598009)
024 006 109	O-ring; for Compressor
024 006 709	O-ring; for Relay Emergency Valve (351008122/ 380351001)
024 006 909	O-ring; for Trailer Control Valve (355094001)
024 007 509	O-ring; for Trailer Control Valve (various)
024 007 909	O-ring; for Variable Load Valve (various)
024 008 509	O-ring; for Relay Emergency Valve (350026003)
024 008 809	O-ring; for Trailer Control Valve (321020001/ 329020331/ 355094001/ 554020001)
024 010 009	O-ring; for Unloader Valve (329020291/ 329020301)
024 010 309	O-ring; for Compressor
024 010 709	O-ring; for 3/2-Way Valve (554005001)
024 014 509	O-ring; for Trailer Control Valve
024 015 009	Nut Ring; for Regulating Valve (613005001/ 613005021)
024 017 209	O-ring; for Compressor
024 018 709	O-ring; for Trailer Control Valve (329020201-329020421)
024 020 509	O-ring; for Trailer Control Valve (329020261-329020401)
024 020 909	O-ring; for Compressor
024 023 309	O-ring; for Trailer Control Valve
024 023 609	O-ring; for Compressor
024 024 709	O-ring; for Relay Emergency Valve
024 025 219	Square Seal; for Relay Emergency Valve (European)
024 030 109	O-ring; for Trailer Control Valve (329020201-329020421)
024 030 809	Nut Ring; for Relay Emergency Valve
024 032 309	O-ring; for Trailer Control Valve (329020201-329020421)
024 032 809	O-ring; for Relay Valve
024 033 509	O-ring; for Variable Load Valve (602006001); M12
024 038 209	O-ring; for Unloader Valve
024 038 309	O-ring; for Unloader Valve
024 047 409	Grooved Ring; for Trailer Control Valve (329020201-329020421)
025 001 209	Valve Disc; for 3-Way Pilot Valve
025 002 109	Washer; for Relay Emergency Valve (350027.../ 350028...)
025 003 209	Valve Part; for Pressure Protection Valve (314110001)
025 006 709	Seal; for Trailer Control Valve (329007001)
025 013 109	Cup Seal; for Trailer Control Valve
025 014 109	Protection Cap; for Clutch Servo



023 011 809



023 011 909



023 012 009



023 015 809



024 015 009



024 047 409




025 001 209



025 002 109



025 003 209



025 006 709



025 013 109



025 014 109

part number	description
025 014 209	Protecting Cover; for Regulating Valve
025 014 409	Diaphragm; for Unloader Valve (312002.../ 312003...)
025 021 309	Sealing Cap; for Load Sensing Valve
025 025 109	Diaphragm; for Pressure Protection Valve (514007011)
025 031 409	Protecting Cover; for Service Brake Valve
025 033 809	Valve Seat; for Unloader Valve
025 033 909	Diaphragm; for Unloader Valve
025 034 109	Dust Cap; for Pressure Switch (361006.../ 361007...)
025 034 409	Knotted Cup Seal; for Trailer Control Valve (329020201-329020421)
025 034 709	Protecting Cover; for Unloader Valve
025 034 809	Washer; for Trailer Control Valve (329020201-329020421)
025 034 909	Tab; for Unloader Valve
025 035 709	Cup Seal; for Trailer Control Valve (351008122/ 380351001)
025 045 509	Protection Cap; for Multi Circuit Protection Valve (314018001/ 314023001)
025 047 809	Protecting Cover; for Load Sensing Valve & Levelling Valve (352011.../ 612.....)
025 048 209	Seal; for Palm Coupling; compression type
025 050 009	Dust Cap; for Pressure Switch
025 052 309	Rubber Boot; for Shunt Valve (352018011)
026 000 509	Rotary Shaft Seal; for Compressor
026 000 709	Cup Seal; for Relay Valve
026 003 209	Cone Cup; for Relay Valve
026 003 409	Valve Disc; for Unloader Valve (312002.../ 312003.../ 312011.../ 312012...)
026 004 709	Cone Cup; for Relay Valve
026 005 319	Valve Poppet; for Trailer Control Valve (003005919/ 329007001)
026 006 509	Valve Seat; for Unloader Valve




025 014 209



025 014 409



025 021 309



025 025 109



025 031 409



025 033 909



025 034 109



025 034 409



025 034 709



025 034 809



025 034 909



025 045 509



025 047 809



025 048 209



025 050 009



025 052 309



026 000 509



026 000 709



026 003 209



026 003 409



026 004 709



026 006 509

AIR BRAKE

part number	description
026 012 009	Valve Disc; for Unloader Valve
026 012 109	Valve Part; for Unloader Valve
026 012 909	Valve Body; for Relay Emergency Valve (351008122/ 380351001/ 554020001)
026 016 709	Gasket; for Combined LSV/REV (351014001)
027 002 409	Knob; for Release Valve (352005.../ 352006.../ 352007...); black; round
027 004 809	Blanking Plug; for Unloader Valve (312013.../ 312017.../ 312018.../ 312019.../ 312028.../ 312029.../ 312030...)
027 009 829	Piston Rod; for Relay Valve
027 010 109	Valve Part; for Relay Valve (355018011); upper section
027 010 209	Valve Part; for Relay Valve (355018011); lower section
027 014 209	Cam Segment; for Hand Brake Valve; left
027 018 009	Valve Body; for Trailer Control Valve (329020201-329020421)
027 018 010	Rotary Cap; for Compressor
027 022 209	Knob; for Combined Park & Shunt & REV Release Valve (352044.../ 352045.../ 350026002); black; round
027 023 309	Valve Seat; for Service Brake Valve (003508909)
027 042 109	Cover; for Relay Emergency Valve
027 047 009	Knob; for Park Valve; red; square; w/o label
027 047 109	Knob; for Shunt Valve; blue; round; w/o label
027 0502 090	Return Spring; for Relay Emergency Valve; for 'dead man' function
027 0510 090	Return Spring; for Shunt Valve; for 'dead man' function
027 056 509	Cover; for Relay Emergency Valve (351008122/ 380351001)
027 056 609	Adapter; for Service Brake Valve (32006...)
027 059 409	Knob; for Combined Park & Shunt Valve (352044.../ 352045...); red; round
028 029 419	Sticker; for Shunt Valve (352018...)
029 000 109	Cage filter; for Raise/Lower Valve (various)
029 000 409	Cage filter; for Relay Emergency Valve (various)
029 006 409	Filter; for Unloader Valve
031 000 109	Silencer; for Compressor; for exhaust; M12x1.5
031 000 209	Air Filter; for Compressor; for intake; M22x1.5
031 001 209	Air Filter; for Compressor; for intake; M18x1.5
039 001 909	Suction Valve; for Compressor



027 002 409



027 010 109



027 010 209



027 018 009



027 022 209



027 047 009



027 047 109



027 0510 090



027 056 509



027 056 609



027 059 409



028 029 419



029 000 109



029 000 409



031 000 109



031 000 209



031 001 209



039 001 909

part number	description
039 002 109	Outlet Valve; for Compressor
039 005 309	Reed Valve; for Compressor
039 005 509	Reed Valve; for Compressor
039 005 709	Reed Valve; for Compressor (301153...)
039 005 909	Piston; for Compressor
039 006 109	Piston; for Compressor; ø65mm
039 006 509	Reed Valve; for Compressor (301109003/ 301110028)
039 006 709	Piston; for Compressor (301109003/ 301110028)
042 021 209	Contact Bush; for electrical connection; F7
049 001 409	Gasket; for Load Sensing Valve (613005...); angled
049 004 009	Gasket; for Load Sensing Valve (601002...); angled
051 026 709	Screw; for Hand Brake Valve (328008...); oval head; M8x16; DIN 7985
053 002 209	Hex Nut; for various (321010101/ 329020201)
054 000 709	Washer; for Hand Brake Valve; aluminium
054 002 209	Washer; for brake intallation kits; metal
054 011 509	Disc; for Relay Emergency Valve (various)
056 000 709	Lock Washer; for Variable Load Valve (various)
056 003 309	Safety Clip; for Compressor
059 008 009	Piston Ring; for Compressor; 65x59.2x2.5 mm
059 008 109	Piston Ring; for Compressor; 65x59.2x5 mm
059 008 609	Piston Ring; for Compressor; 65x59.5x2.5 mm
059 009 009	Piston Ring; for Compressor; 50x45.5x2 mm
059 009 109	Piston Ring; for Compressor; 50x4 mm
059 018 309	Piston Ring; for Compressor; 90x82.2x2.5 mm
059 040 909	Con Rod Guide Ring; for Compressor; 20x15.1x5.6 mm
059 043 809	Piston Ring; for Compressor; 65x2.5
059 043 909	Piston Ring; for Compressor (039006109); 65x2.5
059 044 009	Piston Ring; for Compressor; 65x4
059 044 809	Con Rod Guide Ring; for Compressor; 35x5.5x2.5 mm



039 002 109



039 005 309



039 005 709



039 005 909



039 006 109



042 021 209



049 001 409



051 026 709



053 002 209



054 000 709



054 002 209



054 011 509



056 003 309



059 008 009



059 008 109



059 008 609



059 009 009




059 018 309



059 040 909



059 043 809



059 043 909



059 044 009

AIR BRAKE

part number	description
102428AA	Nut; for Compressor
200 019 001	Self-seal Valve; for C-Coupling (female); 1/2" NPTF; red
200 020 001	Self-seal Valve; for C-Coupling (male); 1/2" NPTF; yellow
200 020 011	Self-seal Valve; for C-Coupling (male); M22; yellow
260 167 09	Gasket; for Combined LSV/REV (351014001)
336 000 06	Cylinder Block; for Compressor; (400202AC)
336 000 07	Ball Bearing Ring; for Compressor
336 000 16	Crankcase; for Compressor; (400066E)
336 000 25	Bearing Cap Assembly; for Compressor; (102373)
336 000 33	Intake Manifold; for Compressor (EL1300/ EL1600); (101012A)
336 000 48	Bolt; for Compressor; for con rod; (102610)
336 000 49	Intake Manifold; for Compressor; (100999B)
336 000 51	Exhaust Manifold; for Compressor; (100691C)
336 002 36	Piston & Con Rod Assembly; for Compressor; (300511-BC)
336 002 44	End Cap Bearing; for Compressor; (200921N)
336 002 60	Gasket; for Compressor; for unloader; (102368BT)
336 002 61	Gasket; for Compressor (E172000); for cylinder head; (102368BK)
336 002 62	Gasket; for Compressor; for cylinder block; (102368BP)
336 002 63	Gasket; for Compressor; for base; (102368CD)
336 002 64	Gasket; for Compressor; for intake manifold; (102368BW)
336 002 65	Gasket; for Compressor; for exhaust manifold; (102368BZ)
336 002 67	Gasket; for Compressor (E172006); x6; for cover plate; (102368CG)
336 002 69	Cylinder Head; for Compressor; (N21048AB)
337 002 84	Castle Nut; for Compressor; 7/8" UNF; (02X5009)
339 000 54	Cylinder Tube; for Compressor; (101644)
351 011 011	3-way Manifold Kit; for Compressor
364 450 001	Cable & Connectors; for EPV Valve; to connect EPV to ILAS®-E; branched connector; PUR; 1.5 m cable
364 450 011	Cable & Connectors; for EPV Valve; to connect EPV to ILAS®-E; branched connector; PUR; 7.0 m cable



102428AA



200 019 001



200 020 001



200 020 011



336 000 06



336 000 07



336 000 25



336 000 48



336 000 49




336 000 51



336 002 36




336 002 60



336 002 61



336 002 62



336 002 63



336 002 64



336 002 65



336 002 67



336 002 69



337 002 84



339 000 54



351 011 011



364 450 001



364 450 011

part number	description
364 452 001	Cable & Connectors; for EPV Valve; to connect EPV to PC; socket housing; 7/6 pole
364 453 001	Cable & Connectors; for EPV Valve; to connect EPV to PC; D-sup socket; 9 pole
364 454 001	Cable & Connectors; for EPV Valve; to connect EPV to ILAS-E; single connector; PUR; 1.5 m cable
364 454 011	Cable & Connectors; for EPV Valve; to connect EPV to ILAS-E; single connector; PUR; 7.0 m cable
481 002 00	Air Filter; for Pressure Protection Valve (905541...); SRK143
900 540 83	Handle; for Regulating Valve (90054082)
900 541 23	Bracket; for Hand Control Valve (90054082)
900 542 11	Knob; for Switch (90054088); black; turn type; c/w pointer
950 035 004	Repair Kit; for Relay Emergency Valve (KN30100/ KN30200/ KN30300/ KN30400)
950 301 003	Repair Kit; for Compressor (301031...)
950 301 014	Repair Kit; for Compressor (301052...)
950 301 015	Repair Kit; for Compressor (301053...)
950 301 018	Repair Kit; for Compressor (301105...)
950 301 030	Repair Kit; for Compressor
950 301 031	Repair Kit; for Compressor (301109003/ 301110028)
950 312 001	Repair Kit; for Unloader Valve (312001001)
950 312 002	Repair Kit; for Unloader Valve (312001041/ .091)
950 312 003	Repair Kit; for Unloader Valve (312002.../ 312003...)
950 312 005	Repair Kit; for Unloader Valve (312009.../ 312010...)
950 312 006	Repair Kit; for Unloader Valve (312013.../ 312017.../ 312020.../ 312021.../ 312513014)
950 312 007	Repair Kit; for Unloader Valve (312017...)
950 312 008	Repair Kit; for Unloader Valve (312015032)
950 312 009	Repair Kit; for Unloader Valve (312015132)
950 314 003	Repair Kit; for Multi Circuit Protection Valve (314018001)
950 314 004	Repair Kit; for Multi Circuit Protection Valve (314019.../ 314023...)
950 314 005	Repair Kit; for Multi Circuit Protection Valve (314029001)
950 314 007	Repair Kit; for Multi Circuit Protection Valve (314065...067.../ 314096...)
950 314 009	Repair Kit; for Multi Circuit Protection Valve (314037001)
950 320 001	Repair Kit; for Service Brake Valve (320001001)




364 454 001



364 454 011



950 035 004



950 301 003



950 301 014



950 301 015



950 301 018



950 312 001



950 312 002



950 312 005



950 312 006



950 312 007



950 312 008



950 312 009



950 314 003



950 314 004



950 314 005




950 320 001

AIR BRAKE

part number	description
950 320 002	Repair Kit; for Service Brake Valve (320003...)
950 320 003	Repair Kit; for Service Brake Valve (320004...)
950 320 008	Repair Kit; for Service Brake Valve (320009...)
950 320 010	Repair Kit; for Service Brake Valve (320015.../ 320034...)
950 320 012	Repair Kit; for Service Brake Valve (320018...)
950 320 013	Repair Kit; for Service Brake Valve (320020001)
950 320 014	Repair Kit; for Service Brake Valve (320021001)
950 320 020	Repair Kit; for Service Brake Valve (320060.../ 320062.../ 320063...)
950 321 008	Repair Kit; for Clutch Servo (321009041)
950 321 013	Repair Kit; for Clutch Servo (321009131/ ..161)
950 321 014	Repair Kit; for Clutch Servo (321009141)
950 321 016	Repair Kit; for Clutch Servo (321005001)
950 321 017	Repair Kit; for Clutch Servo (321007001)
950 321 021	Repair Kit; for Clutch Servo (321010001)
950 321 022	Repair Kit; for Clutch Servo (321011021)
950 321 023	Repair Kit; for Clutch Servo (321013001)
950 321 025	Repair Kit; for Clutch Servo (321015...)
950 321 027	Repair Kit; for Clutch Servo (321018.../ 321019...)
950 321 028	Repair Kit; for Clutch Servo (321020001)
950 321 029	Repair Kit; for Clutch Servo (321021001/ 321023001)
950 328 002	Repair Kit; for Hand Brake Valve (328011...)
950 328 004	Repair Kit; for Hand Brake Valve (328016...)
950 328 005	Repair Kit; for Hand Brake Valve (328024001)
950 329 006	Repair Kit; for Trailer Control Valve (329017011)
950 329 011	Repair Kit; for Trailer Control Valve (329020... brake fluid)
950 329 012	Repair Kit; for Trailer Control Valve (329020... mineral oil)
950 329 013	Repair Kit; for Trailer Control Valve (329020261/ ..401/ ..451/ ..452)
950 329 016	Repair Kit; for Trailer Control Valve (329020271)
950 334 002	Repair Kit; for Palm Coupling (334063/ 334064...)



950 320 002



950 320 003



950 320 008



950 320 020



950 321 008



950 321 013




950 321 014



950 321 016




950 321 017



950 321 022



950 321 025




950 321 027



950 321 028



950 328 002



950 328 004




950 328 005



950 329 006



950 329 011



950 329 012



950 329 013



950 334 002

part number	description
950 350 004	Repair Kit; for Relay Emergency Valve (351001...)
950 350 007	Repair Kit; for Relay Emergency Valve (350026011)
950 350 008	Repair Kit; for Relay Emergency Valve (350026001/ ..002)
950 350 009	Repair Kit; for Relay Emergency Valve (350027...)
950 351 001	Repair Kit; for Relay Emergency Valve (351006.../ 351019.../ 351020...)
950 351 002	Repair Kit; for Relay Emergency Valve (351004...)
950 351 004	Repair Kit; for Relay Emergency Valve (351008...)
950 351 005	Repair Kit; for Load Sensing/ REV Combined (351012001)
950 351 006	Repair Kit; for Load Sensing Valve (351015.../ 351018...)
950 351 007	Repair Kit; for Relay Emergency Valve (351022...)
950 351 008	Repair Kit; for Load Sensing/ REV Combined (351014...)
950 351 009	Repair Kit; for Relay Emergency Valve (351009...)
950 352 003	Repair Kit; for Variable Load Valve (352011...)
950 355 001	Repair Kit; for Relay Valve (355001001)
950 355 004	Repair Kit; for Relay Valve (355018...)
950 355 006	Repair Kit; for Relay Valve (355016...)
950 355 007	Repair Kit; for Relay Valve (355017001)
950 355 009	Repair Kit; for Relay Valve (355016241/ ..244)
950 355 010	Repair Kit; for Trailer Control Valve (355021...)
950 355 012	Repair Kit; for Trailer Control Valve (355026...)
950 355 013	Repair Kit; for Relay Valve (355024001)
950 355 014	Repair Kit; for Relay Valve (355023.../ 355028.../ 355029...)
950 355 015	Repair Kit; for Trailer Control Valve (355027...)
950 355 016	Repair Kit; for Trailer Control Valve (355064001)



950 350 004



950 350 007



950 350 008



950 350 009



950 351 001



950 351 002



950 351 004



950 351 005



950 351 006



950 351 007



950 351 008



950 351 009



950 352 003



950 355 001



950 355 004



950 355 006



950 355 007




950 355 009



950 355 010



950 355 012



950 355 013



950 355 014




950 355 015



950 355 016

AIR BRAKE

part number	description
950 355 023	Repair Kit; for Relay Valve (355068001)
950 355 024	Repair Kit; for Trailer Control Valve (355045001)
950 355 026	Repair Kit; for Trailer Control Valve (355071.../ 355082...)
950 356 003	Repair Kit; for Quick Release Valve (356001...)
950 560 001	Repair Kit; for Service Brake Valve (560002...)
950 560 003	Repair Kit; for Regulating Valve (560012.../ 560014...)
950 601 004	Repair Kit; for Load Sensing Valve (mechanical 1987+)
950 602 002	Repair Kit; for Load Sensing Valve (602001...)
950 602 004	Repair Kit; for Load Sensing Valve (602002...)
950 602 005	Repair Kit; for Load Sensing Valve (602003...)
950 602 006	Repair Kit; for Load Sensing Valve (602002.../ 602003...)
950 602 008	Repair Kit; for Load Sensing Valve (pneumatic 1987+)
EQ2604	Piston Assembly; for Compressor (EL1300/ EL1600); c/w wrist pin & rings; standard size
EQ2606	Piston Assembly; for Compressor (EL1300/ EL1600); c/w wrist pin & rings; 0.020 over sized
EQ2614	Piston Ring Kit; for Compressor (EL1300/ EL1600); 1 set; standard size
EQ2616	Piston Ring Kit; for Compressor (EL1300/ EL1600); 1 set; 0.020 over sized
EQ2620	Con Rod & Bearing; for Compressor (EL1300/ EL1600); standard size
EQ2630	Bearing Kit; for Compressor (EL1300/ EL1600); 1 set; standard size; for con rod
EQ2631	Bearing Kit; for Compressor; 1 set; 0.010 under sized
EQ2632	Bearing Kit; for Compressor; 1 set; 0.020 under sized
KN17091X	Compressor Head; for Compressor (EL3200); water cooled (rear); remanufactured
KN17092X	Compressor Head; for Compressor (EL3200); water cooled (front); remanufactured
KN17501	Compressor Discharge Line Kit; for Compressor (top discharge); for easy retrofit of Bendix to Midland
KN31025	In-line Filter; for Pressure Protection Valve (KN31000/ KN31001/ KN31002/ KN31003/ KN31010/ KN31011); ports: 1/4" male to 1/4" female
KNT17090	Compressor Head; for Compressor (various EL13 & EL16)
MR3033	Repair Kit; for Compressor; for crankcase
MR3034	Piston & Con Rod Assembly; for Compressor; standard bore; 33600236 (300511-BC)
N10380B	Gasket; for Compressor; metal; for crankcase
N295NB	Crankshaft; for Compressor



950 355 023



950 355 024



950 356 003



950 560 001



950 560 003



950 602 002



950 602 004



950 602 005



950 602 006




950 602 008



EQ2604



EQ2606



EQ2614



EQ2616



EQ2620



EQ2630



EQ2631



KN17091X



KN31025



KNT17090



MR3033



MR3034



N10380B



N295NB

part number	description
N295SW	Crankshaft; for Compressor
RN10HK	Repair Kit; for Relay Valve (USA)
RN10HT	Repair Kit; for Relay Valve (N30096PA/ KN28300)
RN10JP	Repair Kit; for Service Brake Valve (N30099LA)
RN26GL	Repair Kit; for Compressor
RN26GY	Gasket & Seal Kit; for Compressor (EL1300/ EL1600/ EL3200); for Flange Mount Compressors; Detroit Diesel application
RN26HA	Gasket & Seal Kit; for Compressor (EL1300/ EL1600); for Flange Mount Compressors
RNT26	Repair Kit; for Compressor Head (EL1300/ EL1600)
RNT26A	Unloader Kit; for Compressor (EL1300/ EL1600/ EL3200)
SN144AY	Compressor Head; for Compressor (KN17091X/ ..92X)
SN144F	Installation Kit; for Compressor (EL13080X/ ..81X/ EL16080X)
SN144K	Installation Kit; for Compressor (EL13120/ EL16120)
SN144N	Installation Kit; for Compressor (various EL13 & EL16)
SN3072BV	Drive Gear Kit; for Compressor; to replace 320GB11A & 102533A; c/w drive hub & retaining washer
SN3711AD	Manifold Kit; for Compressor; intake; hose: 3/4"




N295SW



RN10JP




RN26GL



RN26GY



RN26HA



RNT26



RNT26A



SN144F



SN144K



SN144N

AIR BRAKE



Air Pressure Gauge

Pressure Control Test Box

part number	description
009 408 909	Air Pressure Gauge, Single; for Pressure Control Tool Box; 0-16 bar; c/w special connection
037 002 309	Air Pressure Gauge, Single; 0-10 bar; 12V; ø52 mm; reinforced; w/o electrical connector
037 002 429	Air Pressure Gauge, Single; 0-16 bar; M16x150
903 054 241	Pressure Control Tool Box
903 101 001	Pressure Control Test Box; c/w pressure limiter, control tube, Adapter, T-fitting, gauges
903 351 001	End Of Line Test (EOLT); for EPV
904 004 001	Key Lever; for Palm Coupling (334030.../ 031...); to unscrew or tighten to threaded ring 16060509
MA0107V16138908	Air Pressure Gauge, Single; 0-25 bar

AIR BRAKE



009 408 909



037 002 429



903 054 241



903 101 001



903 351 001



904 004 001

ACTUATION

An air-actuated diaphragm Brake Chamber converts air pressure into linear motion and force, primarily for applying the wheel brake in a mechanical actuating system. A single diaphragm chamber applies the brakes when pressure is applied.

Diaphragm Brake Chambers can also be used as control cylinders for other operations.



part number	diaphragm	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	central port	side port	screw plug	max. operating pressure (bar)	application	note
120 311 101	single diaphragm	9	57	186	M16x1.5	Boot	w/o	w/o	M16x1.5	w/o	8.0		
120 330 201	single diaphragm	16	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 331 101	single diaphragm	16	80	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 331 201	single diaphragm	16	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 331 201AC	single diaphragm	16	80	186	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	c/w	10.0		
120 331 291	single diaphragm	16	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5 @ 90deg	c/w	10.0		
120 335 100	single diaphragm	16	80	150	M16x1.5	wiper	w/o	1/4" NPTF	1/4" NPTF	c/w	10.1		
120 340 203	single diaphragm	20	80	210	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 341 101	single diaphragm	20	80	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 341 201	single diaphragm	20	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 341 201AC	single diaphragm	20	80	186	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	c/w	10.0		
120 341 203	single diaphragm	20	80	210	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 350 201	single diaphragm	24	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 350 203	single diaphragm	24	80	210	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 350 204	single diaphragm	24	80	148	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 351 101	single diaphragm	24	80	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 351 201	single diaphragm	24	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 351 201AC	single diaphragm	24	80	186	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	c/w	10.0		
120 351 291	single diaphragm	24	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5 @ 90deg	c/w	10.0		
120 356 201	single diaphragm	24	80	210	M16x1.5	wiper	c/w		M16x1.5		10.0	Schmitz	
120 360 201	single diaphragm	30	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	w/o	10.0		
120 360 291	single diaphragm	30	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5 @ 90deg	w/o	10.0		
120 361 101	single diaphragm	30	80	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	10.0		



120 311 101



120 330 201



120 331 101



120 331 201



120 331 291



120 340 203



120 341 101



120 341 201



120 341 203



120 350 201



120 350 203



120 350 204



120 351 101



120 351 201



120 356 201



120 360 201



120 360 291



120 361 101

ACTUATION

part number	diaphragm	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	central port	side port	screw plug	max. operating pressure (bar)	application	note
120 361 201	single diaphragm	30	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 361 201AC	single diaphragm	30	80	186	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	c/w	10.0		
120 361 203	single diaphragm	30	80	210	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 361 291	single diaphragm	30	80	186	M16x1.5	wiper	w/o	M16x1.5	M16x1.5 @ 90deg	c/w	10.0		
120 376 102	single diaphragm	36	75	192	M16x1.5	Boot	w/o	M16x1.5	M22x1.5	c/w	10.0		*
120 434 203	single diaphragm	16	80	210	5/8" UNF	wiper	w/o	central port	1/4" NPTF	w/o	10.0		
120 444 203	single diaphragm	20	80	210	5/8" UNF	wiper	w/o	1/4" NPTF	1/4" NPTF	w/o	10.0		
120 454 203	single diaphragm	24	80	210	5/8" UNF	wiper	w/o	1/4" NPTF	1/4" NPTF	w/o	10.0		
120 464 203	single diaphragm	30	80	210	5/8" UNF	wiper	w/o	1/4" NPTF	1/4" NPTF	w/o	10.0		*
120 912 305	single diaphragm	12	55	82.5	M16x1.5	Boot	c/w (short)	w/o	M16x1.5	w/o	10.0	Lucas D3 & ELSA Disc Brakes (MAN/RVI etc.)	
120 912 307	single diaphragm	12	55	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 916 306	single diaphragm	16	74	106	M16x1.5	w/o	c/w (short)	M16x1.5	w/o	w/o	10.0		
120 916 309	single diaphragm	16	80	120	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 916 310	single diaphragm	16	80	120	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 916 311	single diaphragm	16	80	191	M16x1.5	Boot	c/w (short)	M16x1.5	M16x1.5	c/w	10.0		
120 916 312	single diaphragm	16	57	15	rounded	Boot	w/o	w/o	VOSS 230	w/o	10.0	D-C Atego Standard	
120 916 318	single diaphragm	16	80	120	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 916 319	single diaphragm	16	80	120	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 920 314	single diaphragm	20	80	126	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 920 315	single diaphragm	20	80	126	M16x1.5	wiper	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 920 322	single diaphragm	20	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 323	single diaphragm	20	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 324	single diaphragm	20	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 325	single diaphragm	20	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 326	single diaphragm	20	64	15	rounded	Boot	w/o	w/o	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 330	single diaphragm	20	61	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 331	single diaphragm	20	61	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	front axle on D-C Actros/SETRA/EVO/Kasbora	
120 920 334	single diaphragm	20	80	126	M16x1.5	Boot	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	

* c/w 2 piece clamband



120 361 201



120 361 203



120 361 291



120 376 102



120 434 203



120 444 203



120 454 203



120 464 203



120 916 309



120 916 311



120 916 312



120 916 318



120 916 319



120 920 314



120 920 315



120 920 326



120 920 331



120 920 334

ACTUATION

part number	diaphragm	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	central port	side port	screw plug	max. operating pressure (bar)	application	note
120 920 335	single diaphragm	20	80	126	M16x1.5	Boot	c/w (short)	M16x1.5	M16x1.5	c/w	10.0	D-C bus	
120 924 306	single diaphragm	24	80	114	M16x1.5	Boot	c/w (short)	M16x1.5	w/o	w/o	10.0	Lucas D3 & ELSA Disc Brakes (MAN/RVI etc.)	
120 924 315	single diaphragm	24	80	116	M16x1.5	Boot	c/w (short)	M16x1.5	w/o	w/o	10.2	Lucas D3 & ELSA Disc Brakes (MAN/RVI etc.)	
120 924 322	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	D-C	
120 924 323	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	D-C	
120 924 327	single diaphragm	24	64	15	rounded	Boot	w/o	w/o	VOSS 230	w/o	10.2	D-C	
120 924 330	single diaphragm	24	80	191	M16x1.5	wiper	w/o	M16x1.5	M16x1.5	c/w	10.0		
120 924 332	single diaphragm	24	60	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	D-C	
120 924 333	single diaphragm	24	60	15	rounded	Boot	w/o	M12x1.5	VOSS 230	w/o	10.2	D-C	
120 927 303	single diaphragm	27	80	114	M16x1.5	Boot	c/w (short)	M16x1.5	w/o	w/o	10.0	Lucas D3 & ELSA Disc Brakes (MAN/RVI etc.)	
120 936 301	single diaphragm	36	75	60	M16x1.5	wiper	w/o	M16x1.5	M22x1.5	c/w	10.0	Gigant	*
121 140 003	double diaphragm	20	75	210	M16x1.5	w/o	w/o	M16x1.5	M16x1.5	w/o	8.0		
121 150 003	double diaphragm	24	75	210	M16x1.5	w/o	w/o	M16x1.5	M16x1.5	w/o	8.0		
121 234 003	double diaphragm	16	75	210	5/8" UNF	w/o	w/o	1/4" NPTF	1/4" NPTF	w/o	8.0		
121 254 003	double diaphragm	24	75	210	5/8" UNF	w/o	w/o	1/4" NPTF	1/4" NPTF	w/o	8.0		
121 264 003	double diaphragm	30	75	210	5/8" UNF	w/o	w/o	1/4" NPTF	1/4" NPTF	w/o	8.0		●
125 150 001	single diaphragm	15	57	15	rounded	Boot	w/o	M16x1.5	M16x1.5	w/o	10.2		
125 160 001	single diaphragm	16	57	15	rounded	Boot	w/o	M16x1.5	M16x1.5	w/o	10.0		
125 160 003	single diaphragm	16	57	15	rounded	Boot	w/o	w/o	M16x1.5	w/o	10.2	Schmitz	
125 160 400	single diaphragm	16	57	15	rounded	Boot	w/o	w/o	VOSS 232	w/o	10.2	D-C	
125 200 001	single diaphragm	20	64	15	rounded	Boot	w/o	M16x1.5	M16x1.5	w/o	10.0		
125 200 405	single diaphragm	20	61	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 200 406	single diaphragm	20	61	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 200 407	single diaphragm	20	64	15	rounded	Boot	w/o	w/o	VOSS Contour	w/o	10.2	D-C	
125 200 408	single diaphragm	20	64	15	rounded	Boot	w/o	w/o	VOSS Contour	w/o	10.2	D-C	
125 240 001	single diaphragm	24	64	15	rounded	Boot	w/o	M16x1.5	M16x1.5	w/o	10.0		
125 240 400	single diaphragm	24	64	15	rounded	Boot	w/o	w/o	VOSS 232	w/o	10.2	D-C	
125 240 401	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 240 402	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 240 403	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 240 404	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	
125 240 405	single diaphragm	24	60	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10.2	D-C	❖

* Liftaxle

● c/w 2 piece clampband

❖ other hand of 125240406



120 920 335



120 924 306



120 924 315



120 924 323



120 924 330



120 927 303



121 140 003



121 150 003



121 254 003



121 264 003



125 160 001



125 160 003



125 200 001



125 240 001



125 240 401



125 240 402



125 240 403



125 240 404

ACTUATION

part number	diaphragm	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	central port	side port	screw plug	max. operating pressure (bar)	application	note
125 240 406	single diaphragm	24	60	15	rounded	Boot	w/o	M12x1.5	VOSS 232	w/o	10,2	D-C	*
125 240 407	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS Contour	w/o	10,2	D-C	
125 240 408	single diaphragm	24	64	15	rounded	Boot	w/o	M12x1.5	VOSS Contour	w/o	10,2	D-C	
345 019 001	single diaphragm	24	57	37	-	Boot	c/w (short)	w/o	M16x1.5	w/o	10.0		
345 019 002	single diaphragm	24	57	37	-	Boot	c/w (short)	w/o	M16x1.5	w/o	10.0		
345 020 001	single diaphragm	20	57	37	-	Boot	c/w (short)	w/o	M16x1.5	w/o	10.0		
345 020 002	single diaphragm	20	57	37	-	Boot	c/w (short)	w/o	M16x1.5	w/o	10.0		
345 100 168	single diaphragm	12	55	227	M16x1.5	Boot	c/w (long)	M16x1.5	M16x1.5	c/w	8.0		●
345 125 110	single diaphragm	12	55	186	M16x1.5	Boot	w/o	M16x1.5	M16x1.5	c/w	8.0		
345 228 158	single diaphragm	16	80	135	M16x1.5	Boot	c/w (short)	M16x1.5	M16x1.5	c/w	8.0		
345 403 157	single diaphragm	24	57	184	M16x1.5	Boot	c/w (short)	w/o	M22x1.5	w/o	10.0		
345 403 158	single diaphragm	24	57	54	-	w/o	c/w (short)	w/o	M22x1.5	w/o	10.0		

* other hand of 125240405

● c/w 2 piece clamband



345 019 001



345 019 002



345 020 001



345 020 002



345 100 168



345 125 110



345 228 158



345 403 157



345 403 158

ACTUATION

Air-actuated Double Diaphragm Spring Brake Chambers are a combination of a service brake chamber and a spring brake chamber. The service brake chamber is always a diaphragm chamber. Function of the spring brake chamber: under normal driving condition, compressed air holds the powerful spring in a compressed state. For parking, or in case of failure of the circuit, the air holding the spring is exhausted, and the brakes are applied by the power of the spring.



Blue Seal

Piston

Maxibrake

Piston Spring Brakes are as above but, the spring brake chamber utilises a piston, rather than a diaphragm, to hold the spring off. The service brake is still operated in the normal manner, utilising a diaphragm.

part number	type	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	side ports	mounting thread	breather pipe	max. operating pressure (bar)	application	TÜV Report
135 1624 003	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	Schmitz	BZ165,1
135 1624 004	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ165,1
135 1624 005	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	SMB	BZ165,1
135 1624 006	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	SMB	BZ165,1
135 1624 007	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ165,1
135 1624 008	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ165,1
135 1624 010	Blue Seal	10/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	D-C Trailer Axle	BZ165,1
135 1624 011	Blue Seal	16/24	57/57	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	D-C Trailer Axle	BZ165,1
135 2024 003	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2	Schmitz	BZ176,0
135 2024 004	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ176,0
135 2024 005	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ176,0
135 2024 006	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ176,0
135 2024 010	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ176,0
135 2024 011	Blue Seal	20/24	64/64	15	rounded	internal boot	-	M16x1.5	M16x1.5	w/o	10.2		BZ176,0
136 2030 001	Blue Seal	20/30	76/76	246	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	w/o	10.2		BZ166,0
136 2430 001	Blue Seal	24/30	76/76	246	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	w/o	10.2		BZ167,0
136 2430 002	Blue Seal	24/30	76/76	227	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	w/o	10.2	Schmitz	BZ167,0
136 3030 001	Blue Seal	30/30	76/76	246	M16x1.5	wiper	c/w	M16x1.5	M16x1.5	w/o	10.2		BZ168,0
346 022 001	Piston Spring Brake	20/24	57/57	300	M16x1.5	Boot	c/w	M16x1.5	M16x1.5	w/o	8.0	Renault/Iveco	
346 100 002	Piston Spring Brake	24/24	75/75	188	M16x1.5	Boot	c/w	M22x1.5	M16x1.5	c/w	8.0	Evobus	
346 101 001	Piston Spring Brake	27/24	75/75	159	M16x1.5	Boot	c/w	M22x1.5	M16x1.5	c/w	8.0	Evobus	
346 101 002	Piston Spring Brake	27/24	75/75	159	M16x1.5	Boot	c/w	M22x1.5	M16x1.5	c/w	8.0	Evobus	



135 1624 004

135 1624 005

135 1624 006

135 1624 007

135 1624 008

136 2030 001



136 2430 001

136 3030 001

346 022 001

346 100 002

346 101 001

346 101 002

ACTUATION

part number	type	type	stroke (mm)	push rod (mm)	push rod thread	protection	yoke	side ports	mounting thread	breather pipe	max. operating pressure (bar)	application	TÜV Report
346 140 001	Maxibrake, Air Spring Brake	Maxi-I T30	67/67	203.5	5/8"-18UNF	w/o	w/o	M22x1.5	5/8"-18UNF	w/o	8.5		
346 184 001	Piston Spring Brake	36/30	75/67	233	M16x1.5	w/o	c/w	M16x1.5	M16x1.5	c/w	8.5		
346 185 001	Double Diaphragm Spring Brake	18/24	57/57	15	rounded	-	-	M16x1.5	M16x1.5	w/o	8.5		BZ110,0
346 186 001	Double Diaphragm Spring Brake	18/24	64/64	15	rounded	-	-	M16x1.5	M16x1.5	w/o	8.5		BZ117,0
346 187 001	Double Diaphragm Spring Brake	20/24	64/64	15	rounded	-	-	M16x1.5	M16x1.5	w/o	8.5		BZ117,0
MA15777	Maxibrake, Air Spring Brake	Maxi-I T30	2.5"	8.0"	5/8-18 UNF	w/o	w/o	3/8" NPTF	5/8"-18 UNF	w/o	125 PSI		

ACTUATION



346 140 001



346 184 001



346 185 001



346 187 001



MA15777

ACTUATION

Piston Cylinders are used as service brake chambers to apply the wheel brake in a mechanical actuating system. Piston Cylinders however, use a piston rather than diaphragm to convert air pressure into linear motion and force. They can also be used as control cylinders for other operations.



Wedge brake version

part number	for	piston ø (mm)	stroke (mm)	main port	yoke width (mm)	boot	bracket hole width (mm)	connection thread	waterproof	length (mm)	note	max. operating pressure (bar)	application
340 005 001	-	100	135	M22x1.5	14	c/w	120	-	-	300		8.0	
340 008 001	-	125	135	M22x1.5	14	c/w	155	-	-	335		8.0	
340 010 031	-	140	135	M22x1.5	14	c/w	155	-	yes	335		8.0	
340 011 001	-	140	155	M22x1.5	14	c/w	175	-	-	355	A 140 DIN 74282	8.0	
340 011 021	-	140	155	M22x1.5	14	c/w	175	-	-	355	special version	8.0	
340 013 001	-	150	155	M22x1.5	14	c/w	175	-	-	355		8.0	
340 026 001	-	80	105	M22x1.5	12	c/w	100	-	-	265		10.0	
340 026 011	-	80	105	M22x1.5	14	c/w	100	-	-	265		10.0	
340 027 001	-	80	105	M22x1.5	12	c/w	100	-	yes	265		8.0	
340 027 011	-	80	105	M22x1.5	14	c/w	100	-	-	265		8.0	
340 029 001	-	65	105	M22x1.5	12	c/w	85	-	-	253		8.0	
340 029 011	-	65	105	M22x1.5	14	c/w	85	-	-	265		8.0	
340 029 031	-	65	105	M22x1.5	12	c/w	85	-	-	253		8.0	
340 029 041	-	65	105	M22x1.5	12	c/w	85	-	-	253		8.0	
340 034 201	wedge brake	90	32	M16x1.5	-	-	-	1.75"x12UNS	no	156		8.5	Iveco
340 034 211	wedge brake	90	32	M16x1.5	-	-	-	1.75"x12UNS	no	136		8.5	Iveco
340 035 201	wedge brake	100	32	M16x1.5	-	-	-	1.75"x12UNS	no	156		8.5	Iveco
340 053 001	wedge brake	100	50	M16x1.5	-	-	-	M48x1.5	yes	184		8.5	MAN
340 058 001	wedge brake	100	50	M16x1.5	-	-	-	1.75"x12UNS	no	167		8.5	Iveco
340 071 001	wedge brake	90	50	M16x1.5	-	-	-	1.75"x12UNS	yes	167		8.5	Iveco



340 005 001



340 008 001



340 011 001



340 011 021



340 013 001



340 026 001



340 026 011



340 027 001



340 027 011



340 029 001



340 029 011



340 029 041



340 034 201



340 034 211



340 035 201



340 053 001



340 058 001



340 071 001

ACTUATION

part number	for	piston ø (mm)	stroke (mm)	main port	yoke width (mm)	boot	bracket hole width (mm)	connection thread	waterproof	length (mm)	note	max. operating pressure (bar)	application
340 076 001	-	125	70	M16x1.5	14	c/w	-	M16x1.5	yes	198	c/w 2 side ventilation ports (left port plugged)	10.0	MAN
340 076 002	-	125	70	M16x1.5	14	c/w	-	M16x1.5	yes	198	c/w 2 side ventilation ports (right port plugged)	10.0	MAN
340 079 001	-	150	60	M22x1.5	14	c/w	-	M16x1.5	yes	199	c/w 2 front ventilation ports (with ports to left, top port plugged)	10.0	MAN
340 079 002	-	150	60	M22x1.5	14	c/w	-	M16x1.5	yes	199	c/w 2 front ventilation ports (with ports to left, bottom port plugged)	10.0	MAN
340 079 003	-	150	60	M22x1.5	14	c/w	-	M16x1.5	yes	199	c/w 2 front ventilation ports (yoke in-line with mounting points)	10.0	MAN
541 033 011	-	80	70	M12x1.5	-	c/w	100	M12x1.5	no	275		10.0	

ACTUATION



340 076 001



340 079 003



541 033 011

ACTUATION

Control Cylinders are used primarily to operate the exhaust valve of the engine brake. They may also be used for other switching operations.



part number	piston ø (mm)	stroke (mm)	initial force @ 6 bar (N)	final force @ 6 bar (N)	port	boot	length (mm)	max. operating pressure (bar)	note
341 004 011	35	85	410	220	M12x1.5	c/w	228	8	universal version
341 011 021	35	50	340	240	M12x1.5	w/o	193	8	
341 032 011	35	35	287	284	M12x1.5	c/w	132	8	



341 004 011



341 011 021



341 032 011

ACTUATION

Spring Brake Actuators are used on trucks or tractors, equipped with air brakes, as brake cylinders for the auxiliary and parking brake.

The "push type" actuators are used primarily for locking purposes, e.g. length adjustable trailers.



Pull type

Push type

part number	type	piston ø (mm)	stroke (mm)	output no stroke (N)	output full stroke (N)	release pressure (bar)	volume (litres)	manual wind off	locking device	ports	push rod thread	yoke	boot	mounting point width (mm)	length (mm)	stroke indicator	note	max. operating pressure (bar)
344 008 051	pull type	100	80	2750	4100	5.3	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 201	pull type	100	80	2000	3000	3.6	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 221	pull type	100	80	2000	3000	3.6	0.63	c/w	w/o	M22x1.5 central	M12	w/o	c/w	120	484	-		8.0
344 008 231	pull type	100	80	2750	4100	5.3	0.63	c/w	w/o	M22x1.5 central	M12x1.5	w/o	c/w	120	484	-		8.0
344 008 251	pull type	100	80	2750	4100	5.3	0.63	w/o	w/o	M16x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 261	pull type	100	80	2500	3300	4.4	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 361	pull type	100	80	880	1270	1.9	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 501	pull type	100	80	2000	3000	3.6	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 008 521	pull type	100	80	2000	3000	3.6	0.63	c/w	c/w	M22x1.5 central	M12x1.5	w/o	c/w	120	484	-		8.0
344 008 531	pull type	100	80	2750	4100	5.3	0.63	c/w	c/w	M22x1.5 central	M12x1.5	w/o	c/w	120	484	-		8.0
344 008 561	pull type	100	80	2500	3300	4.4	0.63	w/o	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	366	-		8.0
344 010 001	pull type	150	70	8093	5886	4.9	1.36	c/w	w/o	M16x1.5 central	M14x1.5	w/o	c/w	176	461	-		8.0
344 017 101	pull type	100	80	3100	4800	6.3±0.3	0.63	screwable	c/w	M22x1.5 central	-	c/w	c/w	120	385	-		8.0
344 019 101	pull type	100	80	2000	3000	3.6	0.63	w/o	w/o	M22x1.5 central & M14x1.5 side	M16x1.5	w/o	c/w	120	366	-		8.0
344 019 151	pull type	100	80	2750	4100	5.3	0.63	w/o	w/o	M22x1.5 central & M14x1.5 side	M16x1.5	w/o	c/w	120	366	-		8.0
344 024 001	pull type	100	80	3100	4800	6.3±0.3	0.63	w/o	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 024 101	pull type	100	80	3100	4800	6.3±0.3	0.63	screwable	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 024 501	pull type	100	80	3100	4800	6.3±0.3	0.63	w/o	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 024 601	pull type	100	80	3100	4800	6.3±0.3	0.63	screwable	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 025 001	pull type	100	80	3100	4800	6.3±0.3	0.63	ball locking	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 026 101	pull type	100	80	3100	4800	6.3±0.3	0.63	-	w/o	M22x1.5 central	M16x1.5	w/o	c/w	120	356	-		8.0
344 028 001	push type	137	57	4700	7200	5.6±0.3	0.9	w/o	w/o	M22x1.5 side	w/o (ø40)	w/o	w/o	120.7	159	w/o		8.0



344 008 051



344 008 201



344 008 221



344 008 231



344 008 261



344 008 501



344 010 001



344 019 101



344 019 151



344 024 001



344 025 001



344 028 001

ACTUATION

part number	type	piston ø (mm)	stroke (mm)	output no stroke (N)	output full stroke (N)	release pressure (bar)	volume (litres)	manual wind off	locking device	ports	push rod thread	yoke	boot	mounting point width (mm)	length (mm)	stroke indicator	note	max. operating pressure (bar)
344 028 011	push type	137	57	2300	3400	2.7±0.3	0.9	w/o	w/o	M22x1.5 side	w/o (ø40)	w/o	w/o	120.7	159	w/o		8.0
344 028 021	push type	137	57	4700	7200	5.6±0.3	0.9	w/o	c/w	M22x1.5 side	w/o (ø40)	w/o	w/o	120.7	159	c/w		8.0
344 028 031	push type	137	57	2300	3400	2.7±0.3	0.9	w/o	c/w	M22x1.5 side	w/o (ø40)	w/o	w/o	120.7	159	c/w		8.0
344 030 101	pull type	100	80	3100	4500	6.3±0.3	0.63	screwable	c/w	M16x1.5 side	-	c/w	c/w	120	342	-		8.0
344 032 101	pull type	100	80	3100	4500	6.3±0.3	0.63	screwable	c/w	M16x1.5 side	-	c/w	c/w	120	342	-		8.0
344 044 001	pull type	100	80	3100	4800	6.3±0.3	0.63	screwable	c/w	M16x1.5 side	-	c/w	c/w	120	417.5	-		8.0
344 046 001	pull type	100	80	3100	4800	6.3±0.3	0.63	ball locking	c/w	M16x1.5 side	-	c/w	c/w	120	417.5	-		8.0
344 047 101	pull type	100	80	3100	4800	6.3±0.3	0.63	ball locking	c/w	M16x1.5 central	-	c/w	c/w	120	415	-		8.0
344 048 101	pull type	100	80	3300	5500	7.3±0.3	0.63	screwable	c/w	M16x1.5 central	-	c/w	c/w	120	415	-		8.0
344 050 001	pull type	100	80	3300	5500	7.3±0.3	0.63	screwable	c/w	M16x1.5 central	-	c/w	c/w	120	385	-		8.0
344 051 001	pull type	100	80	3300	5500	7.3±0.3	0.63	screwable	c/w	M16x1.5 central	-	c/w	c/w	120	354	-		8.0
KSH202C	Maxibrake H-series - Air	133.3	2.0"	1520	4448	5.86	0.786	w/o	w/o	3/8" NPT side	wedge type	w/o	w/o	-	330.2	w/o	Ford; (MA15504)	125 PSI
KSMR3PH50-800NN	Maxibrake R-series push - Hydraulic	165.1	3.0"	6005	2669	3.65	1.56	w/o	w/o	1/4 NPT side	5/8-18 UNF	w/o	w/o	120.6	371.3	w/o	#50 spring; (MA15621)	125 PSI
KSMR3PH75-800NN	Maxibrake R-series push - Hydraulic	165.1	3.0"	6005	2669	3.65	1.56	w/o	w/o	1/4 NPT side	5/8-18 UNF	w/o	w/o	120.6	371.3	w/o	#75 spring	125 PSI
KSMR3PT60-800NN	Maxibrake R-series pull - Air	165.1	3.0"	7784	5115	4.76	1.8	w/o	w/o	1/4 NPT side	5/8-18 UNF	w/o	w/o	120.6	371.3	w/o	#60 spring; (MA15664)	125 PSI



344 028 011



344 028 031



344 050 001



KSMR3PH75-800NN

ACTUATION

The Air over Hydraulic Servo cylinder is used for actuating the master cylinder, in externally powered brake systems with hydraulically actuated wheel brakes.



part number	piston/diaphragm	type	piston ø (mm)	stroke (mm)	fixing support	waterproof	application	max. operating pressure (bar)
343 001 001	piston type	-	65	30	c/w	-		7.5
343 031 061	piston type	-	125	75	c/w	-		8
343 031 062	piston type	-	125	75	c/w	-		8
343 101 001	diaphragm type	12	-	33	-	yes	D-C	10
343 102 001	diaphragm type	12	-	33	-	no	D-C	10
343 201 001	diaphragm type	14	-	63	-	no	D-C	10
343 251 001	diaphragm type	16	-	63	-	no	D-C	10
343 252 001	diaphragm type	16	-	63	-	yes	D-C	10
343 314 001	diaphragm type	20	-	75	-	yes	D-C	10
343 315 001	diaphragm type	20	-	75	-	no	D-C	10
343 410 501	diaphragm type	24	-	75	-	no	D-C	10
343 411 001	diaphragm type	24	-	75	-	no		10



343 001 001



343 031 061



343 101 001



343 102 001



343 315 001




343 411 001

ACTUATION

Pressure converters are used to split two different hydraulic media in a hydraulic system, or for conversion to a different pressure level.




Overstroke Indicator
Type A



Normally open ground
circuit switch

Overstroke Indicator
Type B



Normally closed special
circuit switch

part number	type	ratio	medium	cubic inch displacement	hydraulic cylinder diameter	pneumatic cylinder diameter	length	electric overstroke indication	overstroke indicator type	application	note
330 900 00	series II	16:1	brake fluid	2.9	1.12"	4.50"	13.25"	@ 88%	A	Aveling Barford	(N4185E)
330 900 09	series II	16:1	brake fluid	5.0	1.12"	4.50"	17.25"	@ 93%	A	Terex	(N4185C)
N4170AB	series I	14.8:1	brake fluid	17.4	1.75"	6.75"	22.81"	c/w	A		
N4170F	series I	14.8:1	brake fluid	17.4	1.75"	6.75"	22.81"	w/o	-		
N4170X	series I	14.8:1	brake fluid	17.4	1.75"	6.75"	22.81"	c/w	B	Caterpillar	(33090006)
N4185C	series II	16:1	brake fluid	5.0	1.12"	4.50"	17.25"	@ 93%	A	Terex	(33090009)
N4185E	series II	16:1	brake fluid	2.9	1.12"	4.50"	13.25"	@ 88%	A	Aveling Barford	(33090000)
N4190C	series I	29:1	brake fluid	12.3	1.25"	6.75"	28.20"	@ 80%	A		
N4194	series I	23:1	brake fluid	8.8	1.25"	6.00"	22.70"	@ 75%	A		
N4194B	series I	23:1	brake fluid	6.3	1.25"	6.00"	18.69"	@ 90%	A		
N4194E	series I	23:1	brake fluid	8.8	1.25"	6.00"	22.70"	w/o	-		
N4274J	series I	14.8:1	mineral oil	17.4	1.75"	6.75"	22.81"	c/w	B	Caterpillar	(33090018)
N4287	series I	6.6:1	mineral oil	38.4	2.62"	6.75"	23.56"	@ 91%	B		
N4295B	series II	13:1	mineral oil	6.1	1.25"	4.50"	17.19"	@ 93%	B		Outlet Port: 1/2-20 Flare
N4295E	series II	13:1	mineral oil	6.1	1.25"	4.50"	17.19"	@ 93%	B		Outlet Port: 9/16-18 O-Ring



330 900 09



N4170AB



N4170X



N4194



N4194B



N4194E



N4274J



N4287




N4295B



N4295E

ACTUATION



part number	description
003 033 609	Yoke; ø14mm; M16x1.5; deep throat; pressed
003 400 819	Cylinder Casing; galvanised
003 402 009	Bracket
003 402 109	Bracket; for piston cylinder (3400..../ 3410....)
003 437 909	Push Rod
003 561 409	Yoke; ø14mm; M16x1.5; standard throat; forged
003 567 809	Yoke; forged
003 567 909	Yoke
003 568 009	Yoke; forged
003 568 309	Yoke
003 616 409	Yoke; ø14mm; M16x1.5; standard throat; pressed
012 0540 090	Clevis Pin; for Yoke; ø14mm; length: 40 mm; 1 hole
014 083 409	Clampband; for brake chamber (T24)
015 018 109	Gasket; for piston cylinder; metal
016 197 809	Yoke; forged
016 278 909	Yoke; ø14mm; M16x1.5; forged
021 001 909	Compression Spring
021 004 109	Compression Spring
021 005 809	Compression Spring
021 006 509	Compression Spring
021 009 209	Compression Spring
021 010 409	Compression Spring; for piston cylinder (340026.../ 340027...)
021 011 609	Compression Spring
021 013 009	Compression Spring
021 013 209	Compression Spring
021 014 009	Compression Spring



part number	description
021 015 109	Compression Spring
021 017 109	Compression Spring
021 018 809	Compression Spring
021 021 419	Compression Spring
021 021 509	Compression Spring
021 038 309	Compression Spring
021 040 909	Compression Spring
021 041 509	Compression Spring
021 051 109	Compression Spring
021 051 809	Compression Spring
021 060 809	Compression Spring
021 061 609	Compression Spring
021 069 809	Compression Spring
022 0004 090	Diaphragm; type 12; service; standard stroke
022 0005 090	Diaphragm; type 16; service; standard stroke
022 0007 090	Diaphragm; type 24; service; standard stroke
022 0015 090	Diaphragm; type 24; auxiliary; long stroke
022 0021 090	Diaphragm; type 30; service; long stroke
022 0035 090	Diaphragm; type 16; auxiliary; long stroke
022 0036 090	Diaphragm; type 20; auxiliary; long stroke
022 0037 090	Diaphragm; type 30; auxiliary; long stroke
022 007 609	Compression Spring; for Air over Hydraulic Servo (343001001)
022 009 219	Compression Spring
022 017 009	Compression Spring
022 017 409	Compression Spring
022 018 009	Compression Spring
022 020 609	Compression Spring; for brake chamber
022 020 909	Compression Spring; for brake chamber (type 16/20/24/30)
023 000 109	Gasket; for piston cylinder
023 003 709	Gasket; for piston cylinder
024 001 709	O-ring; for Clutch Servo
024 002 709	O-ring
024 005 709	Nut Ring; for Clutch Servo
024 009 109	O-ring; for Clutch Servo
024 011 609	Washer; watertight; nut seal
024 020 709	O-ring; for Spring Brake
024 026 509	Washer; watertight; nut seal
024 026 609	Washer; for Air over Hydraulic Servo (343021...); watertight; nut seal
024 026 909	Washer; watertight; nut seal
024 031 109	Washer; watertight; nut seal




021 015 109



021 017 109



021 018 809



021 021 419



021 038 309



021 040 909



021 051 809




022 007 609



022 017 009



022 017 409



022 018 009



022 020 609



022 020 909



023 000 109



023 003 709

ACTUATION

part number	description
024 036 009	O-ring
024 039 609	O-ring
024 040 109	Washer; watertight; nut seal
024 040 209	O-ring
024 043 109	O-ring
024 052 809	Washer; watertight
024 053 809	O-ring
024 060 109	Washer; for air-hydraulic servo; watertight; nut seal
025 009 109	Dust Cover
025 009 709	Washer; watertight; nut seal
025 010 209	Washer; watertight; nut seal
025 011 809	Diaphragm; type 36; auxiliary; long stroke
025 012 009	Boot
025 013 409	Guide Ring
025 015 519	Boot
025 015 629	Boot; for spring brake actuator, pull type (344008.../ 344019...)
025 015 719	Boot
025 015 819	Boot
025 017 509	Boot
025 022 609	Seal Disc; with hole
025 030 209	Diaphragm; type 16; service; standard stroke
025 033 609	Boot
025 034 009	Boot
025 035 209	Oil Ring; blue
025 038 209	Diaphragm; type 20; service; standard stroke
025 040 709	Diaphragm; type 16; service; long stroke
025 040 809	Diaphragm; type 20; service; long stroke
025 040 909	Diaphragm; type 24; service; long stroke
025 044 719	Boot
025 045 209	Boot
025 045 309	Diaphragm; type 9; service; standard stroke
025 045 409	Diaphragm; type 12; service; standard stroke
025 046 909	Boot
025 050 809	Diaphragm; type 27; service; long stroke
025 052 819	Boot
025 053 209	Oil Ring
025 054 309	Boot; for piston cylinder (541033011)
025 056 409	Boot; groove sealing
027 020 909	Guide Ring
029 006 009	Filter



025 009 109



025 012 009



025 015 519



025 015 629



025 015 719



025 015 819



025 022 609



025 033 609



025 034 009



025 035 209



025 052 819



025 056 409



027 020 909




029 006 009

part number	description
049 000 809	Yoke; for piston cylinder
056 016 409	Strap
056 020 209	Circlip
056 020 909	Strap
057 000 109	Push Rod
057 009 309	Clevis Pin; for Yoke (piston cylinder)
057 012 109	Clevis Pin; for Yoke; ø14mm; length: 45mm; 2 hole
057 012 209	Clevis Pin; for Yoke; ø14mm; length: 50mm; 2 hole
057 018 009	Spreader Rivet
057 029 809	Clevis Pin; for Yoke; ø14mm; length: 31mm; 1 hole
101977P	Overstroke Indicator; for Pressure Converter; type B
124 100 101	Yoke; ø14mm; M16x1.5; standard throat; forged
124 100 121	Yoke; ø1/2"; M16x1.5; standard throat; forged
124 100 301	Yoke; ø14mm; 5/8" UNF; standard throat; forged
124 100 321	Yoke; ø1/2"; 5/8" UNF; standard throat; forged
124 135 321	Yoke; ø1/2"; 5/8" UNF; standard throat; forged
339 000 01	Diaphragm; service; (102098E)
339 000 09	Piston Indicator; for Pressure Converter (33090000/ ..009); (102521C)
339 000 49	Push Rod; for Pressure Converter (33090000/ ..009); (C14253AM)
339 000 82	Overstroke Indicator; for Pressure Converter; Type A; 3/8"-24 UNF port; 1/4" spade connection (SAE J858A)
378723	Gasket; copper
378731	Gasket; copper; ID: 1/2"
570 299 09	Clevis Pin; for Yoke; ø1/2"; length: 31mm; 1 hole
950 035 008	Repair Kit; for piston cylinder (035014609)
950 340 002	Repair Kit; for piston cylinder (340005../ 340007..)
950 340 003	Repair Kit; for piston cylinder (340008..)
950 340 004	Repair Kit; for piston cylinder (340011..)
950 340 006	Repair Kit; for piston cylinder (340029..)
950 340 009	Repair Kit; for wedge brake piston cylinder (340035..)



049 000 809



056 020 209



057 000 109



057 012 109



057 012 209



057 018 009



057 029 809



101977P



124 100 101



124 100 121



124 100 301



124 100 321



339 000 09



339 000 49



339 000 82



378723



378731



950 035 008



950 340 002



950 340 003



950 340 004



950 340 006



950 340 009

ACTUATION

part number	description
950 340 010	Repair Kit; for wedge brake piston cylinder (340034.../ 340044...)
950 340 011	Repair Kit; for wedge brake piston cylinder (340037...)
950 340 013	Repair Kit; for wedge brake piston cylinder (340053...)
950 340 014	Repair Kit; for wedge brake piston cylinder (340056...)
950 340 016	Repair Kit; for piston cylinder (340080001)
950 340 017	Repair Kit; for piston cylinder (340079...)
950 340 018	Repair Kit; for piston cylinder (340076...)
950 341 002	Repair Kit; for Control Cylinder (341001-341004.../ 341011.../ 341017...)
950 343 001	Repair Kit; for Air over Hydraulic Servo (343007...)
950 343 002	Repair Kit; for Air over Hydraulic Servo (343019...)
950 343 005	Repair Kit; for Air over Hydraulic Servo (343200.../ 343201.../ 343251...)
950 343 006	Repair Kit; for Air over Hydraulic Servo (343315001)
950 343 007	Repair Kit; for Air over Hydraulic Servo (343101.../ 343102...)
950 344 002	Boot; for spring brake actuator, pull type (344040...)
950 344 003	Repair Kit; for spring brake actuator, pull type (344016.../ 344024.../ 344047...)
950 344 004	Repair Kit; for spring brake actuator, pull type (344017.../ 344025...)
950 344 005	Repair Kit; for spring brake actuator, pull type (344026...)
950 344 006	Repair Kit; for spring brake actuator, pull type (344008.../ 344019...)
950 344 009	Repair Kit; for spring brake actuator, pull type (344032...)
950 344 010	Repair Kit; for spring brake actuator, pull type (344044...)
950 346 005	Repair Kit; for diaphragm/piston spring brake (346065.../ 346080...)
950 346 006	Repair Kit; for diaphragm/piston spring brake (346082...)
950 346 013	Repair Kit; for Piston Spring Brake (346033001)
950 346 014	Repair Kit; for Piston Spring Brake (346101001)
C14253AN	Push Rod; for Pressure Converter (33090000)
DIN934UNF5/8	Nut; for Maxibrake Spring Brake (KSM...)
KSM4031334	Repair Kit; for Maxibrake (KSMR.../ MA156...); c/w boot
KSM4041094	Repair Kit; for Maxibrake (R series)
MA031002	Compression Spring; for Maxibrake (I & R series); #75; for types 20, 24, 30 & 36




950 340 010




950 340 011




950 340 013



950 340 014



950 340 016



950 341 002



950 343 001



950 343 002



950 343 005



950 343 006



950 343 007



950 344 002



950 344 004



950 344 005



950 344 006



950 344 009



950 344 010



950 346 006



950 346 013



950 346 014



DIN934UNF5/8



KSM4031334



KSM4041094

part number	description
M4031045	O-ring Kit; for Maxibrake (KSMR...../ MA156.); c/w 5 O-rings
M4031063	Repair Kit; for Maxibrake (type 36)
M4031076	Plug Kit; for Maxibrake (KSMR...../ MA156.); c/w 4 plugs; to plug drain hole
M4036048	Yoke; for Maxibrake (KSMR...../ MA156.); 5/8" UNF; 5/8" UNF; standard throat; forged
M4040025	Piston Kit; for Maxibrake (KSMR...../ MA156.); for types 20, 24, 30 & 36; aluminium
M4040026	Repair Kit; for Maxibrake (KSMR...../ MA156.); to repair 2 Maxibrake units
M4041239	Cap Plug Kit; for Maxibrake; c/w 8 cap plugs
M4041406	Repair Kit; for Maxibrake (I & R series)
M4731971	Filter; for Maxibrake (Camtite Series); for types 24, 30 & 36
M4740432	Cylinder; for Maxibrake (Camtite Series); for type 36
RN21AF	Repair Kit; for Maxibrake (T50)
RN55AC	Repair Kit; for Pressure Converter (N4194-)
RN55BD	Repair Kit; for Pressure Converter (N4170X/ AB)
RN55BP	Repair Kit; for Pressure Converter (N4295)
RN55BS	Repair Kit; for Pressure Converter (N4274J)
RN55N	Repair Kit; for Pressure Converter (N4274-)
RN55P	Repair Kit; for Pressure Converter (N4174B/ F)
RN55R	Repair Kit; for Pressure Converter (N4170F/ L/ R / T)
RN55T	Repair Kit; for Pressure Converter (N4270-)
RN55V	Repair Kit; for Pressure Converter (N4170G/ M)
RN55Y	Repair Kit; for Pressure Converter (N4185-)



M4031045



M4031076




M4040026



M4041239



M4041406



RN55AC



RN55BD




RN55BP



RN55BS



RN55N



RN55P




RN55R



RN55T



RN55V



RN55Y

HYDRAULICS

Pressure balanced gear pumps, 0.8-5.7 cm³ displacement and 230 bar. Specially developed for rough conditions on truck applications. Haldex design and manufacturing ensures low noise and high efficiency. Provides a reasonable balance of speed and torque. Designed to fit Hesselman motors.



part number	for Power Pack	cubic capacity	built-in relief valve
1303435	He2000	0.8 cc	w/o
1303436	He2000	1.2 cc	w/o
1303437	He2000	1.6 cc	w/o
1303438	He2000	2.0 cc	w/o
1303439	He2000	2.6 cc	w/o
1303440	He2000	3.2 cc	w/o
1303441	He2000	3.8 cc	w/o
1303442	He2000	4.3 cc	w/o
1303443	He2000	4.8 cc	w/o
1303444	He2000	5.7 cc	w/o
P1-11KD6	Classic	2.0 cc	w/o
P1-13MD6	Classic	2.46 cc	w/o
P1-17MD6	Classic	3.28 cc	w/o
P1-22MD6	Classic	4.3 cc	w/o
P1-30MD6	Classic	5.7 cc	w/o
P1-4MD6	Classic	0.82 cc	w/o
P1-9MD6	Classic	1.64 cc	w/o
PR1-13MD6	Classic	2.46 cc	c/w
PR1-17MD6	Classic	3.28 cc	c/w
PR1-22MD6	Classic	4.3 cc	c/w



P1-9MD6

Compound wound 12 and 24 VDC motors, 1.5 - 3 kW for intermittent duty on truck applications. Low brush wear. Haldex design and development. When fitted to a Gear Pump, the combined unit is termed a Pump Motor Unit.



part number	for Power Pack	voltage	wattage	diameter (mm)	thermal switch	note
12MA42THSWA	Classic	12V	3 kW	125	c/w	
12MB12TP	Classic	12V	2 kW	112	c/w	c/w mounted pump
12MB12TWA	Classic	12V	2 kW	112	c/w	
1303455	He1000	12V	1 kW	80	c/w	(12MG32THE)
1303456	He1000	24V	1 kW	80	w/o	(24MG32HE)
1303457	He1000	24V	1 kW	80	c/w	(24MG32THE)
1303460	He1000	24V	2 kW	112	w/o	(24MD22WA)
1303462	He2000	12V	2 kW	112	w/o	(12MD12WA)
1303464	He2000	24V	2 kW	112	w/o	(24MD22WA)
1303465	He2000	24V	2 kW	112	c/w	(24MD22TWA)
24MA42THSP	Classic	24V	3 kW	125	c/w	
24MA42THSPR	Classic	24V	3 kW	125	c/w	
24MA42THSWA	Classic	24V	3 kW	125	c/w	c/w fan
24MA42TP	Classic	24V	3 kW	125	c/w	
24MA42TWA	Classic	24V	3 kW	125	c/w	
24MB22TP	Classic	24V	2 kW	112	c/w	
24MB22TPR	Classic	24V	2 kW	112	c/w	
24MB22TWA	Classic	24V	2 kW	112	c/w	
24MF22S-HWA	Motor/pump	24V	4.5 kW	125	w/o	
24MG32THE	He1000	24V	1 kW	80	c/w	
48MB82LX-PR	Motor/pump	48V	2 kW	112	w/o	
48MB82LX-WA	Motor/pump	48V	2 kW	112	w/o	



12MB12TWA



1303455



1303457



1303464



24MA42TWA




24MB22TWA

HYDRAULICS


Keeping control of brush wear, and exchanging when needed, helps maintain superior motor performance. Removing brush dust from the commutator improves lifetime and function.



part number	for
60087-00	MA 12/24V motor
60087-01	MC 24V motor
60087-02	MC 12V motor
60194-00	MB 24V motor
60194-01	MB 12V motor



60087-00



60087-02



60194-00

Rotary flow dividers enable parallel movement of cylinders or hydraulic drives, and can also act as pressure intensifiers.



part number	capacity/section	sections	inlet ports	outlet ports
1300095	3.18 cc	1	SAE 3/4-16	SAE 3/4-16
1300096	4.24 cc	1	SAE 3/4-16	SAE 3/4-16
1300159	3.18/8.48 cc	2	1" tube	1/2-14 NPT
1300315	9.5 cc	2	SAE 1 5/16-12	SAE 7/8-14
1300323	9.5 cc	4	SAE 1 5/16-12	SAE 7/8-14
1300352	13.3 cc	2	SAE 1 5/16-12	SAE 1/16-12
1300484	6.36/1.06 cc	2	1/2-14 NPT	1/2-14 NPT
1300636	6.36 cc	2	SAE 7/8-14	SAE 7/8-14
1300637	8.42 cc	2	SAE 7/8-14	SAE 7/8-14
1303144	2.11 cc	2	BSPP 1/2-14	BSPP 1/2-14
1303147	4.24 cc	4	BSPP 1/2-14	BSPP 1/2-14
1303149	4.24 cc	2	BSPP 1/2-14	BSPP 1/2-14
1303157	2.11 cc	4	BSPP 1/2-14	BSPP 1/2-14
1303166	4.24 cc	3	BSPP 1/2-14	BSPP 1/2-14



1300323



1300636



1300637



1303144



1303147



1303149




1303157



1303166

HYDRAULICS

Directly operated electromagnetic solenoid valve, for distinct and reliable operation.



part number	description	type	solenoid	note
12EM10VE125	Manifold (solenoid, relief valve & check valve)	2x single acting	2x 12V DC (2/2+3/2)	directly operated
12EM15VE124	Manifold (solenoid, relief valve & check valve)	double acting	2x 3/2 12V DC	directly operated
12EM15VE125	Manifold (solenoid, relief valve & check valve)	2x single acting	2x 12V DC (2/2+3/2)	directly operated
12EM15VE127	Manifold (solenoid, relief valve & check valve)	double acting	2x 3/2 12V DC	directly operated
12EM15VE21AH	Manifold (solenoid, relief valve & check valve)	single acting	1x 2/2 12V DC	directly operated
12EM15VE36AH	Manifold (solenoid valve, c/w line body)	diversion type	1x 3/2 12V DC	directly operated
12EM15VE80H	Manifold (solenoid, relief valve & check valve)	single acting (normally open)	1x 2/2 12V DC	directly operated
24EM10VE125	Manifold (solenoid, relief valve & check valve)	2x single acting	2x 24V DC (2/2+3/2)	directly operated
24EM15VE124	Manifold (solenoid, relief valve & check valve)	double acting	2x 3/2 24V DC	directly operated
24EM15VE125	Manifold (solenoid, relief valve & check valve)	2x single acting	2x 24V DC (2/2+3/2)	directly operated
24EM15VE127	Manifold (solenoid, relief valve & check valve)	double acting	2x 3/2 24V DC	directly operated
24EM15VE21AH	Manifold (solenoid, relief valve & check valve)	single acting	1x 2/2 24V DC	directly operated
24EM15VE36AH	Manifold (solenoid valve, c/w line body)	diversion type	1x 3/2 24V DC	directly operated
24EM15VE80H	Manifold (solenoid, relief valve & check valve)	single acting (normally open)	1x 2/2 24V DC	directly operated



24EM15VE124



24EM15VE125



24EM15VE127



24EM15VE21AH



24EM15VE36AH

Electromagnetic solenoid, for operating valves. High weather protection (IP) and silver plated contacts, to avoid component 'welding'.



part number	voltage
12EM15S	12V
24EM15S	24V



24EM15S

HYDRAULICS

For convenience and safety, the pressure switch prevents the hydraulic system from being over pressurized. Replace '###' with the required maximum pressure, in bar.



part number	pressure setting (bar)	adjustable	note
30260-00-###-A	preset 2-350	not adjustable	normally closed
30260-01-###-A	preset 2-350	not adjustable	normally open
30325-00-###-A	25-150	adjustable	open and/or closed
30325-01-###-A	100-350	adjustable	open and/or closed
30355-00-###-A	preset 2-350	not adjustable	normally closed
30355-01-###-A	preset 2-350	not adjustable	normally open
30356-00-###-A	25-150	adjustable	open and/or closed
30356-01-###-A	100-350	adjustable	open and/or closed

Steel reservoirs, with a powder coated surface, to withstand salt and water spray when mounted on trucks. The reservoir cover is an integral part of the unit.



part number	capacity (litres)	mounting bracket	for Power Pack
1303510	6.2	horizontal	He2000
315TNK1A	3.2	horizontal	Classic
315TNK1B	3.2	vertical	Classic
315TNK2A	4.9	horizontal	Classic
315TNK2B	4.9	vertical	Classic
315TNK3A	7.8	horizontal	Classic
315TNK3B	7.8	vertical	Classic
400TNK2A	6.2	horizontal	Classic
400TNK2B	6.2	vertical	Classic
400TNK3A	11.2	horizontal	Classic
400TNK3B	11.2	vertical	Classic
400TNK4A	18.7	horizontal	Classic
400TNK4B	18.7	vertical	Classic
445TNK2A	7.0	horizontal	Classic
445TNK2B	7.0	vertical	Classic
445TNK3A	11.3	horizontal	Classic
445TNK3B	11.3	vertical	Classic
445TNK4A	17.1	horizontal	Classic
445TNK4B	17.1	vertical	Classic
570TNK	11.0	vertical	Classic
600TNK	14.9	vertical	Classic

HYDRAULICS

The reservoir cover helps protect the Hesselman power pack from gravel, mud, dirt, dust, salt spray, stones, extremely cold weather and uneven roads.



part number	type
20099-01	315 TNK1
20099-02	315 TNK2
20099-03	315 TNK3
20099-04	400 TNK1
20099-05	400 TNK2
20099-06	400 TNK3
20099-07	400 TNK4
20099-08	445 TNK1
20099-09	445 TNK2
20099-10	445 TNK3
20099-11	445 TNK4
20099-12	570 TNK
20099-13	600 TNK

High quality starter solenoid, with specially plated contacts to reduce sparks at low voltage. IP65 protection.



part number	SW	voltage	motor
1303519	SW80PE	24V	He 112mm
50002-00	SW180	24V	Classic MB
50131-00	SW80	12V	Classic MB
50132-00	SW80	24V	Classic MB
50216-00	SW80	24V	Classic MA
50275-00	SW80	12V	Classic MA



50002-00



50131-00



50132-00




50216-00



50275-00

HYDRAULICS



Check Valve

Manifold

part number	type	Manifold	note	for Power Pack
1303525	Pressure Relief Valve	-	50-250 bar	He2000
30001-00	Flow Control Valve	-		Classic
510401	Cartridge 3/2	-		Classic
VE100-1	Relief Valve	-	15-50 bar	Classic
VE100-2	Relief Valve	-	50-250 bar	Classic
VE118	Check Valve	-		Classic
VE124-125	Manifold	2x 3/2 valve, relief valve & check valve	125 bar	Classic
VE124-150	Manifold	2x 3/2 valve, relief valve & check valve	150 bar	Classic
VE124-175	Manifold	2x 3/2 valve, relief valve & check valve	175 bar	Classic
VE124-200	Manifold	2x 3/2 valve, relief valve & check valve	200 bar	Classic
VE125-125	Manifold	1x 3/2 valve, relief valve & check valve	125 bar	Classic
VE125-150	Manifold	1x 3/2 valve, relief valve & check valve	150 bar	Classic
VE125-175	Manifold	1x 3/2 valve, relief valve & check valve	175 bar	Classic
VE125-200	Manifold	1x 3/2 valve, relief valve & check valve	200 bar	Classic
VE127-125	Manifold	2x 3/2 valve, relief valve & check valve	125 bar	Classic
VE127-150	Manifold	2x 3/2 valve, relief valve & check valve	150 bar	Classic
VE127-175	Manifold	2x 3/2 valve, relief valve & check valve	175 bar	Classic
VE127-200	Manifold	2x 3/2 valve, relief valve & check valve	200 bar	Classic
VE16-1	Cartridge 2/2	-	normally closed	Classic
VE21AH-125	Manifold	1x 2/2 valve, relief valve & check valve	125 bar	Classic
VE21AH-130	Manifold	1x 2/2 valve, relief valve & check valve	130 bar	Classic
VE21AH-135	Manifold	1x 2/2 valve, relief valve & check valve	135 bar	Classic
VE21AH-140	Manifold	1x 2/2 valve, relief valve & check valve	140 bar	Classic
VE21AH-145	Manifold	1x 2/2 valve, relief valve & check valve	145 bar	Classic
VE21AH-150	Manifold	1x 2/2 valve, relief valve & check valve	150 bar	Classic
VE21AH-155	Manifold	1x 2/2 valve, relief valve & check valve	155 bar	Classic
VE21AH-160	Manifold	1x 2/2 valve, relief valve & check valve	160 bar	Classic
VE21AH-165	Manifold	1x 2/2 valve, relief valve & check valve	165 bar	Classic
VE21AH-170	Manifold	1x 2/2 valve, relief valve & check valve	170 bar	Classic
VE21AH-175	Manifold	1x 2/2 valve, relief valve & check valve	175 bar	Classic
VE21AH-180	Manifold	1x 2/2 valve, relief valve & check valve	180 bar	Classic
VE21AH-185	Manifold	1x 2/2 valve, relief valve & check valve	185 bar	Classic
VE21AH-190	Manifold	1x 2/2 valve, relief valve & check valve	190 bar	Classic
VE21AH-195	Manifold	1x 2/2 valve, relief valve & check valve	195 bar	Classic
VE21AH-200	Manifold	1x 2/2 valve, relief valve & check valve	200 bar	Classic



VE100-*



VE118



VE124-***



VE125-***



VE127-***




VE21AH-***

part number	type	Manifold	note	for Power Pack
VE36AH	Manifold	1x 3/2 valve, c/w line body		Classic
VE50H	Manifold	1x 3/2 valve, c/w line body		Classic
VE78AH-***	Pressure Relief Valve	-		Classic
VE80H-***	Manifold	1x 2/2 valve, relief valve & check valve		Classic



VE36AH

HYDRAULICS



Strap

Driver

Breather

Motor Support

part number	description
18FJ3	Brush Spring
23400	Breather
40139-01	Connection Cable Thermal Protection; for MB-motor
40288-00	Connection Cable; (624KTS1/624KTS3)
40288-01	Connection Cable; (624KTS2)
40292-00	Connection Cable Thermal Protection; for MA-motor
40356-00	Pump Connection; c/w check valve
417606	Support Plate
47200	Rubber Grommet; 26 mm
48000	Motor Support
50448-00	Contact; 12V DC; connection: plain bracket
50464-00	Contact; 24V DC; connection: plain bracket
509RR	Hose
510RR	Hose
512FKS3	Mini-test
533HL1	Driver
533HL2	Driver
53600	Strainer
60035-00	Adapter Kit; c/w Relief Valve Seat (USA designed relife)
60078-00	Sealing Kit; P1; for Gear Pump
60294-00	MA-Fan Kit
61TT	Protection Strap
6202-2Z	Ball Bearing
6203-2Z	Ball Bearing
6204-2Z	Ball Bearing
748KTS3	Connection Cable
920097	Sealing Kit
92101	Sealing Kit
AWAB11-17	Clamp
AWAB19-28	Clamp
BK10450-2	Elbow
MC6S8X90	Screw
SP116/21SK	Strap
SP126/21SK	Strap
VE15-3-S	O-ring Kit



23400




417606



48000



50448-00



533HL1




533HL2



53600



920097



92101



BK10450-2



SP126/21SK



VE15-3-S

AIR DISTRIBUTION (GRAU)

part number	size	length (m)	standard	colour
067 001 101	10x1.5	25	DIN 73378	black
067 001 102	10x1.5	100	DIN 73378	black
067 001 103	10x1.5	500	DIN 73378	black
067 001 501	6x1.0	25	DIN 74324	black
067 001 502	6x1.0	100	DIN 74324	black
067 001 502R	6x1.0	100	DIN 74324	red
067 001 502Y	6x1.0	100	DIN 74324	yellow
067 001 503	6x1.0	500	DIN 74324	black
067 001 601	8x1.0	25	DIN 74324	black
067 001 602	8x1.0	100	DIN 74324	black
067 001 602R	8x1.0	100	DIN 74324	red
067 001 602Y	8x1.0	100	DIN 74324	yellow
067 001 603	8x1.0	500	DIN 74324	black
067 001 701	10x1.0	25	DIN 74324	black
067 001 702	10x1.0	100	DIN 74324	black
067 001 702R	10x1.0	100	DIN 74324	red
067 001 702Y	10x1.0	100	DIN 74324	yellow
067 001 703	10x1.0	500	DIN 74324	black
067 001 801	12x1.5	25	DIN 74324	black
067 001 802	12x1.5	100	DIN 74324	black
067 001 802R	12x1.5	100	DIN 74324	red
067 001 802Y	12x1.5	100	DIN 74324	yellow
067 001 803	12x1.5	500	DIN 74324	black
067 001 901	15x1.5	25	DIN 74324	black
067 001 902	15x1.5	100	DIN 74324	black
067 002 001	16x2.0	25	DIN 74324	black
067 002 002	16x2.0	100	DIN 74324	black
067 002 002R	16x2.0	100	DIN 74324	red
067 002 002Y	16x2.0	100	DIN 74324	yellow
067 002 101	18x2.0	25	DIN 74324	black
067 002 102	18x2.0	100	DIN 74324	black



067 001 101



067 001 102



067 001 501



067 001 502



067 001 503



067 001 601



067 001 602



067 001 602R



067 001 602Y



067 001 603



067 001 701



067 001 702



067 001 703



067 001 801



067 001 802



067 001 802R



067 001 802Y



067 001 803



067 001 901



067 001 902



067 002 001



067 002 002



067 002 101



067 002 102

AIR DISTRIBUTION (GRAU)

part number	size	length (m)	standard	colour
067 002 102R	18x2.0	100	DIN 74324	red
067 002 102Y	18x2.0	100	DIN 74324	yellow
067 002 201	4x1.0	25	DIN 74324	black
067 002 202	4x1.0	100	DIN 74324	black
067 002 203	4x1.0	500	DIN 74324	black
067 006 001	10x1.25	25	DIN 74324	black
067 006 002	10x1.25	100	DIN 74324	black
067 006 003	10x1.25	500	DIN 74324	black
067 006 501	15x2.0	25	DIN 73378	black
067 006 502	15x2.0	100	DIN 73378	black
067 006 502R	15x2.0	100	DIN 73378	red
067 006 502Y	15x2.0	100	DIN 73378	yellow
067 006 801	11x1.5	25	DIN 74324	black
067 006 802	11x1.5	100	DIN 74324	black



067 002 201



067 002 202



067 006 001



067 006 002



067 006 501



067 006 803

AIR DISTRIBUTION (GRAU)

part number	capacity (litres)	diameter (mm)	full length (mm)	length excl. thread (mm)	no. of ports	thread	standard	colour	max. pressure (bar)
030 350 209	10	206	357	340	4	M22x1.5	EN286-2	black	12.5
030 350 509	20	206	662	645	4	M22x1.5	EN286-2	black	12.5
030 350 609	20	246	502	485	4	M22x1.5	EN286-2	black	12.5
030 350 909	30	246	702	685	4	M22x1.5	EN286-2	black	12.5
030 351 209	40	276	747	730	4	M22x1.5	EN286-2	black	12.5
030 351 309	37	246	852	835	4	M22x1.5	EN286-2	black	12.5
030 351 509	40	246	917	900	4	M22x1.5	EN286-2	black	12.5
030 351 609	60	276	1102	1085	4	M22x1.5	EN286-2	black	12.5
030 351 709	60	396	567	550	4	M22x1.5	EN286-2	black	12.5
030 351 809	60	246	1352	1335	4	M22x1.5	EN286-2	black	12.5
030 352 009	80	396	732	715	4	M22x1.5	EN286-2	black	12.5
030 352 109	85	276	1500	1485	4	M22x1.5	EN286-2	black	12.5
030 352 209	100	396	902	885	4	M22x1.5	EN286-2	black	12.5
030 360 809	60	310	882	864	4	M22x1.5	EN286-2	black	12.5
030 362 009	40	310	602	585	4	M22x1.5	EN286-2	black	12.5
030 363 609	15	206	522	505	4	M22x1.5	EN286-2	black	12.5
032 253 013S	30	246	685	-	5	M22x1.5	EN286-2	black	12.5
032 304 513S	45	246	700	-	5	M22x1.5	EN286-2	black	12.5
032 306 013S	60	300	888	-	5	M22x1.5	EN286-2	black	12.5
032 308 013S	80	396	715	-	5	M22x1.5	EN286-2	black	12.5



030 350 209



030 350 509



030 350 609



030 350 909



030 351 209



030 351 309



030 351 509



030 351 609



030 351 709



030 351 809



030 352 009



030 352 109



030 352 209



030 360 809



030 362 009



030 363 609



032 253 013S



032 304 513S



032 306 013S



032 308 013S

AIR DISTRIBUTION (GRAU)

part number	capacity (litres)	diameter (mm)	full length (mm)	length between ridges (mm)	no. of side ports	no. of end ports	standard	note
030 1003 9612C	100	396	906	677	1	3 (1+2)	EN286-2	
030 1020 615C	10	206	356	225	1	3 (1+2)	EN286-2	
030 1520 615C	15	206	535	404	1	3 (1+2)	EN286-2	
030 2024 615C	20	246	505	354	1	3 (1+2)	EN286-2	
030 2524 615C	25	246	599	444	1	3 (1+2)	EN286-2	
030 3024 615C	30	246	730	575	1	3 (1+2)	EN286-2	
030 3030 014C	30	300	501	314	1	3 (1+2)	EN286-2	
030 4027 615C	40	276	745	576	1	3 (1+2)	EN286-2	
030 4031 013C	40	310	617	440	1	3 (1+2)	EN286-2	
030 512 515D	5	125	490	386	1	2 (1+1)	EN286-2	
030 515 215A	5	152	356	260	2	2 (1+1)	EN286-2	
030 515 215B	5	152	356	260	2	2 (1+1)	EN286-2	c/w welding bracket
030 520 615F	5	206	189	66	0	1	EN286-2	
030 6027 615C	60	276	111	942	1	3 (1+2)	EN286-2	
030 6031 013C	60	310	893	716	1	3 (1+2)	EN286-2	
030 6039 612C	60	396	571	342	1	3 (1+2)	EN286-2	
030 8039 612C	80	396	736	507	1	3 (1+2)	EN286-2	



030 1003 9612C



030 1020 615C



030 1520 615C



030 4027 615C



030 6031 013C



030 6039 612C



030 8039 612C

Saddle, for Air Tank

AIR DISTRIBUTION (GRAU)

part number	for air tank diameter (mm)	strap attached with	painted	note
003 000 809	206	2 nuts	no	
003 000 909	276	2 nuts	no	
003 001 009	246	2 nuts	no	
003 001 109	310	2 nuts	no	
030 200 109	206	1 nut and a hinge	no	
030 200 109F	206	2 nuts	yes	kit of 2
030 200 209	246	1 nut and a hinge	no	
030 200 309	276	1 nut and a hinge	no	
030 200 309F	276	2 nuts	yes	kit of 2
030 200 409	310	1 nut and a hinge	no	
030 200 409F	310	2 nuts	yes	kit of 2
030 200 609	396	1 nut and a hinge	no	
032 400 001S	246	2 nuts	yes	kit of 2
032 500 001S	396	2 nuts	yes	kit of 2



003 000 809



003 000 909



003 001 009



003 001 109



030 200 109




030 200 109F



030 200 209



030 200 309



030 200 309F



030 200 409



030 200 409F



030 200 609




032 400 001S



032 500 001S

MISCELLANEOUS



part number	description
009 002 509	Test Hose
009 405 709	Test Hose; length: 10m; black; plastic; c/w fittings
025 033 409	Protection Cover; for manometer
035 005 609	Shock Absorber
035 014 609	Main Cylinder
050 001 909	Plug; M26x1.5
065 000 109	Hose; 13x25; length: 50m; DIN 74310
065 000 109/40	Hose; 13x25; length: 40m; DIN 74310
065 001 009/40	Hose; 11x18; length: 40m; DIN 74310
073 0501 090	Brake Hose; 19x9.5; length: 40m
330 90 001	Hydraulic Reservoir; brake fluid; 40 cubic inches; w/o fluid level sight gauge; Terex; (N2769H)
531 040 001	Rotary Distributor; top type; 6 way; medium: air; ports: M14; pipe length: 395mm
531 049 021	Rotary Distributor; air 5/hydr 1 way
531 049 041	Rotary Distributor; air 5/hydr 1 way
532 132 011	Rotary Distributor; multiple way
905 002 001	Leak Detection Spray
FLEX6X12MMTR	Test Hose; length: 50m; 6x12mm
N4400EK	Manifold Dash Valve; combined trailer & tractor air supply brake control; USA
RW1162X	Water Pump; for Caterpillar 3208 Engine; remanufactured
RW1194	Water Pump; for Caterpillar 3406B/C Engine
RW4009X	Water Pump; for Caterpillar 3176 Engine; remanufactured



MISCELLANEOUS



O-ring

Washer

Repair Kit

part number	description
011 085 109	Housing; for Rotary Distributor (531025121)
016 258 009	Rotor; for Rotary Distributor
022 0503 090	O-ring
024 002 609	O-ring
024 002 909	O-ring
024 003 009	O-ring
024 003 409	O-ring
024 003 709	O-ring
024 004 609	O-ring
024 004 809	O-ring
024 005 109	O-ring
024 005 809	Washer; for Nut; watertight
024 006 609	O-ring
024 006 809	O-ring
024 008 009	O-ring
024 009 709	O-ring
024 010 209	O-ring
024 011 209	Washer; for Nut; watertight
024 013 509	O-ring
024 013 709	O-ring
024 015 109	Washer; for Nut; watertight
024 016 309	O-ring
024 023 909	Washer; for Nut; watertight
024 024 809	O-ring
024 030 709	O-ring
024 031 409	O-ring
024 040 509	O-ring
024 041 709	Gasket
024 055 209	O-ring
024 063 409	O-ring
024 072 309	O-ring
025 037 909	Filter; for Solenoid Valve (003055109/ 338051011 & ..012/ 360009141)
025 040 209	Sealing Plate; for Rotary Distributor; 7 holes; watertight
025 040 509	Sealing Plate; for Rotary Distributor; watertight
025 040 609	Sealing Plate; for Rotary Distributor; 8 holes; watertight
025 062 209	O-ring Kit
038 000 619	Valve End Connector; for Test Hose
054 001 309	Washer; aluminium



016 258 009



025 040 209



025 040 509



025 040 609



025 062 209



054 001 309

MISCELLANEOUS

part number	description
054 001 409	Washer; M12x15.5; aluminium
054 002 309	Washer; M16x20; aluminium
054 002 409	Washer; M16x22; copper
054 002 909	Washer; M22x27; aluminium
054 003 009	Washer; M22x27; copper
054 010 409	Washer; M14x20; copper
056 007 409	Split Pin; for Drawbar (GHE); DIN 94 4X25-ST-A3C
058 010 709	Steering Ring; for Drawbar
376102	Banjo Bolt; for Hydraulic Fitting
378763	Sealing Washer; for Hydraulic Reservoir; rubber
684 700 20	Adapter; for Hydraulic Fitting; 3-way
950 531 001	Repair Kit; for Rotary Distributor (531021...)
950 531 005	Repair Kit; for Rotary Distributor (531019...)
950 531 010	Repair Kit; for Rotary Distributor (531025.../ 531031...)
950 531 012	Repair Kit; for Rotary Distributor (531040...)
950 531 013	Repair Kit; for Rotary Distributor (531033011)
950 531 014	Repair Kit; for Rotary Distributor (531028001)
950 531 015	Repair Kit; for Rotary Distributor (531034.../ 531035...)
950 531 016	Repair Kit; for Rotary Distributor (531050...)
950 531 017	Repair Kit; for Rotary Distributor (531049021-041)
950 532 005	Repair Kit; for Rotary Distributor (532021001)
950 532 009	Repair Kit; for Rotary Distributor (532030001)
950 532 011	Repair Kit; for Rotary Distributor (532036.../ 532074...)
950 532 014	Repair Kit; for Rotary Distributor (532042.../ 532043.../ 532047.../ 532063.../ 532070.../ 532084...)
950 532 015	Repair Kit; for Rotary Distributor (532044.../ 532045.../ 532048-532060.../ 532064.../ 532071-532075.../ 532085.../ 532105.../ 532115...)
950 532 019	Repair Kit; for Rotary Distributor (532040...)
950 532 022	Repair Kit; for Rotary Distributor (532078.../ 532212...)



054 001 409



054 002 309



054 002 409



054 002 909



054 003 009



054 010 409



056 007 409



058 010 709



376102



378763



684 700 20




950 531 001



950 531 005



950 531 013



950 531 014



950 531 015



950 531 016



950 532 005



950 532 009




950 532 011



950 532 014



950 532 015



950 532 019



950 532 022

MISCELLANEOUS

part number	description
950 532 023	Repair Kit; for Rotary Distributor (532081.../ 532119...)
950 532 024	Repair Kit; for Rotary Distributor (532081011)
950 532 026	Repair Kit; for Rotary Distributor (532053...)
950 532 029	Repair Kit; for Rotary Distributor (532082.../ 532112...)
950 532 032	Repair Kit; for Rotary Distributor (532106/ 532124...)
950 532 037	Repair Kit; for Rotary Distributor (532103/ 532146...)
950 532 039	Repair Kit; for Rotary Distributor (532142/ 532148...)
950 532 040	Repair Kit; for Rotary Distributor (532144111)
950 549 001	Repair Kit; for Support Cylinder (549008...); for excavator




950 532 023



950 532 024



950 532 026



950 532 039



950 532 040



950 549 001

Reference	Haldex A.M.	Page
00000/00004	0270510090	172
00000000217637	023001919	169
00000000217640	024026509	195
00000001424759	041009809	112
00000008406642	334072001	149
00000008474733	310005011	125
0000018	950338100	114
0000719762	314060001	141
0001957710	78211	116
0001957711	78209	116
00028194	056003309	173
0002901667	950321021	176
0002902012	950321023	176
0002902112	321015001	165
0002902512	950321025	176
0002903012	321020001	165
0002903612	321020001	165
0002903712	950321028	176
0002903912	950321027	176
0002903967	950321022	176
0002952718	321019001	165
0002953418	321023001	165
0003200358	950338013	114
0003200567	950338002	114
0003202158	314014012	142
0003202358	950338014	114
000324	003033609	194
000326	120351201	181
000327	310005011	125
0003277825	612048131	103
0003278025	612048171	103
0003278125	612048181	103
0003278325	612048191	103
0003278825	612048171	103
0003278925	612048181	103
0003279025	612048191	103
0003279125	612048101	102
0003283230	612032001	102
0003284630	612048111	103
0003284730B	612048101	102
0003284930	612048111	103
0003285030	612048131	103
0003288025	612048171	103
0003291525	338031611	100
0003291625	338031611	100
000332	334028001	148
0003345001	76087	72
000367	065001009/40	218
000397	315019001	123
000398	334055201	149
000399	334025031	148
000400	350028001	155
000402	356009011	164
0004200058	950334002	176
0004200092	76046	72
0004200158	334063011	149
0004201438	74854S	72
0004201838	74255S	72
0004201938	74864S	72
0004202238	74263S	72
0004202438	74682S	72
0004202638	74684S	72
0004202738	74412S	72
0004204238	74686S	72
0004204338	74477S	72

Reference	Haldex A.M.	Page
0004204424	340008001	187
0004204638	74476S	72
0004204738	74482S	72
0004204938	74685S	72
0004205138	74281S	72
0004205224	340026001	187
0004205338	74293S	72
0004205438	74782S	72
0004205538	74687S	72
0004205638	74799S	72
0004205938	74888S	72
0004207024	340029001	187
0004207138	74881S	72
0004207238	74885S	72
0004207438	74801S	72
0004207538	74768S	72
0004208038	74512S	72
0004210028	016197809	194
0004212986	0220005090	195
0004215486	025015629	196
0004215586	025044719	196
0004215686	025045209	196
0004216586	025040809	196
0004216986	025046909	196
0004233186	025034009	196
0004234186	025034009	196
0004260056	52717	72
0004260150	76660	72
0004290239	334007001	148
0004290444	314001001	158
0004290631	334047001	109
0004291031	334047001	109
0004291431	334047001	109
0004291531	334047001	109
0004291630	334004001	148
0004291795	310005011	125
0004292430	334043001	148
0004292995	310005011	125
0004293030	334043001	148
0004293430	334054211	149
0004293830	334025031	148
0004293930	334063001	149
0004294030	334064001	149
0004294144	356006011	159
0004294695	78964	132
0004294744	314014001	142
0004294795	310005001	125
0004294830	334004001	148
0004295030	334063001	149
0004295430	334025031	148
0004295530	334064001	149
0004295544	314013002	142
0004295630	334063001	149
0004295744	314013001	142
0004295830	334064001	149
0004295844	314013003	142
0004295930	334025031	148
0004296044	314014003	142
0004296130	334063001	149
0004296230	334064001	149
0004296244	314014001	142
0004296344	314012003	142
0004296444	314012001	142
0004296544	355018011	154
0004296730	334004001	148

Reference	Haldex A.M.	Page
0004297344	314013001	142
0004297530	334004001	148
0004297544	314012004	142
0004297630	334055201	149
0004297644	314012002	142
0004297730	334055201	149
0004297930	334025031	148
0004298030	334063001	149
0004298130	334064001	149
0004298144	314013006	142
0004298344	314013002	142
0004298630	334063001	149
0004299444	314013005	142
0004299630	334063001	149
0004299730	334064001	149
0004300715	73620	130
0004301194	344048101	191
0004301294	344047101	191
0004303806	950355026	178
0004305181	356009011	164
0004311206	315019001	123
0004311207	314001001	158
0004311528	0220007090	195
0004311606	314014001	142
0004311980	025022609	196
0004312114	344010001	190
0004312213	351006021	155
0004312381	026012009	172
0004312788	026000709	171
0004312988	025034409	171
0004313423	026012109	172
0004313534	029006409	172
0004314228	025050809	196
0004314328	025040909	196
0004314905	329006361	146
0004315115	314013001	142
0004315206	314014003	142
0004315406	314014002	142
0004315614	344010001	190
0004317714	344010001	190
0004318213	355094001	146
0004318313	355094001	146
0004318705	329006121	146
0004319513	355094001	146
0004319713	355094011	146
0004319786	025033609	196
0004319915	78130	116
0004320607	315019011	123
0004320807	315019001	123
0004321107	315019001	123
0004321307	315019001	123
0004321407	315016001	122
0004321507	315019001	123
0004321707	315016011	122
0004322007	315019001	123
0004322107	315019001	123
0004322807	71323	123
0004322902	87342	133
0004322907	77362S	131
0005401172	041013609	128
0005430080	73716S	130
0005481270	77244S	131
0005680002	345125110	184
0005705006	361007302	161
00063148	950364501	84

Reference	Haldex A.M.	Page
0007631010	361006201	161
0009884168	025034909	171
0009942637	022000109	128
001006	120361101	181
001013	314012004	142
001045	334028001	148
001066	612035051	102
001081	357012031	104
001101	003561409	194
001102	003033609	194
001128	356009011	164
0011315201	301205101	137
0011315401	301205101	137
001163	612025001	113
001232	334047001	109
001284	352028011	105
001296	352045001	153
001299	314001001	158
001300	352019011	153
001301	333004001	158
001303	352032045	105
001304	360014001	113
001305	003607619	110
001426	352062101	106
0014290030	334066001	149
0014290244	314013005	142
0014290844	355018071	154
0014291944	314012005	142
0014292044	355018071	154
0014292144	355093001	154
0014293044	355018011	154
0014293844	314013006	142
0014294044	314013002	142
0014294144	314013005	142
0014294644	314013002	142
0014294744	314013001	142
0014294844	314013006	142
0014294944	314014003	142
0014295144	314014001	142
0014295244	314012003	142
0014295344	314012001	142
0014295444	355018011	154
0014296044	314013003	142
0014296144	314013005	142
0014296344	314012002	142
0014296444	314012004	142
0014296544	314012005	142
0014296844	355018071	154
0014297344	314013001	142
0014297444	314013002	142
0014297544	314014001	142
0014297644	314014002	142
0014297744	314012001	142
0014297844	314012002	142
0014297944	314012003	142
0014298044	314012004	142
0014299144	355018071	154
0014299844	314012003	142
0014301060	950344003	198
0014305260	950344004	198
0014305360	950344005	198
0014309460	950355024	178
0014310006	312017014	138
0014310315	71209	120
0014310606	312017014	138

Reference	Haldex A.M.	Page
0014311015	71202	120
0014311206	312017014	138
0014311306	314060001	141
0014311314	344010001	190
0014311506	314060001	141
0014311660	024006609	219
0014311760	024032809	170
0014312006	314060001	141
0014312206	312017012	138
0014312286	025034009	196
0014312915	77304	116
0014313006	314059001	141
0014313406	312017014	138
0014313906	314059001	141
0014314106	312017012	138
0014314206	312017012	138
0014314306	312017012	138
0014315615	78130	116
0014315806	314060001	141
0014315906	314060001	141
0014316106	312017041	138
0014316506	312017041	138
0014319006	312017041	138
0014319106	312017041	138
0015399	024031109	195
0015444	026003209	171
0015448	025015519	196
0015465	029000109	172
001548	360009141	107
0015500	025009109	196
0015519	025009709	196
0015614	024000109	170
0015656	334004001	148
001802	310005011	125
001805	612035021	102
00190085	357012031	104
00190122	334047001	109
00190875	032071409	112
0019598	315004001	140
0019821	356001001	159
0019837	315019001	123
0019976	313019021	126
0021313601	301205101	137
002275	79005D	48
002368	364345001	88
0024290044	314012005	142
0024290344	314013003	142
0024290744	355018071	154
0024290844	314014005	142
0024290944	314014005	142
0024291544	314001001	158
0024293844	025003209	170
0024294244	314013008	142
0024295244	314013003	142
0024295444	314013005	142
0024296344	314013006	142
0024296544	314013008	142
0024296744	314014003	142
0024296944	314014005	142
0024297044	314012005	142
0024298844	025003209	170
0024300860	71036	128
0024303760	71376	129
0024308281	734825	130
0024310606	314060001	141

Reference	Haldex A.M.	Page
0024311306	314059001	141
0024313406	312017014	138
0024314606	312030001	138
0024317306	314096501	141
0024317406	314096501	141
0024317606	314096501	141
0024317806	314096501	141
0024319206	314059001	141
0024322040	334004001	148
0024322049	334063001	149
0024322050	334064001	149
0024328001	92693	124
0024624004	315018001	123
0024732024	314060001	141
0024733006	355018011	154
002486	027066509	112
0025400897	950338013	114
0025401172	041013609	128
0025865943	950355010	177
0025866043	950312007	175
002736	120361201	182
002743	334063001	149
002745	601013001	162
002747	950532032	221
002756	003480209	168
002758	350026002	155
0029944	334007001	148
0029945	310005011	125
0029946	350020201	155
0029947	030350909	215
0029948	315019011	123
0029950	030200209	217
0029963	065000109	218
003044319	364175101	87
0031419	030350909	215
0031475	030352009	215
003256	028023509	112
003308	729485	47
003380209	310005011	125
003418	350026002	155
0034208024	950344009	198
0034290044	355018071	154
0034290244	314012003	142
0034290344	314014005	142
0034291644	355018071	154
0034294744	314014001	142
0034294844	314014003	142
0034295244	355018011	154
0034295344	355018071	154
0034295544	314013023	142
0034295644	314013023	142
0034296244	314001001	158
0034298044	314013012	142
0034300981	950314007	175
0034304881	71038	128
0034304981	73316S	129
0034305081	73342	129
0034308281	71327	129
0034311305	355094001	146
0034311405	355094001	146
0034313405	355094001	146
0034313505	355094001	146
00343311405	355094001	146
00348909	355018011	154
0034991300	68470020	220

Reference	Haldex A.M.	Page
003591709	76672	72
003591809	93299	75
003607609	003607619	110
003618709	950352010	114
003620609	950338023	114
0036872000	950364301	80
0036875000	75610828	85
0037314200	75611384	85
003747009	950364221	90
003755409	950364401	98
003756809	950364404	90
003756909	950364430	98
003765509	950364103	80
003768809	950364021	90
003768909	950364219	98
003782609	950364430	98
003785009	950364018	98
003785209	950364024	90
003785409	950364026	90
003785509	950364410	91
003785609	950364411	91
003785709	950364412	91
003785809	950364413	91
0037858700	950364303	95
003792209	950364074	98
003793109	950364054	90
003793309	950364420	91
003804009	950364072	90
003815109	950364075	98
003827209	950364072	90
0038369	030351209	215
0038370	340008001	187
0038371	030200309	217
003853809	950364420	91
003854309	950364818	91
003870009	003918409	96
003911	356022011	159
003993	334055201	149
003994	334054201	149
004032	315019001	123
004052	003033609	194
0041287	313019021	126
004191191	343031062	192
0042486	027001309	128
0042767	025014409	171
0042768	026003409	171
0042802	016025219	128
0042804	027010909	128
0044202524	120927303	183
0044202824	120924306	183
0044204524	950346014	198
0044205224	950344010	198
0044293244	314014008	142
0044296644	314014031	142
0044301681	90364	134
0044321501	92671	124
004463	314012004	142
004467	351008022	155
004470	352019011	153
004471	352019011	153
004472	355018011	154
0044721	340005001	187
004473	356005102	164
0046249	350027002	155
0049962	025015409	128

Reference	Haldex A.M.	Page
0049983	026000709	171
00505	360009241	107
0054202924	125160400	183
0054203924	125160400	183
0054206024	120920326	182
0054206324	120920323	182
0054206424	120920322	182
0054206524	120920325	182
0054206624	120920324	182
0054206824	120920326	182
0054207124	120920323	182
0054207224	120920322	182
0054207324	120920325	182
0054207424	120920324	182
0054207624	125240400	183
0054207724	125240403	183
0054207824	125240404	183
0054207924	125240401	183
0054208018	344026101	190
0054208024	125240402	183
0054208324	125240403	183
0054208424	125240404	183
0054208524	125240401	183
0054208624	125240402	183
0054208724	125200406	183
0054208824	125200405	183
0054208924	125200406	183
0054209024	125200405	183
0054327401	91790	124
00551482	313019021	126
00552746	334064001	149
00553564	334063001	149
00557562	312013014	138
005912	364338011	88
005950	352061101	106
0059972648	024002109	170
0059972848	024001709	195
0059972948	024038209	170
0059973148	024038309	170
0059973548	024002609	219
0059973748	024024709	170
0059974148	024030709	219
006007	352006201	152
006009	601013011	162
006010	120341101	181
006011	356009011	164
006024	333004001	158
006133	334055211	149
006138	314001001	158
006139	329007001	152
006151	031000909	112
006336	334028001	148
0064206524	125240405	183
0064206624	125240406	184
00649	120351201	181
00651	310005011	125
00654	314012001	142
00656	352032045	105
006602	602005001	162
006605	612025001	113
00661	003607619	110
006635	334054211	149
006636	334028001	148
006652	120351101	181
006653	120361101	181

Reference	Haldex A.M.	Page
0067148S1	72019C	29
006715	350036001	159
006757	950610030	92
006908	352018011	153
006909	003561409	194
00717960	532132011	218
007355	950364103	80
007367	950364413	91
007368	950364413	91
007369	950364054	90
007370	950364054	90
007382	950364413	91
0074207118	346022001	185
0074207424	125160400	183
0074207724	125240400	183
0074207824	125240402	183
0074207924	125240401	183
007706	950364411	91
007891	352045001	153
007894	950364081	80
008070	028028009	166
0084200624	125240403	183
0084200724	125240404	183
0084201224	125200406	183
0084201324	125200405	183
0084202424	125240405	183
0084202524	125240406	184
0084205024	1351624010	185
0084205124	1351624011	185
0084205918	346022001	185
0084522	75610828	85
008671	80019D	62
008692	950532015	220
008714/200	024043109	196
008783	950531010	220
008907	315016011	122
009046	338021001	100
009197	79183C	53
0092162	100101366	66
0092163	100101367	66
0092164	100401204	66
0092165	100501204	66
0092419	72532C	37
0092420	72533C	37
0094205818	346022001	185
0094206918	344025001	190
0094209218	344024001	190
0094209318	344050001	191
0097775	72680C	41
00997774	72679C	41
0099972448	024007409	111
0099974248	024008809	170
01001615	602005001	162
01001713	352035P36	105
01001714	352028013	105
01002496	024005109	219
01003393	100101047	65
01003554	341011021	189
01003636	950364072	90
01003895	76924	70
01004623	352042001	107
01004624	360009141	107
01005707	352047040	105
01005760	950364033	90
01006241	950364045	82

Reference	Haldex A.M.	Page
01006324	364317001	81
01006351	352051100	105
010065	200015001	148
01006782	338051101	100
01006859	612035041	102
01007008	025012009	196
010073	025040509	219
010074	950531015	220
010125	612032001	102
010535	950364048	82
010603	950364411	91
010618	950364026	90
010619	950364026	90
010649	950364412	91
01105200	030363609	215
01105210	003000809	217
011115109	950338100	114
01121774	065000109	218
0112227	314060001	141
01135961	314014001	142
0114200618	344032101	191
0114200718	344030101	191
0114200818	344026101	190
0114200918	344024101	190
0114201018	344017101	190
0114203118	346101001	185
0114203218	346101002	185
0114205218	346101001	185
0114205318	346101002	185
011539	027047009	172
011540	027047109	172
011541	025052309	171
011623	003792009	96
0120627090	014718309	169
01227297	356001001	159
01227300	360009241	107
0124201018	346100002	185
0124202418	343314001	192
0124204618	950343006	198
0124204718	950343005	198
0124204818	343101001	192
0124205718	344044001	191
0124206718	343102001	192
0124206818	343201001	192
0124206918	343315001	192
0134200218	344046001	191
0134203518	950343007	198
013480	024041709	219
013484	950532029	221
01371008	950355013	177
01374148	950328002	176
014107709	75611901	85
014265271135	72416C	35
014468	024039609	196
014720609	76924	70
015114	025048209	171
015500909	950364023	98
0159537	357004021	104
0159556	72523C	36
0159557	72524C	37
0159558	72525C	37
0159559	72526C	37
0159560	72530C	37
0159561	72542C	37
0159562	72543C	37

Reference	Haldex A.M.	Page
0159563	72544C	37
0159564	72545C	37
0159565	72535C	37
0159569	72546C	37
0159576	72547C	37
0159577	72548C	37
0159578	72553C	38
0159587	72536C	37
0159588	72537C	37
0159589	72538C	37
0159590	72539C	37
0159591	72540C	37
0159592	72541C	37
01600004	120330201	181
01613200	104507401	68
01613300	104407401	68
01620033	120350203	181
01680268	315016001	122
0174204318	344051001	191
0174209318	343251001	192
0178529	70903C	27
019058	532132011	218
01923670	560030001	144
0194201618	343252001	192
020005228545	025009709	196
020005229558	950531013	220
020005233390	021016309	169
020005236233	029000109	172
020005236388	011100009	168
020005236394	003005209	168
020005236517	315019001	123
020005241920	950532032	221
020005243826	950532037	221
0204312	003400819	194
0204319	025015629	196
0204733	029006009	196
0210241200	031000909	112
0210242000	310005011	125
021147007	030350609	215
02121	341032011	189
021296000	341004011	189
021428	028021609	166
02155060	030350609	215
0215547	314001001	158
0220001090	025048209	171
0220003090	025045309	196
0220018090	025040709	196
0220019090	025040809	196
0220020090	025040909	196
0229160000	905002001	218
022956	024002709	195
02313185	560035001	144
02316320	025009109	196
02316340	024010209	219
02316684	014000809	168
02316691	027018009	172
02316692	021040909	195
0233170300	950364502	84
02357860	054002409	220
02369	364340011	88
02373	360009141	107
024033609	024027609	128
024033809	024010209	219
0240505090	027047009	172
0240506090	027047109	172

Reference	Haldex A.M.	Page
0240510090	027049009	112
024089	100001021	64
024090	100001721	65
0243100800	338021001	100
0243101700	356006011	159
0243102400	314012004	142
0243102700	314012004	142
0243103100	315019001	123
0243103400	360009141	107
0243103600	554005001	107
0243105300	612035031	102
0243107100	314001001	158
0243111100	357012031	104
024490	100001760	65
025011609	025048209	171
025016409	0220005090	195
025020009	0220004090	195
025034609	0220021090	195
025037509	0220007090	195
025043609	0220021090	195
025053809	025034009	196
02515052	334004001	148
02516828	314014001	142
02516835	334025031	148
02516904	334025031	148
02516914	314060001	141
02516965	314060001	141
02520184	314060001	141
02520243	315019011	123
02530121714911/Q	025003209	170
02533166	334004001	148
025375	025040909	196
02699	950364503	84
027062009	950338027	114
0280001090	022020909	195
028041009	028041019	110
02828800	102925394	67
02835	356001001	159
028500	100101364	66
028510809	950364702	95
028700	104401201	67
028800	104501201	68
02912	0323045135	215
02915	0323060135	215
030200209F	032400001S	217
030200609F	032500001S	217
03033609	003033609	194
030350229	030350209	215
030350529	030350509	215
030350629	030350609	215
030350929	030350909	215
030351209W	030351209	215
030351229	030351209	215
030351529	030351509	215
030351629	030351609	215
030351729	030351709	215
030351829	030351809	215
030352029	030352009	215
030352229	030352209	215
030360809W	030360809	215
030360829	030360809	215
030362029	030362009	215
03038009	003038009	168
03053950	560037001	144
031004109	950310009	134

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
0312947	47268	71	043032	067001602	213	0481039110	312013014	138	0484150112	334054201	149
0318423	314012001	142	043033	067001702	213	0481039111	312013014	138	0484150113	334055211	149
0326241	334004001	148	0434628	360009141	107	0481039209	312030001	138	0484150114	334054211	149
0326252	334007001	148	04400757	315016021	122	0481039221	312017014	138	0484150204	334054201	149
0326310	332005021	107	04400757ED	315016021	122	0481062001	314060001	141	0484152002	334007001	148
0326332	333004001	158	04457267	315019011	123	0481062005	314060001	141	0484152004	334007001	148
0326412	031000209	172	04465	352053001	107	0481062008	314060001	141	0484350001	334047001	109
033009509	033016509	166	0457102002	310005011	125	0481062012	314060001	141	04845	124100101	197
033009709	033016009	166	0457102008	310005011	125	0481062101	314060001	141	0490429	355018011	154
033520	314012004	142	0466455	011085109	219	0481062105	314060001	141	0500004103	612035041	102
033A23736	950364045	82	04669	352044001	153	0481062108	314060001	141	05001	041013609	128
0344400008	361007201	161	0470111	950531010	220	0481062209	314096501	141	050012	350027002	155
0347520	030351209	215	04718	310005011	125	0481062301	314059001	141	050017	003038009	168
0369833	024026509	195	04729	315019001	123	0481063001	314013006	142	05002	041013609	128
037002409	037002429	180	0480028101	301205101	137	0481063002	314013001	142	0500200005	315004002	140
037002419	037002429	180	048019004	315019001	123	0481063003	314013003	142	050021	350026002	155
0381000070300	003400819	194	048023104	351001141	155	0481063004	314013002	142	050022	350027002	155
03884202	70833C	26	0481006001	314014001	142	0481063005	314013005	142	050024	351022001	156
03884204	70832C	26	0481006002	314012001	142	0481063007	314014001	142	0501205935	72326C	34
039003209	039006109	173	0481006003	314014003	142	0481063009	314014005	142	0501206318	72385C	35
039003219	039006109	173	0481006005	314012005	142	0481063010	314014002	142	0501207555	72641C	39
04004330033	030200109	217	0481006009	314014003	142	0481063012	314012002	142	05013064	1362430001	185
04004330052	065000109	218	0481006010	314012003	142	0481063013	314012003	142	05013084	120351101	181
04010030016	031000209	172	0481007033	352001001	152	0481063014	314012005	142	0501309389	72203C	32
04058660008	315019011	123	0481007034	352012001	152	0481063016	314013003	142	0501309398	72203C	32
0407465	030362009	215	0481010023	329006121	146	0481063020	314012001	142	0501309399	72204C	32
041000109	054002909	220	0481010031	329006361	146	0481063021	314012004	142	0501312502	003561409	194
041000209	054002309	220	0481014001	314001001	158	0481063029	314014012	142	05013134	352045001	153
04-10-1024	93572	118	0481014003	314001001	158	0481068001	352011101	163	0501313425	003568009	194
041011709	041011909	112	0481016002	328008031	145	0481068002	352011102	163	0501313697	120916311	182
0414317	030350209	215	0481019001	315019001	123	0481068004	352011122	163	0501314043	72872C	44
041502309	950800903	98	0481019002	315019011	123	0481099221	312013014	138	0501314349	72931C	46
041745	003561409	194	0481019006	315016001	122	0481400101	355093001	154	0501314350	72932C	46
04200100	334055201	149	0481020001	314013001	142	0481622055	312017014	138	0501314479	72688C	41
04200101	334054241	149	0481020002	314013006	142	0481622057	312013031	138	0501314480	72689C	41
042007309	950610030	92	0481020004	314013005	142	0482008001	340026001	187	0501314644	120341201	181
042007409	950364403	90	0481020011	314013002	142	0482008003	340027001	187	0501314854	120335100	181
042007809	950364420	91	0481023007	350020201	155	0482008004	340029001	187	0501317229	79430C	57
042010	334055211	149	0481023102	350001101	155	0482010004	340005001	187	0501317230	79429C	57
042011709	950610040	92	0481023103	351001141	155	0482011001	340008001	187	0501317231	79430C	57
042012709	950364710	95	0481023202	350026002	155	0482011004	340011001	187	0501317231C	79430C	57
042013109	950364711	98	0481023203	350028001	155	0482012002	340013001	187	0501319332	120331101	181
042016	031000909	112	0481023204	351008022	155	0482022101	345100168	184	050132224	338051101	100
042017	334047001	109	0481023206	351008022	155	0482071007	344010001	190	050305	355018011	154
042018	310005011	125	0481023207	351008022	155	0482071008	344010001	190	050355	003033609	194
042019	314012001	142	0481025002	356001001	159	0482071011	344010001	190	050457	030350209	215
042021909	950364108	98	0481025101	356006011	159	0484100001	334043001	148	050458	030351209	215
042058007	030350209	215	0481025201	356009011	164	0484101001	334004001	148	050459	030360809	215
042060008	315019011	123	0481025202	356010011	164	0484102001	334063001	149	050460	030351709	215
04220010	314012004	142	0481026002	355018071	154	0484102002	334063001	149	050461	030352009	215
042481154	950340010	198	0481026004	355018071	154	0484102003	334064001	149	050462	030352209	215
0425265	360009141	107	0481026005	355018071	154	0484102006	334063001	149	050499	612035021	102
042547709	950364408	91	0481026006	355018071	154	0484102007	334064001	149	050500	612025001	113
042547809	950364507	91	0481026008	355018011	154	0484102008	334071001	149	050512	314012004	142
042547909	950364410	91	0481026201	355018011	154	0484102009	334072001	149	050519	338021001	100
042548309	950364412	91	0481026202	355018011	154	0484102012	334063001	149	050528	314012004	142
042548409	950364413	91	0481037102	601002001	162	0484102013	334064001	149	05060000	356013011	159
042563009	950364411	91	0481037103	601013011	162	0484102016	334063001	149	050601	356010031	164
042566309	950364402	90	0481037104	601002021	162	0484102017	334064001	149	051007	120331101	181
042566509	950364420	91	0481037203	602005001	162	0484102026	334063001	149	051009	120341101	181
042572309	950364072	90	0481039101	312017014	138	0484150101	334054201	149	051017	120361101	181
042621409	950364403	90	0481039102	312017012	138	0484150102	334055201	149	05120003	315019011	123
04280051	120361201	182	0481039105	312017041	138	0484150109	334054211	149	051403	334064001	149
04280053	124100101	197	0481039106	312017014	138	0484150110	334055211	149	051404	334063001	149
04280054	120351201	181	0481039107	312013012	138	0484150111	334055201	149	051417	334028001	148

Reference	Haldex A.M.	Page
051425	334054201	149
051432	310005011	125
051443	200015001	148
051460	031000909	112
051630	352054X53	106
0517452100	100101041	65
0517452200	100001125	64
0517452300	100001128	64
0517452340	100001021	64
0517452610	100001721	65
0517452800	100001025	64
0517454690	104407401	68
0517454700	104507401	68
0517456710	72877C	45
0517456720	72878C	45
0517456810	72885C	45
0517456820	72884C	45
0517465130	100001760	65
0517482020	72875D	44
0517482021	72875D	44
0517482022	72875D	44
0517482030	72876D	45
0517482031	72876D	45
0517482032	72876D	45
0517482091	72883C	45
0517482092	72883C	45
0517482110	72645C	40
0517482112	72645C	40
0517482120	72876D	45
0517482122	72876D	45
0517482130	72883C	45
0517482132	72883C	45
0517482140	72876D	45
0517482142	72876D	45
0517482200	72883C	45
0517482202	72883C	45
0517482210	72875D	44
0517482212	72875D	44
0517482220	72875D	44
0517482222	72875D	44
0517482240	72876D	45
0517482242	72876D	45
0517482260	72883C	45
0517482262	72883C	45
0517482310	72876D	45
0517482312	72876D	45
0517482320	72883C	45
0517482322	72883C	45
0517482400	72883C	45
0517482402	72883C	45
0517482430	72883C	45
0517482432	72883C	45
0517482450	72883C	45
0517482452	72883C	45
0517482470	72876D	45
0517482472	72876D	45
0517482490	72875D	44
0517482492	72875D	44
0517482562	72876D	45
0517482632	72875D	44
0517482633	72875D	44
0517482642	72883C	45
0517482672	72875D	44
0517482742	72875D	44
0517482802	72883C	45

Reference	Haldex A.M.	Page
0517490200	80009C	62
0517490210	80001C	62
0517496630	72173C	31
051A13833	351008022	155
051A18649	351008022	155
052557	334055211	149
052558	334054211	149
052560	352011122	163
052A13685	334054241	149
052A13832	601013011	162
052A13834	120351201	181
052A13837	207012001	152
052A13887	200015001	148
052A26537	339023001	150
052A26538	339022001	150
052A26539	339023001	150
052A3925	334055201	149
052A3926	334054201	149
052A3929	602005001	162
052A3933	120361201	182
0530079	024026609	195
053027000	120351201	181
053027001	124100101	197
053033000	003033609	194
053534	338051101	100
053750	003480209	168
0537537	72558C	38
0537538	72534C	37
0538470	72586C	38
0538471	72587C	38
053A22853	341032011	189
054296	950364026	90
054417	352061101	106
0544420010	1362430001	185
0544440010	1351624004	185
0544444010	346187001	186
054943	352054133	106
054962	352054E35	106
054970	352045001	153
055022	338047001	100
055716	338057101	101
055717	338058101	101
05574404	312017041	138
05574412	343031062	192
05574414	024026609	195
05574415	950320002	176
05574416	024002709	195
0557482021	72875D	44
0557482031	72876D	45
0557482121	72875D	44
0557482190	72875D	44
0557482200	72876D	45
0557482220	72875D	44
0557482270	72876D	45
0557482430	72875D	44
0557482432	72875D	44
0557482440	72876D	45
0557482442	72876D	45
0557482552	72875D	44
0557482592	72876D	45
0557482652	72875D	44
0557482672	72876D	45
0557482682	72875D	44
0557482872	72875D	44
0557482873	80019D	62

Reference	Haldex A.M.	Page
0557482932	72875D	44
0559722	334007001	148
056127	612035021	102
056128	612025001	113
056224	950338023	114
056316	352061111	106
05640700	100002163	65
057029609	0120540090	194
057A18179	352044001	153
057A18278	352053001	107
057A3931	612035011	102
057A5558	352028011	105
057A5699	338021001	100
057A6006	310005011	125
057A7782	360009341	107
057A7911	612032001	102
05802814	338021001	100
05825	334028001	148
05842	003575709	111
05843	612025001	113
05844	025046609	112
05870	003567809	194
05870092	340005001	187
05870159	042002009	112
05870225	315016011	122
05870753	356010011	164
05870829	601002021	162
05870837	601013011	162
05872	003567909	194
05873	003568009	194
05874	003568309	194
058774	950364408	91
058775	950364408	91
058777	950364411	91
058778	950364408	91
05878	003033609	194
059001002	032304513S	215
059001004	032306013S	215
059001010	032400001S	217
059002003	315019011	123
0592534	027010109	172
0592535	016167409	169
0592536	027010209	172
05937	541033011	188
0597275	361006201	161
059849	338051101	100
059A13836	352019011	153
059A13838	356022011	159
059A13839	333004001	158
059A24269	364317001	81
0608151	950320002	176
0608162	950312003	175
0608980	950343002	198
0620003	332005021	107
06216739	334053221	149
06216745	030350609	215
06216759	028003009	166
063054006	340029031	187
06310024	79013C	48
06310025	79014C	48
06310030	79022D	48
06310070	100101047	65
0632717	52717	72
064053	003038009	168
064054	003535309	168

Reference	Haldex A.M.	Page
064756002	030200209	217
064889	031000909	112
064910000	030350509	215
065001009	065001009/40	218
065013265	312013014	138
065013565	312013014	138
0650225	021016309	169
0650257	026003309	128
065057001	355018011	154
065058601	355093001	154
065626005	025015519	196
06563410210	024006709	170
06563414258	024036009	196
0657381	71325	123
0658095	100101365	66
066017430	320053001	143
06642300	100001025	64
066721	612035031	102
067597	357012031	104
06848	340005001	187
068904	350036011	159
0689062	76283S	130
0698405	76660	72
070112507	70706C	25
070114304	70772C	25
070114305	70771C	25
070265600	72661C	40
070276000	72203C	32
070276010	72688C	41
070276011	72689C	41
070276100	72204C	32
070277000	70720C	25
071260	950364405	90
071263	003791909	96
07160	338021001	100
07161	612032001	102
07253	333004001	158
0740321	72608C	39
0740322	72609C	39
074345000000	028003009	166
0755247	72695C	41
0755248	72696C	41
0755616	72704C	41
0755617	72705C	41
075611959	950364104	82
0762286	025033909	171
0762291	026012109	172
0762294	029006409	172
0762961	025010209	196
07875	612035071	102
080110802	70775C	25
080250000	72177C	32
08040002	310005011	125
0815469	003567809	194
08161250	003033609	194
08164954Z	70880C	27
08164956B	70609C	24
08164958D	70608C	24
08164985H	46355	71
08166250H	79150C	52
08166251J	79151C	52
08166252K	79152C	52
08166253L	79153C	52
08175830	120361201	182
0819054	065000109	218

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
0821241	360009241	107	0945154	120341101	181	097774	72679C	41	1021029698984	92695	124
082460300	72660C	40	0945157	120331101	181	097775	72680C	41	10274	72417C	35
082460820	72931C	46	0945159	120311101	181	0978621	75610828	85	10275	72418C	35
082460830	72932C	46	0945173	356010011	164	0978622	75610828	85	10285	72698C	41
0825552	357004025	104	0945176	028003009	166	0980246	RNT26	179	102956206	340008001	187
083122	950364422	91	0945181	334007001	148	0980298	EQ2614	178	102956681	030350509	215
083147	338052101	100	0945184	350020201	155	0980327	33600261	174	102956698	310005011	125
083166	364357001	89	0945337	352007401	152	0980356	33600264	174	102956704	334007001	148
0834984	72151C	31	0945339	350026002	155	0980379	33600048	174	102956712	340005001	187
08397610	340005001	187	0945341	601013011	162	0980385	33600263	174	102956841	065000109	218
08463280	120331201	181	0945357	031000909	112	0980408	33600265	174	102956842	065001009/40	218
0862024	361007201	161	0945358	352012001	152	0986864	378763	220	102956858	030350909	215
0886744	356006011	159	0945362	352011122	163	0989345	75612302	98	102957231	350019001	155
08BAX58100	067001802	213	0945371	352006201	152	0A11227	950364033	90	102957256	030200109	217
08MIL58102	067001502	213	0945378	356006011	159	100000002	016705509	85	102957297	030350209	215
09002113	79149C	52	0945392	003480209	168	1000279	344028031	191	102958144	351008022	155
09002209	79138C	51	0945393	601002021	162	10003440	054002309	220	102958152	334055211	149
09002210	79139C	51	0945397	031000909	112	1000830	125160003	183	102958160	334054211	149
09002265	79140C	51	0945401	357012031	104	1000835	1351624003	185	102958174	351008022	155
09002266	79141C	52	0945420	351008022	155	1000840	1362430002	185	102958177	352011102	163
09012061	72837C	44	0945424	003038009	168	1000860	120356201	181	102958193	030350609	215
09057814	33900049	197	0945425	003535309	168	01001615	602005001	162	102958200	030351209	215
09058797	RN55Y	199	0945427	950364081	80	01001713	352035P36	105	102958208	030200209	217
09058826	RN55AC	199	0945428	950364406	90	01001714	352028013	105	102958214	030200309	217
09063181	33090009	193	0945429	950610030	92	1002096	1352024003	185	102958224	025002109	170
09069694	N4194	193	0945434	314012004	142	01002496	024005109	219	102958874	350026002	155
0915522	023003709	195	0945445	025015719	196	01003393	100101047	65	1030960106	120331101	181
0915525	024026909	195	0945447	356005102	164	01003554	341011021	189	1030960150	120341101	181
0926440	059509409	87	0945448	025002109	170	01003636	950364072	90	1030960151	356005102	164
0926479	75961004	98	0945450	357004051	104	01003895	76924	70	1030960268	357012031	104
0926491	75961002	98	0945451	333004001	158	1004000	79223C	54	1030977424	030350909	215
09285107	93836	69	0945458	350019001	155	1004001	79226C	54	1030977434	356006011	159
09291063	92010	75	0945459	352011121	163	01004623	352042001	107	1030977845	065000109	218
09319013	100001021	64	0945462	340029001	187	01004624	360009141	107	1030977981	350026002	155
09319035	79649C	60	0945469	003561409	194	01005707	352047040	105	1030977984	003561409	194
09319299	80126C	63	0945470	1362430001	185	01005760	950364033	90	103100006	120341201	181
09359910	345125110	184	0945474	612025001	113	001006	120361101	181	103100007	357012031	104
09370658	378731	197	0945481	352045001	153	01006241	950364045	82	103100011	352028011	105
09371925	378723	197	0945514	003402109	194	01006324	364317001	81	103100013	120351201	181
09392757	RN55R	199	0945515	003402009	194	01006351	352051100	105	103100019	315019011	123
09398540	120351101	181	0945525	364328001	94	010065	200015001	148	103100023	067002002	213
09398550	003033609	194	0945526	950364418	91	01006782	338051101	100	103100024	067001802	213
09404042	76980	73	0945527	364357011	89	01006859	612035041	102	103100025	067001602	213
09404043	76979	73	0945540	950364702	95	01007008	025012009	196	103100026	124100101	197
0945000	334054201	149	09510019	334047001	109	0100707	025040509	219	103100036	334054241	149
0945012	334055201	149	0954345	950364301	80	010074	950531015	220	103100040	310005011	125
0945014	310005011	125	0954461	75061334	94	1007495	950364407	91	103100042	601013011	162
0945037	030200109	217	0960126400	120331101	181	1007496	950364408	91	103100043	351022001	156
0945051	334028001	148	0960126600	120311101	181	1007497	950364408	91	103100046	124100101	197
0945060	030200309	217	0960126700	003561409	194	010125	612032001	102	103100054	003038009	168
0945066	030200209	217	0960126800	003033609	194	001013	314012004	142	103100055	003535309	168
0945071	340026011	187	0960126900	352012001	152	101401201	104401051	67	103100056	120361201	182
0945072	340005001	187	0960138000	310005011	125	10152	003535309	168	103100058	356022011	159
0945073	340008001	187	0960141100	315019001	123	1019867	0220037090	195	103100059	356009011	164
0945074	340011001	187	0960152300	351008022	155	1019868	0220021090	195	103100061	904053001	115
0945075	340013001	187	0960152400	352012001	152	1020012	315016021	122	103100062	054003009	220
0945077	334063001	149	0960162100	030350609	215	102061241	103003001	67	103100064	352032035	105
0945078	334064001	149	0960162300	030350209	215	1021029692515	12312C	23	103100065	361007001	161
0945079	350027002	155	0960163700	030200109	217	1021029692516	12311C	23	103100066	360014001	113
0945091	054002509	113	0960170900	334054201	149	1021029692517	12313C	23	103100067	950364412	91
0945114	352011102	163	0960171000	334055201	149	1021029692518	12314C	23	103100068	003607619	110
0945116	356009011	164	0960176100	334028001	148	1021029692521	79283C	55	103100070	352044001	153
0945121	054002909	220	09696390	334054211	149	1021029692522	79282C	55	103100072	334055201	149
0945124	355018011	154	09696451	030200209	217	1021029692945	70726C	25	103100075	059508809	87
0945152	120361101	181	0972003	75611715	97	1021029698373	83327	117	103100076	950364026	90

Reference	Haldex A.M.	Page
103100077	950364026	90
103100078	950364026	90
103100079	950364026	90
103100082	200015001	148
103100083	356010031	164
103100085	339023001	150
103100086	339022001	150
103100087	067002101	213
103100091	357012032	104
10315	72053C	30
1035	334028001	148
103550082	315019011	123
103689001	334028001	148
103689975	350020201	155
103857560	120351101	181
103857577	003033609	194
103857583	314012004	142
103857589	602005001	162
104006316	950549001	221
104015784	950531012	220
104015823	950532015	220
1042976	72425C	35
1042982	72393C	35
104401052	104401053	67
001045	334028001	148
104501052	104501053	68
105002001	79022D	48
105003001	79004D	47
105005001	72758C	42
105006001	72524C	37
105007001	72523C	36
105008001	72530C	37
105010001	79004D	47
105011001	79022D	48
105012001	72875D	44
105012011	72875D	44
105012111	72875D	44
105013001	72645C	40
105015001	72538C	37
105016001	72539C	37
105017011	72788D	43
105018021	72948S	47
105019001	72876D	45
105024001	70949C	28
105024111	70949C	28
10502963	950364102	80
105031011	72788D	43
105031111	79619D	59
10506328	352042011	107
10507180	332005141	107
10508	80011C	62
10509	80010C	62
10509581	334053201	148
10510928	950364054	90
10510929	950364408	91
10510930	950364026	90
10510969	027503209	96
10510975	357001002	104
10512231	314014012	142
10513902	059515609	87
10514338	950364081	80
10514340	950364048	82
10514863	027503109	96
10514864	027503509	96
10514865	024500309	96

Reference	Haldex A.M.	Page
10515731	334053231	149
10516	72054C	30
10516941	950364047	82
10517	72055C	30
10517674	364175101	87
10518505	003791909	96
10519193	059512509	97
10519194	059512409	97
10519195	059511409	97
10519196	059511509	97
10519197	059511709	97
10519198	059511809	97
10519199	059511609	97
10519200	059511909	97
10520510	352022001	107
10520866	76672	72
10522632	612035011	102
10522634	612035031	102
10522636	612035041	102
10523038	612035051	102
10523039	612035061	102
10523040	352028011	105
10523043	352035H30	105
10523385	950364103	80
10530598	612035021	102
1053223000	340008001	187
010535	950364048	82
10541224	612032001	102
10544	72039C	30
10545	72038C	30
10547	72878C	45
10548	72877C	45
10549709	338051101	100
10551437	79162C	52
10551439	79163C	52
10556832	79094C	50
10558174	334077001	109
10562	72884C	45
10562978	950364413	91
10563	72885C	45
10567742	79095C	50
10579508	027504309	96
10579513	027504409	97
10583260	059046009	113
106001021	100001021	64
106001025	100001025	64
106001125	100001125	64
106001721	100001721	65
106006001	103006001	67
106007001	100101047	65
106014750	100014750	65
106014753	100014753	65
10602918	200017041	148
10602919	339022001	150
010603	950364411	91
106060001	102060001	66
106062201	102062201	66
106066001	102066001	66
106101041	100101041	65
106101042	100101042	65
106101047	100101047	65
106101743	100101743	66
10610535	124100101	197
10610536	003033609	194
10613835	72875D	44

Reference	Haldex A.M.	Page
106172001	102172001	66
010618	950364026	90
010619	950364026	90
10622076	79619D	59
106407401	104407401	68
10642964	351008022	155
10643	80008C	62
10644	80009C	62
010649	950364412	91
106507401	104507401	68
001066	612035051	102
10661331	364384001	89
10674057	334063001	149
10674060	334064001	149
10717	70576C	24
10720588	364317011	81
10720591	352058001	153
10729	72253C	33
10769882	90498	117
10772	72260C	33
001081	357012031	104
10834	950338100	114
10838766	91309	118
10861108	950800421	92
10861110	950800431	92
10861112	950800441	92
10861120	815001101	81
108756/0	334047001	109
10878000	815012001	95
1088588	338050101	100
10886663	70627C	24
10889926	70626C	24
10889962	70626C	24
10889963	70627C	24
10891012	70634C	24
10901188	70624C	24
10901199	70583C	24
10901200	70582C	24
10907244	70510C	23
10907245	70511C	24
10907246	70512C	24
10913	79040C	49
10914	79041C	49
10956	72370C	35
10957	72371C	35
1097029	344008201	190
10971347	71347	123
10982	79195C	53
10983	79196C	53
10991	72554C	38
109912	334055211	149
109913	334054211	149
001101	003561409	194
11013281	72203C	32
11013284	72688C	41
11013285	72689C	41
11015752	72931C	46
11017281	71311	123
11017288	92671	124
001102	003033609	194
110227600	71311	123
110227601	71036	128
110227620	92693	124
110227621	77362S	131
110227630	78240	132

Reference	Haldex A.M.	Page
110227800	71323	123
110227900	71311	123
110227999	71311	123
110251100	314060001	141
110273701	71034	128
110273705	71202	120
110273710	78130	116
1103425	612031001	102
110442	314012001	142
110443	314014001	142
110444	314013002	142
1104456	338032001	100
11049395	72517C	36
01105200	030363609	215
01105210	003000809	217
11054100	76842	72
11059831	92060	118
1108061	79368C	57
1108062	79369C	57
1111419000	333004001	158
011115109	950338100	114
1111523000	356023001	159
1111524000	356022011	159
1111526000	356023001	159
1111529000	356012061	159
1111532	84579	73
1112001000	351012001	162
11121636	78988	117
1112829	72663C	40
1112830	72664C	40
1112831	72662C	40
1112832	72654C	40
1112833	72660C	40
1112834	72661C	40
1112835	72666C	40
1112836	72665C	40
1112837	79347C	56
1112838	79348C	56
1112839	72825C	44
1112840	72826C	44
1112841	72654C	40
111301529	059046409	113
1115310	74228S	72
1115311	74229S	72
1115312	74230S	72
1115315	74233S	72
1115316	74234S	72
1115317	74235S	72
1118692	950328005	176
1118884	90554147	103
01121774	065000109	218
0112227	314060001	141
11273	352044001	153
001128	356009011	164
1130617	314060001	141
0011315201	301205101	137
0011315401	301205101	137
1132626	340026001	187
1134293	72717C	41
1134294	72718C	41
1134295	72715C	41
1134296	72716C	41
1134297	72713C	41
1134298	72714C	41
1134451	72719C	41

Cross Reference

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
1134452	72720C	41	120172	120361101	181	12242	72896C	45	13010072	601013011	162
1134829	72721C	41	120173	310005011	125	12257	72931C	46	13010086	357004021	104
1134830	72722C	42	120174	314001001	158	12258	72932C	46	13010150	356001001	159
1135002	356006011	159	120175	314012003	142	1227274	72530C	37	13010220	352007401	152
1135004	72667C	40	120177	333004001	158	01227297	356001001	159	13010250	120341101	181
1135394	72906C	46	120183	338051101	100	01227300	360009241	107	13010260	120351101	181
1135395	72907C	46	120184	1362430001	185	12277	72929C	46	13010265	120361101	181
01135961	314014001	142	120185	350026002	155	12278	72930C	46	13010266	356005102	164
1136430	72915C	46	120186	352018011	153	12279	72928C	46	13010267	356009011	164
1136431	72916C	46	120187	352019011	153	12280	120351101	181	13010268	350026002	155
1136432	72723C	42	120188	352045001	123	12285	79440C	57	13010269	602005001	162
1136433	72724C	42	120189	352047100	105	12286	79441C	58	13010273	356005101	164
1137064	72929C	46	120190	950364405	90	001232	334047001	109	1301163	554005001	107
1137065	72930C	46	120191	950364405	90	12326	79056C	49	13021100	334025031	148
114051990	612032001	102	120194	364317001	81	12335	80001C	62	13021101	334055201	149
114051991	612025001	113	120196	364357001	89	12336	80000C	62	001303	352032045	105
114053538	003616009	94	120197	602005001	162	12344	79146C	52	001304	360014001	113
0114200618	344032101	191	120198	612025001	113	1234403	72794C	43	001305	003607619	110
0114200718	344030101	191	120199	612035051	102	1234404	72795C	43	1306090	024043109	196
0114200818	344026101	190	120207	352047040	105	12345	79147C	52	130700350707	024006809	219
0114200918	344024101	190	120216	950364419	91	12348	79097C	50	1309074	79179C	53
0114201018	344017101	190	120234	356009011	164	12349	79098C	51	1309075	79180C	53
0114203118	346101001	185	120236	364340011	88	124041301	124100301	197	1311809	79167C	52
0114203218	346101002	185	120248	003607619	110	124100101P	124100101	197	1311810	79168C	52
0114205218	346101001	185	1203026	71317	123	0124201018	346100002	185	1314214300	1362430001	185
0114205318	346101002	185	120321101	345125110	184	0124202418	343314001	192	13142144200	1351624004	185
011539	027047009	172	1203250	71318	123	0124204618	950343006	198	1316287	79181C	53
011540	027047109	172	120540090	0120540090	194	0124204718	950343005	198	1316288	79182C	53
011541	025052309	171	0120627090	014718309	169	0124204818	343101001	192	13180	102172001	66
011623	003792009	96	120916312	125160400	183	0124205718	344044001	191	1319154	92695	124
11629	028003009	166	120920330	125200405	183	0124206718	343102001	192	13219	334028001	148
001163	612025001	113	120920331	125200406	183	0124206818	343201001	192	1324357	79105C	51
11707463	89477S	133	120924314	125240404	183	0124206918	343315001	192	1324358	79106C	51
118501070	042548009	97	120924321	125240403	183	1242589	72834C	44	1325309	72875D	44
118502887	042548109	97	120924322	125240402	183	1242597	72833C	44	1325310	79005D	48
1186524	102172001	66	120924323	125240401	183	1242598	72834C	44	1325311	70949C	28
1186715	355018001	154	120924327	125240400	183	124799	334004001	148	1325312	79023S	49
11899	79005D	48	120924332	125240406	184	1259814	339018001	149	1325313	72788D	43
1191418	77885	73	120924333	125240405	183	1259823	339019001	149	1325314	76979	73
1194016	314001001	158	120931311	120361291	182	1260358	71325	123	1325315	76980	73
1194339	356013011	159	12103554	72538C	37	12630	79022D	48	1325316	03003	71
1194362	102172001	66	12103631	72539C	37	1263485	72886C	45	1325317	76986	73
119506	70945C	28	121064003	121264003	183	1263486	72887C	45	1325318	76995	73
1195314	72791C	43	12137	72879C	45	1267842	72550C	38	1325319	76996	73
1195315	72792C	43	12138	72880C	45	1267843	72550C	38	13301	338021001	100
1195316	72944C	47	12143	76995	73	1271169	026003209	171	1331360921	329006121	146
1195321	72942C	46	12143/A	76995	73	1271170	026003309	128	1335985	79787C	61
1195322	72943C	46	12143/B	76996	73	1273942	950364215	83	1335986	79786C	61
1195461	72782C	43	12144	76012	70	12763	030351209	215	1340687	334028001	148
1195462	72783C	43	12159	72688C	41	1276868	76046	72	1340714	340005001	187
1196321	72678C	41	12160	72689C	41	1282040	027001309	128	1340738	340026001	187
1196322	72726C	42	12185	79142C	52	1282111	79024C	49	1340855	351008022	155
1197965	72784C	43	12186	79143C	52	1282112	79025C	49	1341116	601002021	162
1197966	72785C	43	12187	79144C	52	001284	352028011	105	1341117	315016001	122
11M018M	124100101	197	12188	79145C	52	12867	314013003	142	0134200218	344046001	191
120015100002	79112D	51	12192	72881C	45	12868	334047001	109	0134203518	950343007	198
12010409	012010409	168	12193	72882C	45	12869	357004025	104	13471	356022011	159
120108	950532032	221	12198	79057C	49	001296	352045001	153	013480	024041709	219
120147	003033609	194	12199	79058C	50	001299	314001001	158	013484	950532029	221
120148	003561409	194	12204	79059C	50	001300	352019011	153	135027/2	72459C	36
120167	032071409	112	12205	79060C	50	001301	333004001	158	1350817	76046	72
120168	059046009	113	12212	72883C	45	13010020	031000909	112	13515	031000209	172
120169	120331101	181	12226	72888C	45	13010030	310005011	125	13517	312019011	138
120170	120341101	181	12234	72871C	44	13010050	334063001	149	1354873	78984	117
120171	120351101	181	12235	72853C	44	13010055	334064001	149	1354874	78985	117

Reference	Haldex A.M.	Page
1356695	79551C	59
1356696	79550C	59
1358634	79442C	58
1358635	79443C	58
1358940	100101743	66
1360865	612031011	102
01371008	950355013	177
1372187	79577C	59
1372188	79578C	59
01374148	950328002	176
1376685	024041709	219
1377474	90054007	103
1377554	78801S	132
1381813	78964	132
1381814	78801S	132
1381815	87346S	133
1381816	87348S	133
1381817	87347S	133
1381818	78150S	131
1381819	77244S	131
1384264	950364503	84
1384666	51326	72
1384776	334043001	148
1387552	78984	117
1387553	78985	117
1387554	78801S	132
1387718	79022D	48
1390707	531040001	218
1390718	334047001	109
1390729	567002002	104
1393551	78964	132
1397003500708	024002609	219
139700350703	024032309	170
139700350704	024030109	170
139700350705	024023309	170
139700350709	025034809	171
139700350711	021051809	195
139700350712	021040909	195
139700350714	025014109	170
139700350717	027018009	172
139700359713	021006509	194
14000696	950531016	220
14000697	024041709	219
14000699	024043109	196
14002050	950532032	221
1402147	339019001	149
1402149	339018001	149
14031	70720C	25
14032	70720C	25
14062109	014062109	168
1407139	90554663	103
1407275	025040609	219
1407277	025040509	219
014107709	75611901	85
1411239	011102409	168
1414345	78150S	131
14165	352028013	105
1417083	025038209	196
1417084	022017409	195
1417556	023000109	195
1418453	011100009	168
00000001424759	041009809	112
001426	352062101	106
014265271135	72416C	35
14271	79023D	49

Reference	Haldex A.M.	Page
0014290030	334066001	149
0014290244	314013005	142
0014290844	355018071	154
0014291944	314012005	142
0014292044	355018071	154
0014292144	355093001	154
0014293044	355018011	154
0014293844	314013006	142
0014294044	314013002	142
0014294144	314013005	142
0014294644	314013002	142
0014294744	314013001	142
0014294844	314013006	142
0014294944	314014003	142
0014295144	314014001	142
0014295244	314012003	142
0014295344	314012001	142
0014295444	355018011	154
0014296044	314013003	142
0014296144	314013005	142
0014296344	314012002	142
0014296444	314012004	142
0014296544	314012005	142
0014296844	355018071	154
0014297344	314013001	142
0014297444	314013002	142
0014297544	314014001	142
0014297644	314014002	142
0014297744	314012001	142
0014297844	314012002	142
0014297944	314012003	142
0014298044	314012004	142
0014299144	355018071	154
0014299844	314012003	142
0014301060	950344003	198
1430391	87348S	133
0014305260	950344004	198
0014305360	950344005	198
0014309460	950355024	178
0014310006	312017014	138
0014310315	71209	120
0014310606	312017014	138
0014311015	71202	120
0014311206	312017014	138
0014311306	314060001	141
0014311314	344010001	190
0014311506	314060001	141
0014311660	024006609	219
0014311760	024032809	170
0014312006	314060001	141
0014312206	312017012	138
0014312286	025034009	196
0014312915	77304	116
0014313006	314059001	141
0014313406	312017014	138
0014313906	314059001	141
0014314106	312017012	138
0014314206	312017012	138
0014314306	312017012	138
1431537	87347S	133
0014315615	78130	116
0014315806	314060001	141
0014315906	314060001	141
0014316106	312017041	138
0014316506	312017041	138

Reference	Haldex A.M.	Page
0014319006	312017041	138
0014319106	312017041	138
1432866	950531010	220
1433291	89446S	133
14430	334054211	149
14431	334055211	149
1444940X1	314012004	142
1446687	950364104	82
014468	024039609	196
1448135	025054309	196
14503	80019D	62
14505	80022D	62
14507	80023D	62
14511	80020D	62
14512017	79022D	48
14513	80020D	62
14518	90554147	103
1451839	90554663	103
1452423	72521C	36
14525	72534C	37
14526	72534C	37
14533	79006C	48
14537	72662C	40
14538	72662C	40
14539	72663C	40
14540	72664C	40
14541	72727C	42
14542	72728C	42
14543	79013C	48
14544	79014C	48
14545	80024D	62
14549	72654C	40
14550	72654C	40
14553	72723C	42
14554	72724C	42
14555	72721C	41
14556	72722C	42
14557	72655C	40
14558	72656C	40
14559	72657C	40
14560	72658C	40
14561	72729C	42
14562	72730C	42
14563	72744C	42
14564	72745C	42
14565	79011C	48
14566	79011C	48
14567	79019C	48
14568	79012C	48
14569	72524C	37
14570	72523C	36
14571	72782C	43
14572	72783C	43
14573	79271C	55
14574	79271C	55
14575	72902C	45
14576	72901C	45
14578 (LAMBERET)	314001001	158
14578 (SBT)	79019C	48
14581	72660C	40
14582	72661C	40
14583	79443C	58
14584	79442C	58
14585	72947C	47
14586	72947C	47

Reference	Haldex A.M.	Page
14587	72910C	46
14588	72910C	46
14589	72784C	43
14590	72785C	43
14593	72688C	41
14594	72689C	41
1459470	950364081	80
14607	79014C	48
14608	79013C	48
14611	72747C	42
14612	72746C	42
14615	79152C	52
14616	79153C	52
14617	79150C	52
14618	79151C	52
14619	79303C	56
14620	79303C	56
14621	79298C	56
14622	79298C	56
14629	79301C	56
14630	79302C	56
14631	79309C	56
14632	79308C	56
14633	79294C	55
14634	79295C	55
14645	72535C	37
14646	72535C	37
14651	79299C	56
14652	79300C	56
1465201542	100101009	65
1465201811	100101006	65
1465201911	100101008	65
1465202011	104501401	68
1465202021	104401401	68
1465300151	70851C	26
1465300161	70852C	26
1465300611	72428C	36
1465300711	72262C	33
1465300811	72429C	36
1465300911	72521C	36
1465300921	72522C	36
1465301011	72938C	46
1465301021	72937C	46
1465301211	79003C	47
1465301221	79002C	47
1465301311	79003C	47
1465301321	79002C	47
14685	70976C	28
14686	70975C	28
14687	72536C	37
14688	72537C	37
14693	72213C	32
14694	72213C	32
14695	72810C	43
14696	72809C	43
14697	70706C	25
14698	70706C	25
14699	72212C	32
14700	72211C	32
14701	79209C	54
14702	79208C	53
14703	79225C	54
14704	79226C	54
14705	79217C	54
14706	79216C	54

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
14707	72059C	30	14822	79016C	48	156035	030200609	217	0159537	357004021	104
14708	72059C	30	14823	72827C	44	0015614	024000109	170	0159556	72523C	36
14709	70870C	27	14840	334055211	149	156205	334055211	149	0159557	72524C	37
14710	70870C	27	14841	334054211	149	156210	334054211	149	0159558	72525C	37
14711	79201C	53	14842	310005011	125	156245	334028001	148	0159559	72526C	37
14712	79201C	53	1487432041	031000209	172	156320	314012004	142	0159560	72530C	37
14713	79212C	54	1487434901	950310009	134	156325	554020001	108	0159561	72542C	37
14714	79212C	54	1489999010	065000109	218	156330	356022031	159	0159562	72543C	37
14715	72061C	30	1492038	92797	124	156339	612025001	113	0159563	72544C	37
14716	72060C	30	15/105400	68470020	220	156345	333004001	158	0159564	72545C	37
14717	80008C	62	15/901300	334054201	149	156375	1363030001	185	0159565	72535C	37
14718	80009C	62	15/914402	378763	220	0015656	334004001	148	0159569	72546C	37
14719	79227C	54	15000189	71311	123	156640	315019001	123	159570	72546C	37
14720	79227C	54	1501311	104401053	67	156655	310005011	125	0159576	72547C	37
014720609	76924	70	1503227	314014003	142	156675	031000909	112	0159577	72548C	37
14721	79210C	54	150371313	71313	123	156680	352045001	153	0159578	72553C	38
14722	79211C	54	15050438	356006011	159	156692	360009241	107	159579	72553C	38
14723	79215C	54	1505065	334064001	149	156710	351008022	155	0159587	72536C	37
14724	79215C	54	1505324	104401053	67	156715	352018011	153	0159588	72537C	37
14725	79207C	53	1505325	104501053	68	156725	601002021	162	0159589	72538C	37
14726	79207C	53	150971206	71206	120	156990	602005001	162	0159590	72539C	37
14727	72527C	37	015114	025048209	171	1570532	361006306	161	0159591	72540C	37
14729	72834C	44	15151	356005102	164	1571482	79698C	60	0159592	72541C	37
14730	72833C	44	1517019	51326	72	15754	120341101	181	01600004	120330201	181
14735	70771C	25	1517531	45424	71	157756	104501051	68	16103	70802C	26
14736	70772C	25	1518181	314096501	141	157954/2	72647C	40	16104	70803C	26
14739	79305C	56	1518186	314059001	141	157955/2	72646C	40	1612816	207012001	152
14740	79304C	56	1518801	63008	72	158025	612035071	102	1612817	207013001	152
14755	70775C	25	1518806	74402S	72	1581466	72905C	46	01613200	104507401	68
14756	70775C	25	1518807	74920S	72	1581471	72902C	45	01613300	104407401	68
14763	79024C	49	1518808	74447S	72	1581472	72901C	45	1614534	314060001	141
14764	79025C	49	1518809	74419S	72	1581476	72912C	46	01620033	120350203	181
14765	72696C	41	1518957	74404S	72	1581478	70642C	25	16232	352047040	105
14766	72695C	41	1520894	78164	131	1581479	70641C	25	1626102	338050101	100
14767	72548C	37	1522431	78240	132	1581480	72903C	45	163003720	321015001	165
14768	72548C	37	15233807	33090001	218	1581481	79697C	60	16310709	016310709	169
14769	72529C	37	15237497	612017061	102	1581482	79698C	60	16320	338051101	100
14770	72529C	37	15245913	71240	119	1581483	72805C	43	16322	350036011	159
14771	72794C	43	15265411	33900082	197	1581484	72806C	43	16338	364317001	81
14772	72795C	43	15265542	71240	119	1581485	72668C	40	16369	352051140	106
14773	70518C	24	15265559	71053	128	1581486	72669C	40	16386	378731	197
14774	70518C	24	15265560	71054	129	1581487	72913C	46	1638955	025040609	219
14779	70950C	28	15265561	71057	129	1581490	72904C	45	1638988	025040509	219
14780	70950C	28	15265562	71059	129	1581491	72914C	46	16392	376102	220
14781	72609C	39	15265563	90362	133	1581492	72670C	40	164290/2	72460C	36
14782	72608C	39	15266	360009341	107	1581493	72671C	40	164464	352011122	163
14791	72137C	31	15266879	33900001	197	1581535	74908S	72	1644815	79011C	48
14792	72138C	31	15267271	73481S	130	1581800	72908C	46	1662200	80008C	62
1480109049	025002109	170	15267272	76283S	130	1584598	334063001	149	1662201	80009C	62
1480210223	024004609	219	15362	341032011	189	1584599	334064001	149	16631	334063001	149
14809	72704C	41	15363	352053001	107	1586190	72668C	40	16650193	334028001	148
14810	72705C	41	0015399	024031109	195	1586191	72669C	40	16650195	340026001	187
1481101021	028003009	166	15432	042572209	97	1586192	72670C	40	16650196	356009011	164
14813	79008C	48	15433	042566409	97	1586193	72671C	40	16650197	350026002	155
1481335014	334028001	148	15434	950364072	90	1586194	79178C	53	16650198	310005011	125
14814	79007C	48	0015444	026003209	171	1587482	70946C	28	1666003	72670C	40
14815	79288C	55	0015448	025015519	196	1590239	72909C	46	1666004	72671C	40
14816	79289C	55	0015465	029000109	172	1592871	72672C	40	1666050	72672C	40
14817	79441C	58	001548	360009141	107	1592872	72673C	40	1666051	72673C	40
14818	79440C	57	0015500	025009109	196	1592873	72674C	40	1670000	100101047	65
14819	72540C	37	001550909	950364023	98	1592874	72675C	41	1670000J13180	100001027	64
14820	72540C	37	0015519	025009709	196	1592875	72725C	42	16724	357012031	104
14821	79015C	48	156010	030351209	215	1592876	72676C	41	01680268	315016001	122
148214/4	72462C	36	156020	030200309	217	1592877	72677C	41	1681550	92695	124
148215/4	72461C	36	156030	030352009	215	1593150	314060001	141	16879	72788D	43

Reference	Haldex A.M.	Page
1691870	029000109	172
1695060141	77497	116
1695060142	78754	116
1695147	74921S	72
1695148	74966S	72
1695488	74448S	72
1695683	74412S	72
1695810100	78964	132
1696128	74983S	72
1696184	52717	72
1696553	84579	73
1696573	74472S	72
1698334	76878	72
17096	338051111	100
17100455	027503209	96
17100490	950364104	82
17101020	950364081	80
17101025	950364048	82
17101060	950364408	91
17101075	950364026	90
17101080	950364026	90
17101090	950364026	90
17101095	950364026	90
17101105	950364410	91
17101110	950364410	91
17101150	950364412	91
17101160	950364412	91
17101165	950364413	91
17101180	950364033	90
17101185	950364406	90
17101188	364357001	89
17101196	950364081	80
17101295	024500309	96
17101300	059512509	97
17101320	950364502	84
17101670	950364503	84
17102228	364328001	94
17102234	950364418	91
171400/2	72921C	46
171401/2	72922C	46
1716100021	77359S	131
1721825	338021001	100
17222353	72359C	34
17222354	72261C	33
17303	059046009	113
17304	206001011	122
17305	207012001	152
17306	0270510090	172
1733111	92797	124
174201	51326	72
0174204318	344051001	191
0174209318	343251001	192
1743859	93729	118
1745174	92992	124
175207	120341101	181
175208	120351101	181
175209	120361101	181
175210	003033609	194
175552	352042001	107
1760822	92573	124
0178529	70903C	27
179100360009	334064011	149
17914	612035041	102
17915	612046011	102
179171	314014001	142

Reference	Haldex A.M.	Page
179979	76046	72
179980	51420	72
179982	74376S	72
18003	0220501090	169
001802	310005011	125
18048B	102060001	66
001805	612035021	102
18050	102062201	66
18053	048007609	71
18057/B	102172001	66
18091	0250501090	166
18092	0250503090	166
18116/B	102066001	66
18205	205001001	158
18211	612017061	102
18214	612035031	102
18219	314013001	142
18231	205004001	158
18233	356022011	159
18235	352044001	153
182366000	950364081	80
182367000	950364048	82
182368000	950364047	82
182369000	950364406	90
182370000	950364033	90
182371000	950364405	90
182373000	950610040	92
182374000	950610030	92
182375000	027503209	96
182376000	024500309	96
182377000	950364026	90
182378000	950364026	90
182379000	950364026	90
182380000	950364026	90
182381000	950364026	90
182382000	950364026	90
182383000	950364412	91
182384000	950364412	91
182385000	950364412	91
182386000	950364050	90
182387000	950364050	90
182388000	950364050	90
182389000	950364413	91
182390000	950364413	91
182391000	950364413	91
182394000	950364054	90
182395000	950364054	90
182396000	950364054	90
182397000	950364054	90
182398000	950364054	90
182399000	950364054	90
182427000	334043001	148
182430000	334007001	148
182432000	334072001	149
182433000	334071001	149
182434000	334064001	149
182435000	334063001	149
182436000	334054211	149
182437000	334054201	149
182438000	334055211	149
182439000	334055201	149
182441000	338021001	100
182447000	334007001	148
182449000	025048209	171
182450000	334047001	109

Reference	Haldex A.M.	Page
182455000	334004001	148
182457000	334028001	148
182471000	352011122	163
182473000	352011102	163
182474000	352011102	163
182476000	352018011	153
182484000	351008022	155
182485000	351022001	156
182492000	350020201	155
182500000	350001101	155
182508000	350028001	155
182517000	352005401	152
182518000	350026002	155
182521000	350027002	155
182526000	352007401	152
182527000	356005102	164
182536000	356005101	164
182537000	356006011	159
182551000	356010011	164
182553000	357012021	104
182554000	357012031	104
182556000	314012004	142
182559000	314012001	142
182563000	352001001	152
182565000	310005011	125
182567000	031000909	112
182572000	315019011	123
182575000	357004021	104
182585000	352012001	152
182587000	357004024	104
182598000	356009011	164
182604000	602005001	162
182605000	602005001	162
182609000	601002021	162
182610000	601013011	162
182611000	601013011	162
182613000	028028009	166
182615000	003480209	168
182631000	355018011	154
182670000	340029001	187
182674000	340026001	187
182678000	340005001	187
182682000	340008001	187
182686000	340011001	187
182690000	340013001	187
182694000	025015519	196
182696000	025015719	196
182710000	025002109	170
182797	356009011	164
182803000	120311101	181
182806000	345125110	184
182811000	120331101	181
182816000	120341101	181
182821000	120351101	181
182826000	120361101	181
182832000	003033609	194
182833000	003561409	194
182842000	344008221	190
182846000	344008231	190
182921000	057012209	197
182937000	030351709	215
182967000	364077021	87
182968000	364077031	87
183000000	905002001	218
183278000	028003009	166

Reference	Haldex A.M.	Page
1835100541	77244S	131
18628	120434203	182
186845	031000909	112
18803400541	100106005	66
188100	025022609	196
18845	355018001	154
18853	121234003	183
18876	351012001	162
18880	102060031	66
18883/B	100114075	66
1890003604441	334043001	148
18904	120330201	181
18905	120340203	181
18906	120350203	181
18908	121150003	183
189100360010	315016001	122
1891003601271	334063001	149
1891003601281	334064001	149
18972000	950364045	82
18974/B	103007001	67
190002	003575709	111
190003	612025001	113
1900123	314013012	142
190024	333004001	158
190026	360009141	107
190038	314012004	142
190039	310005011	125
190073	612032001	102
00190085	357012031	104
190101	360014001	113
190108	352032030	105
190117	612035051	102
190120	352035H30	105
190121	904053001	115
00190122	334047001	109
190123	314013012	142
190140	315019011	123
190141	357012031	104
190157	338051101	100
190158	352051100	105
019058	532132011	218
190656	104407401	68
190657	104507401	68
00190875	032071409	112
1909008	357004051	104
19200	950364501	84
19202	950364101	80
19203	950364104	82
19204	950364108	98
19207	75611817	85
19219	018500509	85
19222	950364503	84
19224	950364081	80
19226	018500409	85
19228	059509809	87
19229	950364506	84
01923670	560030001	144
0194201618	343252001	192
1944551	79581C	59
1944552	79582C	59
194778	102172031	66
1953	341032011	189
0001957710	78211	116
0001957711	78209	116
0019598	315004001	140

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
1971035	78217	116	2041337	950364503	84	210324000	340005001	187	2175021900	72581C	38
1978051	541033011	188	20424148	78964	132	21048309	021048309	111	00000000217637	023001919	169
0019821	356001001	159	20424901	905495	134	021147007	030350609	215	00000000217640	024026509	195
0019837	315019001	123	0204312	003400819	194	2116460	025012209	112	218684	100101366	66
1987434001	950310009	134	0204319	025015629	196	21208418	612035031	102	218685	100101009	65
1990	612032001	102	0204733	029006009	196	21208418L	003575709	111	218692	104501051	68
1991	612025001	113	20491386	339020001	149	21208430	310005011	125	218693	104501051	68
0019976	313019021	126	20491394	339021001	149	21208433	314013002	142	218832	100101366	66
199878	72641C	39	20518595	92793	124	21209515	75611817	85	218833	72744C	42
19994	950356003	178	20546795	78964	132	21209516	75611818	98	218834	72745C	42
19996	030200309	217	205723	314001001	158	21209517	003755509	84	219859	79106C	51
20000	003038009	168	206005001	315019001	123	02121	341032011	189	219860	79105C	51
2000000225	950532029	221	20607	025002109	170	21213034	950364503	84	219997	72655C	40
2000001161	024002709	195	20631	025015519	196	21213036	059512309	97	219998	72656C	40
2000001167	024039609	196	20632	025015719	196	21217566	76670	72	0220001090	025048209	171
2000001172	024041709	219	20641	352045001	153	21217567	76012	70	0220003090	025045309	196
2000001178	950532032	221	20642	612035011	102	21217568	72359C	34	220004090	0220004090	195
20001	030200109	217	20666	035005609	218	21217569	72261C	33	220005090	0220005090	195
200015021	339022001	150	2072360	602005001	162	21219681	103007001	67	220007090	0220007090	195
200015031	339019001	149	20733885	92926	118	21219998	103006001	67	220015090	0220015090	195
200017011	339023001	150	20733886	92925	118	21220408	76924	70	0220018090	025040709	196
200017051	339018001	149	20745320	92939	124	21220861	612017061	102	0220019090	025040809	196
20002	030200209	217	208001011	356023001	159	21222694	72788D	43	0220020090	025040909	196
200020011	339019001	149	208001061	356012061	159	21222873	70802C	26	220021090	0220021090	195
200021011	339023001	150	208003001	356013011	159	21222874	70803C	26	220025	601013011	162
20004	030200409	217	208003031	356022011	159	21222885	76672	72	220040	350026002	155
20005	030200609	217	208003041	356022011	159	21222911	76668	72	2200561001	338052101	100
020005228545	025009709	196	20850	100101743	66	21222924	72917C	46	221733	72657C	40
020005229558	950531013	220	20855	100101047	65	21222925	72918C	46	221734	72658C	40
020005233390	021016309	169	209923	79067C	50	21223694	72788D	43	221737	72746C	42
020005236233	029000109	172	20E30K1340	024002709	195	21223695	77975	73	221738	72747C	42
020005236388	011100009	168	20E30K1410	024039609	196	21223696	76995	73	222554	334004001	148
020005236394	003005209	168	20E30K1420	024041709	219	21223697	76996	73	2230108250	350036001	159
020005236517	315019001	123	20E30K1540	950532015	220	21224117	78480	73	223333	72551C	38
020005241920	950532032	221	20E30K1550	950532040	221	21224118	78481	73	2241919410	067001802	213
020005243826	950532037	221	20G60K1960	053002209	173	21224345	79183C	53	2241919420	067001602	213
2000900	950364419	91	20G68K1160	357004021	104	21225220	79098C	51	225440	104501051	68
20032	031000909	112	20G68K3020	024013509	219	21225221	79097C	50	225441	104501051	68
2008080	121254003	183	2100011000	75611384	85	21225222	79098C	51	225442	104501051	68
2009400	357012031	104	2100059000	014700809	96	21226978	79051C	49	225443	104501051	68
201016011	351022001	156	2100200001	100001021	64	21227325	79160C	52	2264484301	950610030	92
201020020	355018001	154	2100200006	100001027	64	21229249	72788D	43	2264484302	950364403	90
2011230	N30200AG	167	2100200007	100101040	65	21229250	70802C	26	2264484303	950364402	90
20120	315016001	122	2100200008	100101041	65	21229251	70803C	26	226521	315016001	122
20121	315019011	123	2100200011	100101042	65	21229280	79097C	50	226730	344008221	190
2015772	950364101	80	2100200012	100101047	65	21229281	79098C	51	226731	344008231	190
2015795	950364501	84	2100200102	100001125	64	21229285	79028C	49	002275	79005D	48
20166	334028001	148	2100200108	100101145	65	21229286	79029C	49	0229160000	905002001	218
2021215131	100101047	65	2100200701	100001721	65	21229290	79183C	53	022956	024002709	195
20224	345125110	184	2100200703	100101743	66	21290	351008022	155	229739	45424	71
20233	120341101	181	2100201101	100002166	65	021296000	341004011	189	229817	45425	71
2026606	950364211	82	2100201201	100002568	65	0021313601	301205101	137	23002209	023002209	169
2028370	065000109	218	210021	030350509	215	021428	028021609	166	23003909	023003909	169
2035185	950364104	82	2100212902	104507401	68	02155060	030350609	215	02313185	560035001	144
2035522	612017061	102	2100212903	104407401	68	0215547	314001001	158	231328001	314001001	158
20367372	78990	117	210024	120331101	181	21580	352018021	153	02316320	025009109	196
20367373	78988	117	210100	340026001	187	215850	72654C	40	02316340	024010209	219
20382302	78988	117	210102	340005001	187	2175001002	100101145	65	02316684	014000809	168
20382303	78990	117	210104	340008001	187	2175003700	100101047	65	02316691	027018009	172
20392571	78988	117	21011609	021011609	194	2175007400	100101743	66	02316692	021040909	195
20392573	78990	117	21013180	102060001	66	2175007700	100001025	64	2321243	72930C	46
20393894	78990	117	210201	120311101	181	2175015600	79005D	48	0233170300	950364502	84
20399131	78988	117	210209	120351101	181	2175016800	79005D	48	02357860	054002409	220
20401656	78988	117	0210241200	031000909	112	2175016900	72875D	44	002368	364345001	88
20401657	78990	117	0210242000	310005011	125	2175020200	79005D	48	02369	364340011	88

Reference	Haldex A.M.	Page
02373	360009141	107
24011609	024011609	195
24023909	024023909	219
24033509	024033509	170
024033609	024027609	128
024033809	024010209	219
0240505090	027047009	172
0240506090	027047109	172
0240510090	027049009	112
240541126	334028001	148
024089	100001021	64
024090	100001721	65
0024290044	314012005	142
0024290344	314013003	142
0024290744	355018071	154
0024290844	314014005	142
0024290944	314014005	142
0024291544	314001001	158
0024293844	025003209	170
0024294244	314013008	142
0024295244	314013003	142
0024295444	314013005	142
0024296344	314013006	142
0024296544	314013008	142
0024296744	314014003	142
0024296944	314014005	142
0024297044	314012005	142
0024298844	025003209	170
0024300860	71036	128
0024303760	71376	129
0024308281	73482S	130
2430GCMEXLS	1362430001	185
0243100800	338021001	100
0243101700	356006011	159
0243102400	314012004	142
0243102700	314012004	142
0243103100	315019001	123
0243103400	360009141	107
0243103600	554005001	107
0243105300	612035031	102
0024310606	314060001	141
0243107100	314001001	158
0243111100	357012031	104
0024311306	314059001	141
0024313406	312017014	138
0024314606	312030001	138
0024317306	314096501	141
0024317406	314096501	141
0024317606	314096501	141
0024317806	314096501	141
0024319206	314059001	141
0024322040	334004001	148
0024322049	334063001	149
0024322050	334064001	149
0024328001	92693	124
024490	100001760	65
24500309	024500309	96
246100001	041013609	128
0024624004	315018001	123
246392	72947C	47
0024732024	314060001	141
24733005	355018011	154
0024733006	355018011	154
002486	027066509	112
25002109	025002109	170

Reference	Haldex A.M.	Page
2500354	352051100	105
2500537	352047035	105
25007509	025007509	112
25009109	025009109	196
025011609	025048209	171
25015509	025015519	196
25015519	025015519	196
025016409	0220005090	195
025020009	0220004090	195
25021309	025021309	171
25022609	025022609	196
25034109	025034109	171
25034409	025034409	171
025034609	0220021090	195
025037509	0220007090	195
25037909	025037909	219
25040709	025040709	196
25040809	025040809	196
25040909	025040909	196
025043609	0220021090	195
25046609	025046609	112
25048209	025048209	171
25049209	025049209	96
025053809	025034009	196
25081300000	065000109	218
02515052	334004001	148
02516828	314014001	142
02516835	334025031	148
02516904	334025031	148
02516914	314060001	141
02516965	314060001	141
02520184	314060001	141
02520243	315019011	123
2530121714406	014000809	168
02530121714911/Q	025003209	170
2530121732342	030350609	215
2530123255244	314096501	141
2530233255244	314096501	141
02533166	334004001	148
025375	025040909	196
253855	72330C	34
0025400897	950338013	114
0025401172	041013609	128
254128860	71323	123
256491007	065000109	218
0025865943	950355010	177
0025866043	950312007	175
2600005000	75610828	85
2600027000	014705709	96
266673	100101364	66
2684395	531049021	218
02699	950364503	84
2700020000	72180C	32
2700021000	72181C	32
2700029000	76668	72
2700031000	12132C	23
2700039000	72864C	44
2700040000	72939C	46
2700045000	72199C	32
2700046000	72199C	32
2700048000	79133C	51
2700052000	79184C	53
2700054	79184C	53
2700054000	79461C	58
27022209	027022209	172

Reference	Haldex A.M.	Page
270588	73354S	129
270589	73351	129
270591	71053	128
270592	71054	129
027062009	950338027	114
27066509	027066509	112
27122	76995	73
27123	76996	73
27161	79459C	58
27161A	76995	73
27161B	76996	73
2724019058	532132011	218
272800	76046	72
27297	79293C	55
2735963MI	68470020	220
002736	120361201	182
002743	334063001	149
002745	601013001	162
002747	950532032	221
27503109	027503109	96
27503209	027503209	96
27503309	027503309	96
27503509	027503509	96
27504309	027504309	96
27504409	027504409	97
27504509	027504509	97
275080000	N30190Y	139
002756	003480209	168
002758	350026002	155
276518	100101366	66
276525	72663C	40
276526	72664C	40
276576	72664C	40
278350	72523C	36
278351	72524C	37
278678	72530C	37
278679	72530C	37
278737	72660C	40
278738	72661C	40
278739	72662C	40
279234	72527C	37
279243	72529C	37
279244	72529C	37
0280001090	022020909	195
28025	100215921	66
28026	100315921	66
28027909	028027909	166
28028009	028028009	166
28035509	028035509	110
028041009	028041019	110
281090	72525C	37
281091	72526C	37
281094	72531C	37
281095	72531C	37
281852	100213749	66
281853	100313749	66
28191	612032001	102
00028194	056003309	173
281966RH	104501051	68
281967LH	104501051	68
281968RH	104501053	68
281969LH	104401053	67
282609	72534C	37
282610	72534C	37
02828800	102925394	67

Reference	Haldex A.M.	Page
283210	63008	72
283215	74453S	72
283221	74758S	72
02835	356001001	159
2842013480	024041709	219
284860	72535C	37
028500	100101364	66
028510809	950364702	95
285951	104401201	67
285952	100101364	66
286952	100101364	66
028700	104401201	67
2871559M91	301112003	137
2871559T91	301112003	137
28743	355093001	154
028800	104501201	68
289691	72536C	37
289692	72537C	37
0002901667	950321021	176
0002902012	950321023	176
0002902112	3210015001	165
0002902512	950321025	176
0002903012	321020001	165
0002903612	321020001	165
0002903712	950321028	176
0002903912	950321027	176
0002903967	950321022	176
02912	032304513S	215
02915	032306013S	215
2916710503	054001409	220
2916710505	054002909	220
2927070M1	016015119	169
292924	72532C	37
292925	72533C	37
294455M91	352006201	152
2945465M1	025009109	196
2945467M1	029000409	172
2945469M1	026006509	171
2945470M1	026003409	171
2945472M1	025003209	170
2945477M91	320003103	143
2945502M91	312019012	138
2945516M91	003005209	168
2948989M1	025015409	128
2948991M1	027011019	128
2949020M91	361006201	161
2949021M91	313019021	126
29511018	120361201	182
29511047	120341203	181
29511086	124100101	197
29511096	1362430001	185
2951258M1	023001919	169
29513028	334028001	148
295148	100101042	65
29515007	355018011	154
29515026	314001001	158
29515078	357012031	104
29517002	334077001	109
29517190	352011141	163
0002952718	321019001	165
0002953418	321023001	165
295390	100101003	65
295407RH	104501053	68
295408LH	104401053	67
295414	100101047	65

Cross Reference

Reference	Haldex A.M.	Page
295414B	100101041	65
295498	357012021	104
2961915M1	027001309	128
2961917M1	016025219	128
2961918M1	027010909	128
2961930M1	021014009	194
2962068M1	026000509	171
2962074M1	024010309	170
2964973M1	023003909	169
2964977M1	012010409	168
2964978M1	023004009	169
2964982M1	024020909	170
2964989M1	024023609	170
2964991M91	003009309	168
2964994M91	039006109	173
2964995M91	003416119	168
2969979M1	026000709	171
2969980M1	027010209	172
2970334M1	024025509	111
297172	72545C	37
297173	72544C	37
297174	72546C	37
297175	72546C	37
2981526	950314003	175
2981549	950312006	175
2982315	950320010	176
2984508	950355010	177
2984509	950340009	197
0029944	334007001	148
0029945	310005011	125
0029946	350020201	155
0029947	030350909	215
0029948	315019011	123
0029950	030200209	217
2996	950364405	90
0029963	065000109	218
2886242	340079003	188
2U3885	33900049	197
3000880X1	059008009	173
3000881X1	059008109	173
3009309	003009309	168
301028403	301114001	137
301028901	301114001	137
301028902	301114001	137
301028903	301114001	137
301028904	301114001	137
301028905	301114001	137
301028906	301114001	137
301028907	301114001	137
301028908	301114001	137
301029403	301109003	137
301031003	301112003	137
301051103	301205101	137
301058413	301110028	137
301100101	301110028	137
301101101	301114001	137
301105007	301111011	137
3013676	79271C	55
3014201138	72213C	32
301425	612035011	102
30155	72788D	43
3018003801	76921	73
3018003901	76922	73
3018005400	76918	73
3018005500	76916	73

Reference	Haldex A.M.	Page
30181	76995	73
30181A	76996	73
30200109	030200109	217
30200209	030200209	217
030200209F	032400001S	217
30200409	030200409	217
30200609	030200609	217
030200609F	032500001S	217
302102	338032001	100
03033609	003033609	194
030350229	030350209	215
030350529	030350509	215
030350629	030350609	215
030350929	030350909	215
030351209W	030351209	215
030351229	030351209	215
030351529	030351509	215
030351629	030351609	215
030351729	030351709	215
030351829	030351809	215
030352029	030352009	215
030352229	030352209	215
303539	022018309	166
030360809W	030360809	215
030360829	030360809	215
030362029	030362009	215
03038009	003038009	168
003044319	364175101	87
03053950	560037001	144
3054200238	70706C	25
3054200438	70518C	24
3054200538	70519C	24
3054202638	70706C	25
3054202738	70702C	25
3054202938	70950C	28
3054203038	70950C	28
3057317900	89724	74
306011001	306012011	137
306309X000	321024001	165
3074200038	70708C	25
3074200138	70772C	25
3074200238	70771C	25
3074200338	70775C	25
3074201738	72064C	30
3074201838	72065C	30
3074202138	72354C	34
3074202238	72355C	34
3074493M1	011100009	168
307475	314001001	158
3080000800	92502	69
3080000801	92502	69
3080000802	92503	69
3080002220	92560	69
3080003600	92502	69
3080003620	92502	69
3080005600	92503	69
3080005601	92502	69
3080005620	92502	69
3085450	334054201	149
3086099M91	301111011	137
3086099T91	301111011	137
308677	72654C	40
308713	601013001	162
3090013	71059	129
3090215	334063001	149

Reference	Haldex A.M.	Page
3090217	334064001	149
3090353	73618	130
3090354	71060	129
3091286	76046	72
3091379	950338022	114
3091380	041011909	112
3093580	78703S	132
309423	79453C	58
309424	72895C	45
3094626	78717S	132
3094627	78703S	132
3094628	89203	133
3095211000	76014	72
3097017	76284S	131
3097369	78964	132
3097370	78801S	132
3097371	78104S	131
3097527	78801S	132
3097660	78949S	132
3098016	77244S	131
3098071	78949S	132
3098072	87332S	133
3098074	90549S	134
3098075	71376	129
3098076	90364	134
3098226	EQ2614	178
3098227	EQ2616	178
3098234	74411S	72
3098268	87255	133
3098319	90269S	133
3098320	78949S	132
3098321	87332S	133
3098322	78104S	131
3098327	78703S	132
3099329	78717S	132
3099330	78949S	132
3099331	87332S	133
3099339	78717S	132
3099720	84579	73
31000209	031000209	172
310008011	KN33010	127
31000909	031000909	112
310013201	950310014	121
310013231	950310014	121
310013251	950310014	121
310013301	950310014	121
310013321	950310014	121
310013341	950310014	121
310013342	950310014	121
310013361	950310014	121
310013362	950310014	121
310013363	950310014	121
310013364	950310014	121
310013365	950310014	121
310013731	950310014	121
310013751	950310014	121
310013801	950310014	121
310013821	950310014	121
310013841	950310014	121
310013842	950310014	121
310013861	950310014	121
310013862	950310014	121
310013863	950310014	121
031004109	950310009	134
311508	72910C	46

Reference	Haldex A.M.	Page
312001041	312019011	138
3120022	71240	119
312012012	312019012	138
312013021	312013031	138
312017031	312013031	138
312028041	312030002	138
312043001	312029014	138
312513014	312013014	138
312939	74760S	72
0312947	47268	71
313002001	313019021	126
313005001	313019021	126
313011001	313019021	126
313014011	313019021	126
3136246	79641C	60
3136247	79642C	60
3136426	79641C	60
3136427	79642C	60
3136500	120331201	181
3138555	950364108	98
3138557	950364104	82
3138558	950364102	80
3138606	75612002	82
314001021	314001001	158
314018001	314059001	141
314023001	314060001	141
314024001	314012001	142
314024002	314012004	142
314029002	314059001	141
314061001	314059001	141
314066001	314059001	141
314096001	314096501	141
314142	357001002	104
0031419	030350909	215
0031475	030352009	215
3148859R2	334063001	149
3148860R1	334063001	149
3148886R1	329020311	147
31515166	310005011	125
31515502	031000209	172
31561	100114075	66
3159740	87298	117
3177014	79724C	61
3177673	72330C	34
318159	334064001	149
0318423	314012001	142
31911	350027002	155
31912	028003009	166
31919	315019011	123
31923	334053221	149
31932	340008001	187
31933	340005001	187
3193400	79677C	60
3193401	79678C	60
3193402	79713C	60
3193403	79714C	60
31936	905002001	218
3194896	87296	117
3194897	87337	117
3194898	87282	117
3194899	87297	117
319746	315004022	140
3197853	78988	117
3197854	78990	117
3199333	92534S	134

Reference	Haldex A.M.	Page
320003101	320003103	143
320020	334064001	149
320025	334063001	149
0003200358	950338013	114
0003200567	950338002	114
320060001	320060101	143
320060002	320060102	143
320060003	320060103	143
320060011	320060111	143
320060012	320060112	143
320060013	320060113	143
320060021	320060121	143
320060022	320060122	143
320060023	320060123	143
320062011	320062111	143
320063001	320063101	143
320063002	320063102	143
320063003	320063103	143
320063004	320063104	143
320063011	320063111	143
320063012	320063112	143
320063013	320063113	143
320063014	320063114	143
320063021	320063121	144
320063022	320063122	144
320063023	320063123	144
0003202158	314014012	142
0003202358	950338014	114
32071409	032071409	112
321017001	321020001	165
321469	72666C	40
321470	72665C	40
322236	352039001	163
32230	356005102	164
32253013	032253013S	215
3226499R1	315016001	122
3230268M1	025040809	196
323038	334077001	109
32304513	032304513S	215
32306013	032306013S	215
32308013	032308013S	215
3231273	72930C	46
3231343	72929C	46
32350	340011001	187
3236118M91	950301018	175
3238027M1	024036009	196
323821	100012911	65
000324	003033609	194
32400001	032400001S	217
324012	352035C42	105
324728	76046	72
324729	76046	72
3251059M91	950532015	220
003256	028023509	112
000326	120351201	181
0326241	334004001	148
0326252	334007001	148
0326310	332005021	107
0326332	333004001	158
3263623	79371C	57
0326412	031000209	172
3268603	79463C	58
3268613	79462C	58
000327	310005011	125
0003277825	612048131	103

Reference	Haldex A.M.	Page
0003278025	612048171	103
0003278125	612048181	103
0003278325	612048191	103
0003278825	612048171	103
0003278925	612048181	103
0003279025	612048191	103
0003279125	612048101	102
0003283230	612032001	102
0003284630	612048111	103
0003284730B	612048101	102
0003284930	612048111	103
0003285030	612048131	103
3286	352047045	105
0003288025	612048171	103
329017001	329020321	147
329017011	329020311	147
329017021	329020341	147
329017031	329020331	147
329017051	329020371	147
329017061	329020281	147
329017071	329020201	147
329017081	329020301	147
329017091	329020291	147
329017201	329020321	147
329017211	329020311	147
329017221	329020341	147
329017231	329020331	147
329017251	329020371	147
329017261	329020281	147
329017271	329020201	147
329017281	329020301	147
329017291	329020291	147
329017701	329020321	147
329017711	329020311	147
329017721	329020341	147
329017731	329020331	147
329017751	329020371	147
329017761	329020281	147
329017771	329020201	147
329017781	329020301	147
329017791	329020291	147
3290191R1	33600261	174
329020041	329020241	147
32910700	329006361	146
32913500	329020291	147
32913700	030350509	215
0003291525	338031611	100
0003291625	338031611	100
3291747R	72114C	31
3292691R1	72180C	32
3292691R91	72180C	32
3292692R1	72181C	32
329269R1	72181C	32
32928	100012345	65
32930610	315019001	123
32934400	334064001	149
32934500	334063001	149
32934600	334043001	148
3293961R1	72199C	32
32943	100012901	65
32944300	301110028	137
3295500LU	71230	119
329804	314014003	142
33001509	033001509	166
33006	100001025	64

Reference	Haldex A.M.	Page
033009509	033016509	166
033009709	033016009	166
3301602R91	003575709	111
3301602R92	612035031	102
3302180R91	612025001	113
330301	334055201	149
330302	334025031	148
3303071R91	950364211	82
3303071R92	950364212	83
330328201	016700809	96
3303282R1	016700809	96
33050050	355018001	154
33050065	355018001	154
3305162R91	950364214	83
003308	72948S	47
33090007	N4170AB	193
331253	200015001	148
33145600	612035021	102
33145700	314012005	142
331601301	355093001	154
000332	334028001	148
333548	612035031	102
334003001	334077001	109
334025011	334054211	149
334026011	334055211	149
334026031	334055201	149
334030001	334004001	148
334038101	334063001	149
334039101	334064001	149
334042001	334043001	148
334053001	334053201	148
334053011	334053211	148
334054001	334054201	149
334054011	334054211	149
334054041	334054241	149
334055001	334055201	149
334055011	334055211	149
334056001	334063001	149
334057001	334064001	149
334059011	334004001	148
334061011	334007001	148
0003345001	76087	72
3346872R91	903045001	99
3346875R1	042507709	86
3346876R1	042507809	86
3346949R1	75611384	85
3346950R1	75610828	85
3346990R1	950364501	84
033520	314012004	142
3354200338	100001021	64
33600198	N2955W	179
33600259	N295NB	178
33628	340026001	187
336495	352045001	153
337389	79347C	56
337390	79348C	56
338007041	338021001	100
003380209	310005011	125
338021006	338021001	100
338031001	338031611	100
338031111	338031611	100
338045001	338050101	100
338047002	338050101	100
338049001	338050101	100
338049010	338050101	100

Reference	Haldex A.M.	Page
338050001	338050101	100
338050501	338050101	100
338050601	338050101	100
338051001	338051101	100
338051002	338051102	100
338051011	338051111	100
338051012	338051112	100
338051021	338051121	100
338052001	338052101	100
338052002	338052102	100
338053001	338053101	100
338057001	338057101	101
338057011	338058101	101
338058001	338058101	101
338059001	338059101	101
338248	338051121	100
338575	352045001	153
339005001	200015001	148
339010001	200019001	174
339011001	200020001	174
033A23736	950364045	82
34000228046	351008022	155
34000233791	346022001	185
34000233792	120341101	181
34003738003	352011102	163
34004668015	334054211	149
34004668016	334055211	149
34018	315019001	123
34019	340008001	187
341032001	341032011	189
34118	612032001	102
3412271	310005011	125
3414201638	72121C	31
3414201738	72120C	31
003418	350026002	155
341949	104501051	68
341950	104401051	67
0034208024	950344009	198
34265500	030350209	215
0034290044	355018071	154
0034290244	314012003	142
0034290344	314014005	142
0034291644	355018071	154
34294044	71323	123
0034294744	314014001	142
0034294844	314014003	142
0034295244	355018011	154
0034295344	355018071	154
0034295544	314013023	142
0034295644	314013023	142
0034296244	314001001	158
0034298044	314013012	142
0034300981	950314007	175
0034304881	71038	128
0034304981	733165	129
0034305081	73342	129
0034308281	71327	129
0034311305	355094001	146
0034311405	355094001	146
0034313405	355094001	146
0034313505	355094001	146
00343311405	355094001	146
343312001	343314001	192
3434200438	100106005	66
3434320200	87405	74

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
3434320300	87406	74	34664500	612035011	102	355087001	355094001	146	003620609	950338023	114
3434320400	87408	74	0347520	030351209	215	355665	11547	166	362134	72826C	44
3434350100	72581C	38	34781	025052309	171	356012011	356023001	159	362135	72825C	44
3434350202	79005D	48	347870	104501051	68	356013031	356022011	159	36268	340005001	187
3434350300	79006C	48	347871	104401051	67	356013041	356022011	159	36271	340008001	187
3434350400	72581C	38	3482374	313019021	126	356022001	356022011	159	36273	340011001	187
3434350500	70949C	28	3484201838	104507401	68	3561409	003561409	194	36276	340026001	187
3434350800	72948S	47	00348909	355018011	154	3574200538	72059C	30	36300	79005D	48
3434351400	79005D	48	34933500	329020261	147	3574200638	72060C	30	36301	312019012	138
3434351500	79006C	48	34935300	329020271	147	3574200738	72061C	30	36323	350026002	155
3434362400	76902	73	0034991300	68470020	220	3574200938	72096C	30	36325	350027002	155
3434385100	81658S	73	35000243649	025048209	171	3574201038	72097C	31	36326	350028001	155
3434385101	90673	74	350026001	350026002	155	3574201138	72211C	32	36336	351008022	155
3434385200	87405	74	35005609	035005609	218	3574201238	72212C	32	3634200138	70759C	25
3434385201	89794	74	3510	200015001	148	3574201338	72809C	43	36351	352011102	163
3434385202	91011	74	351001131	351001141	155	3574201438	72810C	43	36356	352012001	152
3434385400	87406	74	351006521	351006021	155	3574201538	72811C	43	36368	355018071	154
3434385401	89541	74	351008001	351008022	155	3574201638	72812C	43	36372	355018011	154
3434385402	91012	74	351008011	351008022	155	3575709	003575709	111	36390	356009011	164
3434385500	87408	74	351008021	351008022	155	35787	601013011	162	36392	356010011	164
3434385501	89925	74	351009011	351009021	156	35788	350026002	155	364011001	950364502	84
3434385502	90693	74	351721	334004001	148	35796	120351101	181	364012001	950364501	84
3434385600	89927	74	351949	104501051	68	35797	003033609	194	364025021	950364207	80
3434385601	91019	75	351950	104401051	67	35803	310005011	125	364035001	950364104	82
3434385700	87680	74	351951	104501201	68	3581691	057012209	197	364036001	950364102	80
3434385702	91013	75	351952	104401201	67	35837	120361101	181	364038001	950364211	82
3434385800	89723	74	352005201	352005401	152	35838	356009011	164	364040001	950364212	83
3434385801	91014	75	352005301	352005401	152	35841	120331101	181	364074001	950364214	83
34387900	329020321	147	352006101	352006201	152	3586	104401053	67	364074101	950364214	83
344008001	344008201	190	352007201	352007401	152	3587	104501053	68	364078001	950364215	83
344008021	344008221	190	352011641	352011141	163	35891	120341101	181	364078011	950364215	83
344008031	344008231	190	352021001	352042001	107	003591709	76672	72	364078101	950364215	83
344008051	344008251	190	352021011	352042011	107	003591809	93299	75	364080001	950364103	80
344008061	344008261	190	352032050	352032030	105	35RF21896	378731	197	364085001	950364216	83
344019001	344019101	190	352035H030	352035H30	105	360002641	360009141	107	364094001	950364503	84
344019051	344019151	190	352035P35	352035P36	105	360005141	360009141	107	364094011	950364503	84
0344400008	361007201	161	352037V51	352037251	105	3600073008	031000209	172	364096001	950364031	90
345100111	345100168	184	352044011	352044001	153	3600085027	065000109	218	364096101	950364031	90
3452091	314012002	142	352045011	352045001	153	3600088140	950532026	221	364096102	950364031	90
345225010	120331201	181	352061001	352061101	106	3600088273	950532019	220	364097001	950364036	90
345225112	120331201	181	352061011	352061111	106	3600088408	950532024	221	364105001	950364048	82
3454200738	72069C	30	352062001	352062101	106	3600088418	950532023	221	364105021	950364048	82
3454200838	72070C	30	352062011	352062111	106	3600095002	356001001	159	364107001	950364104	82
3454201238	72178C	32	3535309	003535309	168	3600095003	356006011	159	364114001	950364046	82
3454207338	70990C	29	353544	339022001	150	3600110009	340026001	187	364114021	950364046	82
3455207238	70991C	29	353545	339023001	150	3602402	314012002	142	364115001	950364047	82
34555	030200209	217	35486	N30200AE	166	3603309	003603309	111	364115021	950364047	82
34563	334055211	149	355016141	355018011	154	3603505	950531017	220	364116001	950364045	82
34564	334054211	149	355016142	355018011	154	003607609	003607619	110	364116021	950364045	82
34566	350027002	155	355016143	355018011	154	3607709	003607709	111	364119001	950364408	91
34569	030350909	215	355016144	355018011	154	361007105	361007305	161	364119011	950364408	91
34580	065000109	218	355016241	355018011	154	361323	72540C	37	364119021	950364408	91
346180011	1362030001	185	355016242	355018011	154	361540	72541C	37	364119031	950364408	91
346181001	1362430001	185	355016243	355018011	154	361541	72542C	37	364119041	950364408	91
346181011	1362430001	185	355016244	355018011	154	361542	72543C	37	364119051	950364408	91
346181021	1362430001	185	355018061	355018011	154	361543	72539C	37	364120001	950364026	90
346182001	1363030001	185	355023001	355018001	154	361544	72538C	37	364120011	950364026	90
346182011	1363030001	185	355023011	355018011	154	3616009	003616009	94	364120021	950364026	90
346183001	1351624004	185	355023071	355018071	154	361689	338051121	100	364120031	950364026	90
34633	030350609	215	355024001	355093001	154	36184	312017014	138	364120041	950364026	90
3464201538	70753C	25	355071001	355094001	146	003618709	950352010	114	364120051	950364026	90
3464201638	70754C	25	355071001K	950355026	178	36204	314059001	141	364121001	950364410	91
3464201738	104407401	68	355071501	355094001	146	362046	79453C	58	364121011	950364410	91
3464201838	104507401	68	355082001	355094001	146	362047	72727C	42	364121021	950364410	91
34660700	329020311	147	355082501	355094001	146	36205	314096501	141	364121031	950364410	91

Reference	Haldex A.M.	Page
364121041	950364410	91
364121051	950364410	91
364122001	950364412	91
364122011	950364412	91
364122021	950364411	91
364122031	950364412	91
364122041	950364412	91
364122051	950364412	91
364122061	950364413	91
364122071	950364413	91
364122081	950364413	91
364122091	950364050	90
364122101	950364050	90
364122111	950364050	90
364122121	950364411	91
364122131	950364411	91
364122141	950364411	91
364123001	950364033	90
364123021	950364406	90
364123031	950364406	90
364124001	950364407	91
364124021	950364407	91
364125001	950364081	80
364125201	950364081	80
364129001	950364081	80
364129011	950364081	80
364129101	950364081	80
364129101E	950364081	80
364129111	950364081	80
364133001	950364081	80
364133011	950364081	80
364134001	950364081	80
364134011	950364081	80
364136001	950364024	90
364136011	950364024	90
364136031	950364024	90
364136041	950364024	90
364137001	950364405	90
364137101	950364405	90
364138001	950364101	80
364143011	364143001	87
364151011	950364081	80
364151021	950364081	80
364152011	950364081	80
364152021	950364081	80
364152111	950364081	80
364154001	950364043	90
364155001	950364042	90
364156021	950364045	82
36416	601013011	162
364166001	950364054	90
364166011	950364054	90
364166021	950364054	90
364166031	950364054	90
364166041	950364054	90
364166051	950364054	90
364168001	75612002	82
364173011	950364050	90
364175001	364175101	87
364188001	950364404	90
364188101	950364404	90
36419	602005001	162
364208001	950364506	84
364224001	950364081	80
364224201	950364081	80

Reference	Haldex A.M.	Page
364224203	950364081	80
364224204	950364081	80
364224205	950364081	80
364224206	950364081	80
364224207	950364081	80
364224208	950364081	80
364224209	950364082	80
364224210	950364082	80
364227001	950364063	90
364251001	950364212	83
364256001	950364082	80
364258001	950364076	82
364258011	950364077	82
364258021	950364076	82
364258031	950364077	82
364258041	950364076	82
364258051	950364077	82
364263001	950364806	83
364263011	950364807	83
364263021	950364806	83
364263031	950364807	83
36427	612035011	102
364279001	950364801	80
364279002	950364801	80
364279101	950364802	80
364279101W	950364802	80
364279201	950364803	80
364279202	950364804	80
364307031	950364419	91
364329001	950364418	91
364329011	950364418	91
364329021	950364418	91
364329041	950364418	91
364330001	950364417	91
364330011	950364417	91
364335001	903046001	99
364336001	903046001	99
364338021	950364419	91
364341001	950364419	91
364344001	950364419	91
364344011	950364419	91
364347001	950364418	91
364348001	950364418	91
364349001	950364418	91
364357021	950364422	91
364358021	950364426	91
364359001	950364417	91
364359011	950364417	91
364362001	950364421	91
364364001	950364423	91
364366001	950364424	91
364367001	950364429	91
364367011	950364429	91
364367061	950364423	91
364370001	950364425	91
364373021	950364427	91
364375001	950364033	90
364375011	950364406	90
364391001	950364083	80
364394001	950364418	91
366720	45425	71
600367	065001009/40	218
36717	313019021	126
36731231	024039609	196
36731275	950532023	221

Reference	Haldex A.M.	Page
36731276	950532015	220
3674055	531049041	218
0036872000	950364301	80
0036875000	75610828	85
0369833	024026509	195
37002309	037002309	180
037002409	037002429	180
037002419	037002429	180
37002429	037002429	180
3700335309	003535309	168
3700338009	003038009	168
3702502109	025002109	170
3702511609	025048209	171
3702515519	025015519	196
3703100909	031000909	112
3703480209	003480209	168
3703505609	035005609	218
3704111009	041011009	112
3710001021	100001021	64
3710200000	554005001	107
3712051101	120351101	181
3712061101	120361101	181
3714200038	79185C	53
3723400820	360009141	107
3731005011	310005011	125
3731213514	312013014	138
3731213515	312013012	138
3731217514	312017014	138
0037314200	75611384	85
3731423501	314060001	141
3731516001	315016001	122
3732907501	329007001	152
3732917711	329020311	147
3733404001	334004001	148
3733407001	334007001	148
3733428001	334028001	148
3733447001	334047001	109
3733454011	334054211	149
3733463001	334063001	149
3733464001	334064001	149
3733471001	334071001	149
3733472001	334072001	149
3733807541	338021001	100
3733821501	338021001	100
3733831611	338031611	100
3733832501	338032001	100
3734005501	340005001	187
3734008501	340008001	187
3734011501	340011001	187
3734026501	340026001	187
3734029501	340029001	187
3734035701	340035201	187
3734525112	345125110	184
3734600002	346100002	185
3734601001	346101001	185
3734601002	346101002	185
3735000010	356001001	159
3735020701	350020201	155
3735026502	350026002	155
3735027502	350027002	155
3735101641	351001141	155
3735108522	351008022	155
3735205301	352005401	152
3735205901	352005401	152
3735206701	352006201	152

Reference	Haldex A.M.	Page
3735207901	352007401	152
3735218011	352018011	153
3735516741	355018011	154
3735518501	355018001	154
3735523511	355018011	154
3735582501	355094001	146
3735609511	356009011	164
3735610511	356010011	164
3735704525	357004025	104
3735712521	357012021	104
37364012001	950364501	84
3736405021	950364048	82
3736411001	950364502	84
3736411621	950364045	82
3736412201	950364081	80
3736415621	950364045	82
3736435001	950364104	82
3736436001	950364102	80
3736474101	950364214	83
3736478101	950364215	83
374457	743675	72
374459	743665	72
003747009	950364221	90
374800	72547C	37
374801	72547C	37
3755405001	554005001	107
003755409	950364401	98
003756809	950364404	90
003756909	950364430	98
3760102521	601002021	162
3760113511	601013011	162
3760205501	602005001	162
3760509	003760509	84
3761217001	612017001	102
3761217071	612035011	102
3761217591	612035021	102
3761219501	612035041	102
3761232501	612032001	102
3761305501	613005001	162
3764200038	70990C	29
3764200138	70991C	29
3764200238	70992C	29
3764200338	70993C	29
003765509	950364103	80
3768209	003768209	94
003768809	950364021	90
003768909	950364219	98
3771380	315019001	123
3772501	003033609	194
3772502	003561409	194
3772520	334028001	148
3772530	030200109	217
3772531	030200209	217
3772532	030200409	217
3772540	334055201	149
3772541	334054201	149
3774009	003774009	86
003782609	950364430	98
003785009	950364018	98
003785209	950364024	90
003785409	950364026	90
003785509	950364410	91
003785609	950364411	91
003785709	950364412	91
003785809	950364413	91

Reference	Haldex A.M.	Page
0037858700	950364303	95
3787312	378731	197
003792209	950364074	98
003793109	950364054	90
003793309	950364420	91
38010050	514007011	142
38010051	315019011	123
38010053	314001001	158
38010054	314012003	142
38010055	312013014	138
380253	72892C	45
380254	72893C	45
003804009	950364072	90
0381000070300	003400819	194
3814200238	70955C	28
3814200338	70956C	28
003815109	950364075	98
3825809	003825809	71
3825909	003825909	71
003827209	950364072	90
3834200438	80011C	62
3834200538	80010C	62
0038369	030351209	215
0038370	340008001	187
0038371	030200309	217
383825	72730C	42
383826	72729C	42
384417	72663C	40
384418	72664C	40
384419	72662C	40
3844207438	79186C	53
3846709	003846709	86
003853809	950364420	91
3854201138	70917C	27
3854201238	70918C	27
3854201738	80012C	62
3854201838	80013C	62
3854207438	79186C	53
003854309	950364818	91
003870009	003918409	96
3874200038	72173C	31
3874200138	72174C	31
3874200238	80001C	62
3874200338	80000C	62
03884202	70833C	26
03884204	70832C	26
388947	72553C	38
3894200338	70753C	25
3894200438	70754C	25
3894200738	70867C	27
3894205438	70789C	26
3894235074	84423	73
039003209	039006109	173
039003219	039006109	173
39005909	039005909	173
390065	72548C	37
003911	356022011	159
392736	72558C	38
392737	72550C	38
392738	72550C	38
393045001	950364504	84
3934200038	70870C	27
393517001	950364607	95
394180	72654C	40
394181	72660C	40

Reference	Haldex A.M.	Page
394182	72661C	40
394183	79453C	58
394184	72895C	45
394185	72666C	40
394186	72665C	40
394187	79347C	56
394188	79348C	56
394189	72727C	42
394190	79453C	58
394191	72825C	44
394192	72826C	44
394193	72892C	45
394194	72893C	45
394195	72729C	42
394196	72730C	42
394197	72654C	40
394198	74493S	72
394203	74577S	72
394205	74506S	72
394206	74505S	72
3944186	338050101	100
394419	72662C	40
394783	79453C	58
3962679	78990	117
3962680	78988	117
3964200038	70867C	27
000397	315019001	123
397745	72727C	42
397746	72728C	42
000398	334055201	149
3989522	76979	73
3989530	76980	73
3989928	92573	124
000399	334025031	148
39904	950364412	91
003993	334055201	149
003994	334054201	149
3U9372	33090009	193
000400	350028001	155
4000001	310005011	125
4000004	315019011	123
4000013	560030001	144
4000024	334055201	149
4000025	334054201	149
4000060001	030200209	217
40001095	612035041	102
4000165	72788D	43
4000230	054002409	220
4000231	054003009	220
400044001	334055211	149
400045001	334054211	149
400046001	310005011	125
400047001	334028001	148
400048001	350026002	155
400049001	030350609	215
400050001	315019011	123
400051001	601013011	162
4000530	314012001	142
400053001	356005102	164
400055001	003033609	194
400056001	345125110	184
4000595	352044001	153
400060001	030200209	217
400062001	357012031	104
4000626	352019011	153

Reference	Haldex A.M.	Page
4000638	950364503	84
4000888	339022001	150
4000889	339023001	150
4000890	339023001	150
400096001	356006011	159
4000997	042011409	97
4001021	364317001	81
400109	612025001	113
4001094	314012004	142
4001095	612035041	102
4001096	612025001	113
4001097	338051101	100
4001199	352045001	153
4001200	350036011	159
4001204	612035071	102
4001205	338052101	100
4001208	329007001	152
4001221	352047200	105
4001223	314014001	142
4001226	612046011	102
4001227	334054241	149
4001228	352019011	153
4001287	950800431	92
4001288	815001001	99
4001325	338053101	100
4001352	950800422	92
4001368	333004001	158
40018	612035021	102
4003/F	10714C	22
400348	357012031	104
400349	334055211	149
400350	334054211	149
400351	334028001	148
400352	352007401	152
400353	950364048	82
400354	950364081	80
400355	950364406	90
400356	950364412	91
400357	950364050	90
400358	950364026	90
400359	950364026	90
400360	950364054	90
400361	950364054	90
400362	950364050	90
4004/F	10715C	22
400429	950364026	90
400430	950364026	90
400431	338052101	100
04004330033	030200109	217
04004330052	065000109	218
4006271M91	312019012	138
400668	314012004	142
400669	360009241	107
40068	72788D	43
4007001810	950364503	84
400842	352032030	105
400843	360014001	113
400989	612035021	102
400991	1362030001	185
400992	334047001	109
04010030016	031000209	172
401142	356022011	159
401395	356010031	164
401396	357012032	104
401397	950364413	91

Reference	Haldex A.M.	Page
4018006300	76980	73
4018006301	86993	73
4018006400	76979	73
4018006401	86994	74
4018006500	76997	73
000402	356009011	164
40232	79393C	57
40272	602005001	162
004032	315019001	123
004052	003033609	194
4057	950364081	80
04058660008	315019011	123
4062950206	321010101	165
40672053000	72053C	30
40720000000	120341101	181
40724000000	120351101	181
4072733	70869C	27
40730000000	120361101	181
0407465	030362009	215
4080005600	92503	69
40877596	72261C	33
41/01988	73620	130
41/81974	71036	128
41/81981	71038	128
41/81995	73614	130
041000109	054002909	220
041000209	054002309	220
04-10-1024	93572	118
041011709	041011909	112
4103555	313019021	126
41071313	71313	123
41071315	71315	123
41071327	71327	129
4110345010	301205101	137
4110438010	301109003	137
41110008	73568	130
4111427110	301205101	137
41176281	76281S	130
41176282	76282S	130
41176283	76283S	130
412003	12350C	23
412004	12351C	23
412006	79112D	51
41206009	207013001	152
41206010	207012001	152
41217569	72261C	33
41218920	352025011	153
41218922	205004001	158
41220095	352011102	163
41220096	601002021	162
41220098	600005001	162
41220099	601013011	162
41220100	351008022	155
41220110	350019001	155
41220120	350026002	155
41220190	340029001	187
41220200	340026001	187
41220210	340005001	187
41220220	340008001	187
41220230	340011001	187
41220240	340013001	187
41220270	350020201	155
41220280	350028001	155
41220290	352012001	152
41220310	350027002	155

Reference	Haldex A.M.	Page
41220320	612035051	102
41220323	612025001	113
41220326	356001011	159
41220328	031000909	112
41220329	551018001	107
41220330	314001001	158
41220340	352019011	153
41220405	352007401	152
41220412	356005102	164
41220414	352018011	153
41220416	314012004	142
41220420	356006011	159
41220425	356009011	164
41220430	356010011	164
41220445	357012031	104
41220480	346184001	186
41220500	025034009	196
41220508	025015719	196
41220510	025015519	196
41220511	120331101	181
41220513	120351101	181
41220518	120361101	181
41220530	120341101	181
41220774	003480209	168
41220810	025002109	170
41221480	950364429	91
0041287	313019021	126
41290560	364328001	94
41290562	950364418	91
41290564	950364423	91
41290566	950610030	92
41334	003033609	194
0414317	030350209	215
41501	320065001	144
041502309	950800903	98
41571054	71054	129
41571059	71059	129
41573616	73616	130
041745	003561409	194
4175008500	79005D	48
4175008501	72948S	47
4175013900	72238C	33
4175014000	72239C	33
4175014100	70949C	28
4175014400	79006C	48
4175014900	72007C	29
4175015000	72008C	29
4175015401	72576C	38
4175018100	72554C	38
4175018400	72876D	45
4175020800	70803C	26
4175020900	70802C	26
4175021100	72581C	38
4175021500	70969C	28
4175021600	70970C	28
4175022500	72645C	40
4175022600	72710C	41
4175022601	72710C	41
4175022800	79005D	48
4175023000	72827C	44
4175023100	72053C	30
4175023500	79043C	49
4175023600	79044C	49
4175023700	79086C	50
4175023800	79087C	50

Reference	Haldex A.M.	Page
4175023900	72875D	44
4175024000	72948S	47
4175024100	79038C	49
4175024200	79039C	49
4175024700	79006C	48
4175024800	79035D	49
4175024900	79005D	48
4175025000	79052C	49
4175025100	79053C	49
4175025700	79090C	50
4175026100	79240C	54
4175026200	80041C	63
004191191	343031062	192
0004200058	950334002	176
42000798	340035201	187
42000800	340034211	187
42000802	340034201	187
0004200092	76046	72
04200100	334055201	149
04200101	334054241	149
0004200158	334063011	149
042007309	950610030	92
042007409	950364403	90
042007809	950364420	91
42008625	334004001	148
042010	334055211	149
42011309	042011309	97
42011409	042011409	97
042011709	950610040	92
4201238	74884S	72
042012709	950364710	95
042013109	950364711	98
0004201438	74854S	72
042016	031000909	112
042017	334047001	109
042018	310005011	125
0004201838	74255S	72
042019	314012001	142
0004201938	74864S	72
4202038	74863S	72
42020573	355018011	154
42021336	315019011	123
042021909	950364108	98
0004202238	74263S	72
0004202438	74682S	72
0004202638	74684S	72
0004202738	74412S	72
0004204238	74686S	72
0004204338	74477S	72
0004204424	340008001	187
0004204638	74476S	72
0004204738	74482S	72
4204838	74988S	72
0004204938	74685S	72
4205038	74253S	72
0004205138	74281S	72
42051732	314059001	141
0004205224	340026001	187
4205238	74282S	72
0004205338	74293S	72
0004205438	74782S	72
0004205538	74687S	72
0004205638	74799S	72
042058007	030350209	215
0004205938	74888S	72

Reference	Haldex A.M.	Page
042060008	315019011	123
0004207024	340029001	187
0004207138	74881S	72
0004207238	74885S	72
4207338	74802S	72
0004207438	74801S	72
0004207538	74768S	72
4208004	120331101	181
4208011	120351101	181
4208028	120361101	181
0004208038	74512S	72
4208121	030333609	194
4208138	030350509	215
4208145	030350209	215
4208152	030350609	215
4208169	030350909	215
4208176	030351509	215
4208183	030351209	215
4208190	030351609	215
4208200	030351709	215
4208217	030200109	217
4208224	030200209	217
4208231	030200309	217
4208248	030200409	217
4208255	030200609	217
42086311	340058001	187
42089098	314067001	141
4210010000	340029001	187
4210020000	340026001	187
0004210028	016197809	194
4210050000	340011001	187
4210050002	950340004	197
4210050200	340011001	187
4210050201	340011021	187
4210210002	950340006	197
4210210300	340029001	187
4210210301	340029041	187
4210490000	340034201	187
4210500000	340035201	187
42106370	340071001	187
0004212986	0220005090	195
4214110200	341004011	189
4214110240	341004011	189
4214110250	341004011	189
4214110290	341011021	189
4214113000	341004011	189
0004215486	025015629	196
0004215586	025044719	196
0004215686	025045209	196
0004216586	025040809	196
0004216986	025046909	196
04220010	314012004	142
4230	030363609	215
423000047	352047040	105
4230005322	003033609	194
4230005342	003561409	194
4230005352	003033609	194
4230049190	120331101	181
4230055430	345020001	184
4230065500	345019001	184
4230065510	345019002	184
4230197	47263	71
4231029000	120311101	181
4231030100	120912305	182
4231032980	345100168	184

Reference	Haldex A.M.	Page
4231039000	345125110	184
4231039190	345125110	184
4231042980	120331201	181
4231049000	120331201	181
4231052980	120341101	181
4231054060	345020001	184
4231059000	120341101	181
4231061030	345403158	184
4231061040	345403157	184
4231062920	120924315	183
4231062980	120351101	181
4231069000	120350203	181
4231072980	120361101	181
4231079000	120361101	181
4231089000	120361201	182
4231090000	345100168	184
4232051000	345020001	184
4232067000	345019001	184
4232067010	345019002	184
0004233186	025034009	196
0004234186	025034009	196
4235040120	125160400	183
4235050000	120920326	182
4235060010	125240404	183
4239025332	003561409	194
4239025342	003033609	194
4243603064	313019021	126
42480031	056020209	197
042481154	950340010	198
42482282	024002109	170
42482655	950340011	198
42483092	950355013	177
42484007	025031409	171
42484025	027023309	172
42484554	950355014	177
42484885	950320013	176
0042486	027001309	128
42486319	950355015	177
42486690	027010909	128
42489174	950314005	175
42489549	950313002	134
42490029	027020909	196
42490035	024040109	196
42507709	042507709	86
42507809	042507809	86
42516609	042516609	97
42516709	042516709	97
0425265	360009141	107
4253001100	346022001	185
4253042500	344010001	190
4253042510	344010001	190
4253042520	344010001	190
4253070120	344008261	190
4253070150	344026101	190
42531790	72929C	46
42531791	72930C	46
42533989	78165	131
42535061	78964	132
42535222	77244S	131
42536274	72929C	46
42536275	72930C	46
4253970127	344008261	190
42542589	78800	132
42542598	90362	133
42542599	87219S	133

Reference	Haldex A.M.	Page
42542630	86907S	133
42542660	90364	134
42545954	72641C	39
042547709	950364408	91
042547809	950364507	91
042547909	950364410	91
42548009	042548009	97
42548109	042548109	97
042548309	950364412	91
042548409	950364413	91
42549509	042549509	97
042563009	950364411	91
042566309	950364402	90
42566409	042566409	97
042566509	950364420	91
42572209	042572209	97
042572309	950364072	90
42574340	314012001	142
42584217	207012001	152
0004260056	52717	72
0004260150	76660	72
042621409	950364403	90
42630016	120331201	181
42630023	120351201	181
42630024	120350204	181
4274007	003038009	168
4274014	003480209	168
4274021	003535309	168
4274038	025002109	170
4274052	028027909	166
4274069	028028009	166
4274083	356010031	164
4274090	357012031	104
4274117	360009241	107
4274124	310005011	125
4274131	312017014	138
4274148	312017041	138
4274162	312019012	138
4274186	312030001	138
4274193	312030002	138
4274210	314001001	158
4274227	314012004	142
4274234	314012005	142
4274241	314013003	142
4274258	314014008	142
4274289	314059001	141
4274296	314060001	141
4274306	314096501	141
4274313	320003103	143
4274344	320052011	143
4274375	329006341	146
4274382	329006361	146
4274399	329007001	152
4274409	329024071	146
4274416	315016011	122
4274447	334004001	148
4274454	334007001	148
4274557	338021001	100
4274564	338021001	100
4274571	338031611	100
4274588	340011001	187
4274595	340013001	187
4274605	340026001	187
4274612	340029001	187
4274629	340034201	187

Reference	Haldex A.M.	Page
4274636	340034211	187
4274643	340035201	187
4274650	341004011	189
4274681	344008501	190
4274753	350026002	155
4274777	350028001	155
4274784	351006021	155
4274791	351022001	156
4274801	352001001	152
4274818	352011101	163
4274825	352011102	163
4274832	352011122	163
4274849	352018011	153
4274856	352019011	153
4274863	352042001	107
4274870	355018001	154
4274887	355018071	154
4274894	355018011	154
4274904	355093001	154
4274966	356005101	164
4274973	356005102	164
4274980	356006011	159
4275006	003561409	194
4275068	031000909	112
4275082	120341101	181
4275219	312019011	138
4275233	312013014	138
4275240	312017012	138
4275257	313019021	126
4275305	315016001	122
4275343	334004001	148
4275350	334007001	148
4275367	340005001	187
4275374	340008001	187
4275381	345125110	184
4275408	350001101	155
4275415	350027002	155
4275422	351001141	155
4275439	351008022	155
4275446	352005401	152
4275453	352006201	152
4275460	352007401	152
4275491	352012001	152
4275501	355018011	154
4275525	356010011	164
4275532	357004021	104
4275556	601002001	162
4275563	601002021	162
4275570	601013011	162
4275587	602005001	162
4276005	612025001	113
4276012	612035011	102
4276029	612035021	102
4276036	612032001	102
4276043	613005001	162
4276074	554005001	107
4276122	950364219	98
4276153	903045001	99
4276160	950364081	80
4276177	950364048	82
4276184	950364047	82
4276191	027503209	96
4276201	024500309	96
4276218	950364046	82
4276225	950364045	82

Reference	Haldex A.M.	Page
4276232	950364215	83
4276249	950364503	84
4276311	950364104	82
4276328	950364102	80
4276335	950364108	98
4276366	003786109	94
4276373	950364405	90
4276380	950364033	90
4276414	950364502	84
0042767	025014409	171
0042768	026003409	171
04280051	120361201	182
04280053	124100101	197
04280054	120351201	181
0042802	016025219	128
0042804	027010909	128
0004290239	334007001	148
0004290444	314001001	158
0004290631	334047001	109
0004291031	334047001	109
0004291431	334047001	109
0004291531	334047001	109
0004291630	334004001	148
0004291795	310005011	125
0004292430	334043001	148
0004292995	310005011	125
0004293030	334043001	148
0004293430	334054211	149
0004293830	334025031	148
0004293930	334063001	149
0004294030	334064001	149
0004294144	356006011	159
0004294695	78964	132
0004294744	314014001	142
0004294795	310005001	125
0004294830	334004001	148
0004295030	334063001	149
0004295430	334025031	148
0004295530	334064001	149
0004295544	314013002	142
0004295630	334063001	149
0004295744	314013001	142
0004295830	334064001	149
0004295844	314013003	142
0004295930	334025031	148
0004296044	314014003	142
0004296130	334063001	149
0004296230	334064001	149
0004296244	314014001	142
0004296344	314012003	142
0004296444	314012001	142
0004296544	355018011	154
0004296730	334004001	148
0004297344	314013001	142
0004297530	334004001	148
0004297544	314012004	142
0004297630	334055201	149
0004297644	314012002	142
0004297730	334055201	149
0004297930	334025031	148
0004298030	334063001	149
0004298130	334064001	149
0004298144	314013006	142
0004298344	314013002	142
0004298630	334063001	149

Reference	Haldex A.M.	Page
0004299444	314013005	142
0004299630	334063001	149
0004299730	334064001	149
0004300715	73620	130
0004301194	344048101	191
0004301294	344047101	191
043032	067001602	213
043033	067001702	213
0004303806	950355026	178
0004305181	356009011	164
0004311206	315019001	123
0004311207	314001001	158
0004311528	0220007090	195
0004311606	314014001	142
0004311980	025022609	196
0004312114	344010001	190
0004312213	351006021	155
0004312381	026012009	172
0004312788	026000709	171
0004312988	025034409	171
0004313423	026012109	172
0004313534	029006409	172
0004314228	025050809	196
0004314328	025040909	196
0004314905	329006361	146
0004315115	314013001	142
0004315206	314014003	142
0004315406	314014002	142
0004315614	344010001	190
4316915	71202	120
0004317714	344010001	190
0004318213	355094001	146
0004318313	355094001	146
0004318705	329006121	146
4318715	71209	120
0004319513	355094001	146
0004319713	355094011	146
0004319786	025033609	196
0004319915	78130	116
0004320607	315019011	123
0004320807	315019001	123
4321007	315016001	122
0004321107	315019001	123
0004321307	315019001	123
0004321407	315016001	122
0004321507	315019001	123
0004321707	315016011	122
0004322007	315019001	123
0004322107	315019001	123
0004322807	71323	123
0004322902	87342	133
0004322907	77362S	131
4325000000	310005011	125
4325000200	310005011	125
4325000210	310005001	125
4325020000	310005011	125
4326000000	031000209	172
4327000000	031000909	112
4332065000	72173C	31
4332065010	72174C	31
4332067000	80009C	62
4332067010	80008C	62
4332067020	80000C	62
4332067030	80001C	62
4332067040	80009C	62

Reference	Haldex A.M.	Page
4332067050	80008C	62
4332067060	80000C	62
4332067070	80001C	62
4332067080	80009C	62
4332067090	80008C	62
4332067100	70754C	25
4332067110	70753C	25
4334010030	612025001	113
4334010040	003480209	168
4335010000	100001125	64
4335010030	100001128	64
4335010060	100001021	64
4335010120	100001025	64
4335010170	100101041	65
4335010290	100001721	65
4335065140	104407401	68
4335065150	104507401	68
4335761120	70870C	27
4335761130	70870C	27
4335761240	70867C	27
4335761250	70867C	27
4335765020	80001C	62
4335765030	80000C	62
4335765080	72039C	30
4335765090	72038C	30
4335767000	70753C	25
4335767010	70754C	25
4335767060	72054C	30
4335767070	72055C	30
4335767080	72174C	31
4335767090	72173C	31
4335767100	80008C	62
4335767110	80009C	62
4335767120	80008C	62
4335767130	80009C	62
4335767140	70753C	25
4335767150	70754C	25
4335767220	72597C	39
4335767230	72598C	39
4335767240	80008C	62
4335767250	80009C	62
4340050000	314001001	158
4340140000	314001001	158
4340140050	314001001	158
4341000020	314013001	142
4341000030	314013003	142
4341000040	314013002	142
4341000050	314013005	142
4341000210	314013006	142
4341000220	314013001	142
4341000230	314013003	142
4341000240	314013002	142
4341000250	314013005	142
4341000270	314013012	142
4341000330	314013008	142
4341000390	314013023	142
4341000430	314013003	142
4341000800	314013001	142
4341001020	314012001	142
4341001030	314012002	142
4341001040	314012003	142
4341001050	314012004	142
4341001060	314012005	142
4341001100	314013001	142
4341001200	314012005	142

Reference	Haldex A.M.	Page
4341001220	314012001	142
4341001230	314012002	142
4341001240	314012003	142
4341001250	314012004	142
4341001260	314012005	142
4341001300	314013001	142
4341002000	314014001	142
4341002020	314014003	142
4341002200	314014001	142
4341002220	314014003	142
4341002270	314014005	142
4341002300	314014003	142
4341002500	314014001	142
4342080200	205004001	158
4342080290	333004001	158
4343010000	315019001	123
4346020000	315004002	140
4346020010	315004002	140
0434628	360009141	107
436220	79052C	49
436225	79053C	49
04400757	315016021	122
04400757ED	315016021	122
44015510	70802C	26
44015520	70803C	26
44015700	79160C	52
44015800	79111C	51
44016010	79272C	55
44016020	79273C	55
44016210	72788D	43
44016220	72788D	43
440610	71206	120
4410010230	361006302	161
4410140020	361006201	161
4410140040	361006302	161
4410140060	361007301	161
4410140140	361006305	161
4410140210	361006201	161
4410141010	361007301	161
4410141020	361007305	161
4410195302	361007001	161
4410195322	361007104	161
4410325780	950364503	84
4410325790	364094031	84
4410328080	950364503	84
4410328090	364094031	84
4410329212	950364503	84
441176005	79441C	58
44172	950560003	178
0044202524	120927303	183
0044202824	120924306	183
0044204524	950346014	198
0044205224	950344010	198
44210178	47268	71
442769970000	76997	73
442790570000	79057C	49
442790580000	79058C	50
442795200000	79520C	59
442795210000	79521C	59
0044293244	314014008	142
0044296644	314014031	142
0044301681	90364	134
0044321501	92671	124
4437	003038009	168
04457267	315019011	123

Reference	Haldex A.M.	Page
4460082300	950610040	92
4460082330	950610040	92
4460083812	950364403	90
004463	314012004	142
4464167	329006361	146
4464965	315016001	122
04465	352053001	107
004467	351008022	155
4469	104401051	67
004470	352019011	153
004471	352019011	153
004472	355018011	154
0044721	340005001	187
004473	356005102	164
448480	71206	120
4498340130	815015001	95
450005001	612035031	102
45006309	045006309	113
45101D6300	320065001	144
4519011002	030200109	217
4519011012	030200209	217
4519011022	030200309	217
4519011032	030200409	217
4519011042	030200609	217
4519992062	030200109	217
4519992462	030200209	217
4519992762	030200309	217
4519993102	030200409	217
4519993962	030200609	217
4520020000	334047001	109
4520020070	334047001	109
4520021000	334047001	109
4520021070	334047001	109
4522000000	334053231	149
4522000010	334053261	149
4522000060	334055211	149
4522000070	334054211	149
4522000110	334054211	149
4522000120	334054211	149
4522000210	334055201	149
4522000220	334025031	148
4522002110	334071001	149
4522002120	334072001	149
4522002200	334064001	149
4522002210	334071001	149
4522002220	334072001	149
4522010000	334007001	148
4522010100	334007001	148
4522030010	338021001	100
4523000000	334004001	148
4523000020	334004001	148
4523000030	334004001	148
4523000040	334047001	109
4524020000	334028001	148
45245425	45425	71
45262	340026001	187
4527110010	033016509	166
4527110020	033016009	166
45276878	76878	72
45362012000	345125110	184
455421518	90571	70
0457102002	310005011	125
0457102008	310005011	125
45786425	45425	71
45810010	76994	73

Reference	Haldex A.M.	Page
45851420	51420	72
45876846	76846	72
460201	351008022	155
460202	352011122	163
460203	352018011	153
460204	310005011	125
460205	334054201	149
460206	334055201	149
460207	030351209	215
460208	030200309	217
460210	030351609	215
460211	030352009	215
460212	030200609	217
460213	355018011	154
460214	350027002	155
460215	357012031	104
460222	120331101	181
460223	120341101	181
460224	120361101	181
460226	003561409	194
460227	003033609	194
460236	065001009/40	218
4605941	567006001	104
4611010000	320003103	143
4613150080	320065001	144
4613150087	320065001	144
4613150880	320059001	143
4617000000	329007001	152
462004	334054211	149
462005	334055211	149
0046249	350027002	155
4630131120	332005021	107
4630320000	338021001	100
4630320200	338053101	100
4630320207	338021001	100
4630321200	338052101	100
4630340020	352005401	152
4630340050	352007401	152
4630360080	338021001	100
4630740000	338021001	100
4630840000	352028014	105
4640023100	612035011	102
4640023300	612035011	102
4640023307	612035011	102
4640023600	612035011	102
4640024200	612035031	102
4640024407	612035031	102
4640024410	612035031	102
4640025307	612035011	102
4640060020	612035021	102
4640060027	612035021	102
4640061000	612032001	102
4640061007	612032001	102
4640070100	90554663	103
46413D8800	950364211	82
465030219	024002109	170
465045319	024027609	128
0466455	011085109	219
04669	352044001	153
4689	124100101	197
4692759	70810C	26
4695754	70809C	26
4700060000	329020201	147
4700150000	329020311	147
4700150040	329020311	147

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
4700152140	329020251	147	4721569	950364047	82	4729810	027010909	128	4731410	72875D	44
0470111	950531010	220	4721650	350026002	155	4729836	120341101	181	4731428	72875D	44
470200	78986	117	4721668	350026002	155	4729844	120361101	181	4731436	72876D	45
4710030200	351006021	155	4721742	031001309	112	4729869	352019011	153	4731444	72877C	45
4710030207	351006021	155	4721825	338021001	100	4729877	352042001	107	4731451	72878C	45
4710035200	350020201	155	4721999	352005401	152	4729885	601002021	162	4731469	72879C	45
4710035300	350020201	155	4722021	352007401	152	4729893	612035011	102	4731477	72880C	45
4710035307	350020201	155	4722088	345228158	184	4729901	950364045	82	4731485	76014	72
4710037000	350019001	155	4722203	356001001	159	4730008	950364045	82	4731493	76671	72
4710050200	351009021	156	4722369	057012209	197	4730040000	355018001	154	4731527	76902	73
4710055310	350020201	155	4722559	025015519	196	4730057	026003209	171	4731535	76918	73
4710057000	350001101	155	4722757	312013031	138	4730065	026003309	128	4731568	76986	73
4710057600	350001101	155	4722773	023003909	169	4730081	120361101	181	4731576	79194C	53
4712000080	329006121	146	4722799	344008501	190	4730170000	355093001	154	4731584	79205C	53
4712001040	329006341	146	4722823	025015719	196	4730170007	355093001	154	4731592	79206C	53
4712001100	329006121	146	4722880	313019021	126	4730170040	355093001	154	4731600	79207C	53
4712001107	329006121	146	4723367	340029001	187	4730453	025034009	196	4731618	79208C	53
4712001140	329006341	146	4723391	340026001	187	4730503	340034201	187	4731626	79209C	54
4712001147	329006341	146	4723490	352011101	163	4730537	340034211	187	4731634	79210C	54
4712001180	329006341	146	4723573	351006021	155	4730677	601002021	162	4731642	79211C	54
47177055	77055	116	4723578	351006021	155	4730685	612035011	102	4731659	79212C	54
47177434	774345	131	4723599	352011102	163	4730719	120331101	181	4731667	79216C	54
47177484	774845	131	4723847	601002001	162	4730743	120341101	181	4731675	79217C	54
47178106	781065	131	4723888	031000909	112	4730776	120351101	181	4731683	79219C	54
47178199	781995	132	4724027	350020201	155	47308	612035021	102	4731691	79220C	54
47178223	782235	132	4724050	351001141	155	4731006	70518C	24	4731709	79221C	54
47178275	90361	133	4724092	352012001	152	4731014	70519C	24	4731717	79222C	54
47178286	78286	116	4724274	352011122	163	4731022	70706C	25	4731725	79223C	54
47178801	788015	132	4724472	355018011	154	4731030	70753C	25	4731733	79224C	54
47178840	788405	132	4724654	356006011	159	4731048	70754C	25	4731741	79225C	54
47178964	78964	132	4725099	334028001	148	4731055	70771C	25	4731758	79226C	54
04718	310005011	125	4725164	352001001	152	4731063	70772C	25	4731766	80000C	62
47186791	867915	133	4725198	352006201	152	4731071	70775C	25	4731774	80001C	62
47186792	867925	133	4725271	601013001	162	4731089	70867C	27	4731782	80008C	62
4720009	003033609	194	4725388	025002109	170	4731097	70870C	27	4731790	80009C	62
4720023010	361007001	161	4725438	024002109	170	4731105	70949C	28	4731808	80010C	62
4720025	315016001	122	4725768	329007001	152	4731113	80000C	62	4731816	80011C	62
4720120400	360009241	107	4725883	351008022	155	4731121	80001C	62	4731824	84423	73
4720298	356010031	164	4725909	314001001	158	4731139	70954C	28	4731832	601013011	162
4720306	334077001	109	4726360	601013011	162	4731147	80011C	62	4731840	80022D	62
4720348	350027002	155	4726733	345125110	184	4731154	80010C	62	4731857	80020D	62
4720355	344019101	190	4726766	357012021	104	4731162	72038C	30	4731907	78964	132
4720371	041011009	112	4726907	356005102	164	4731170	72039C	30	4735010000	356006011	159
4720600010	355018011	154	4727087	340026011	187	4731188	72059C	30	4735012020	356006011	159
4720603	028021609	166	4727293	355093001	154	4731196	80008C	62	4737789	70932C	28
4720637	028028009	166	4727616	612035041	102	4731204	80009C	62	4739058	027001309	128
4720645	003480209	168	4727699	315016011	122	4731212	72173C	31	4739108	027010909	128
4720652	612035011	102	4727863	329020311	147	4731220	72174C	31	4739207	027011019	128
4720710	612035011	102	4728044	334004001	148	4731238	72177C	32	47447	030351709	215
4720744	612032001	102	4728259	360009141	107	4731246	72203C	32	47450	030352209	215
4720777	023004609	169	4728283	360009241	107	4731253	72204C	32	4745006	92693	124
4720793	950338013	114	4728382	338021001	100	4731261	72211C	32	47450100010	357012031	104
4720850	950364215	83	4728481	340035201	187	4731279	72212C	32	4745010010	357012031	104
4720892	352042001	107	4728580	035005609	218	4731287	72213C	32	474801790	12254C	23
4721015	329006121	146	4728952	602005001	162	4731295	80008C	62	474801801	12256C	23
4721020400	360009241	107	04729	315019001	123	4731303	80009C	62	474801811	12256C	23
4721031	320003103	143	4729190	950310009	134	4731311	72416C	35	474901180	12255C	23
4721057080	360009241	107	4729687	343001001	192	4731329	80008C	62	4750030020	357004025	104
4721239	338032001	100	4729737	025017509	196	4731337	80009C	62	4750100000	357012022	104
4721254	338031611	100	4729745	003038009	168	4731345	72596C	39	4750100010	357012031	104
4721271400	360009141	107	4729752	003535309	168	4731352	72597C	39	4750100017	357012031	104
4721304	340005001	187	4729778	025034009	196	4731360	72598C	39	4750100020	357012031	104
4721338	340008001	187	4729786	026003209	171	4731386	72758C	42	4750100030	357012031	104
4721361	340011001	187	4729794	026003309	128	4731394	72809C	43	4750100070	357012031	104
4721551	950364048	82	4729802	027001309	128	4731402	72810C	43	4750100080	357012022	104

Reference	Haldex A.M.	Page
4750100090	357012022	104
4750100130	357012031	104
4750100150	357012021	104
4750100160	357012031	104
4750103130	357012021	104
4750600010	355018011	154
4751020400	360009241	107
47510840000	025015519	196
47520	120331101	181
4753021000	312019011	138
4753041560	312013014	138
4753042010	312013012	138
4753042510	312019012	138
47531490000	024038209	170
47531500000	024038309	170
4756010000	352011101	163
4756010010	352011102	163
4756010030	352011122	163
4756040100	352011101	163
4756040107	352011101	163
4756040110	352011102	163
4756040117	352011102	163
4756040120	352011121	163
4756040130	352011122	163
4756040137	352011122	163
4756040410	352011102	163
4756040430	352011122	163
4756041120	352011141	163
4757002200	602005001	162
4757003350	602005001	162
4757004010	602005001	162
4757004030	602005001	162
4757010050	601002001	162
4757020220	601013011	162
4757120000	351012001	162
4757120010	351012001	162
4757135000	601013011	162
4757135007	601013011	162
4757145000	602005001	162
4757145007	602005001	162
47713	030362009	215
478225	786825	132
47900D8800	950364503	84
47950D9200	950364503	84
479629X100	059512309	97
47962D8800	059512309	97
4797754	312013014	138
47990	352019011	153
0480028101	301205101	137
048019004	315019001	123
048023104	351001141	155
0481006001	314014001	142
0481006002	314012001	142
0481006003	314014003	142
0481006005	314012005	142
0481006009	314014003	142
0481006010	314012003	142
0481007033	352001001	152
0481007034	352012001	152
0481010023	329006121	146
0481010031	329006361	146
0481014001	314001001	158
0481014003	314001001	158
0481016002	328008031	145
0481019001	315019001	123

Reference	Haldex A.M.	Page
0481019002	315019011	123
481019004	315019001	123
0481019006	315016001	122
0481020001	314013001	142
0481020002	314013006	142
0481020004	314013005	142
0481020011	314013002	142
0481023007	350020201	155
0481023102	350001101	155
0481023103	351001141	155
481023104	351001141	155
0481023202	350026002	155
0481023203	350028001	155
0481023204	351008022	155
0481023206	351008022	155
0481023207	351008022	155
0481025002	356001001	159
0481025101	356006011	159
0481025201	356009011	164
0481025202	356010011	164
0481026002	355018071	154
0481026004	355018071	154
0481026005	355018071	154
0481026006	355018071	154
0481026008	355018011	154
0481026201	355018011	154
0481026202	355018011	154
0481037102	601002001	162
0481037103	601013011	162
0481037104	601002021	162
0481037203	602005001	162
0481039101	312017014	138
0481039102	312017012	138
0481039105	312017041	138
0481039106	312017014	138
0481039107	312013012	138
0481039110	312013014	138
0481039111	312013014	138
481039201	312013014	138
0481039209	312030001	138
481039213	312030002	138
481039218	312013015	138
0481039221	312017014	138
481039222	312017012	138
481039225	312017041	138
4810535	312013014	138
0481062001	314060001	141
0481062005	314060001	141
0481062008	314060001	141
0481062012	314060001	141
0481062101	314060001	141
0481062105	314060001	141
0481062108	314060001	141
481062201	314059001	141
0481062209	314096501	141
0481062301	314059001	141
481062308	314060001	141
481062401	314059001	141
0481063001	314013006	142
0481063002	314013001	142
0481063003	314013003	142
0481063004	314013002	142
0481063005	314013005	142
0481063007	314014001	142
0481063009	314014005	142

Reference	Haldex A.M.	Page
0481063010	314014002	142
0481063012	314012002	142
0481063013	314012003	142
0481063014	314012005	142
0481063016	314013003	142
0481063020	314012001	142
0481063021	314012004	142
0481063029	314014012	142
481064118	320059001	143
0481068001	352011101	163
0481068002	352011102	163
0481068004	352011122	163
0481099221	312013014	138
481102001	334063001	149
0481400101	355093001	154
0481622055	312017014	138
0481622057	312013031	138
482006007	341004011	189
482006011	341004011	189
0482008001	340026001	187
0482008003	340027001	187
0482008004	340029001	187
0482010004	340005001	187
0482011001	340008001	187
0482011004	340011001	187
0482012002	340013001	187
4820121661996	355018071	154
4820121772475	314060001	141
4820121936737	314059001	141
4820123129506	950355004	177
4820211772475	314060001	141
4820211936737	314059001	141
0482022101	345100168	184
48205200000	031000909	112
0482071007	344010001	190
0482071008	344010001	190
0482071011	344010001	190
4833295	376102	220
0484100001	334043001	148
0484101001	334004001	148
0484102001	334063001	149
0484102002	334063001	149
0484102003	334064001	149
0484102006	334063001	149
0484102007	334064001	149
0484102008	334071001	149
0484102009	334072001	149
0484102012	334063001	149
0484102013	334064001	149
0484102016	334063001	149
0484102017	334064001	149
0484102026	334063001	149
484102027	334064001	149
484102028	334071001	149
484102029	334072001	149
484103105	334043001	148
0484150101	334054201	149
0484150102	334055201	149
0484150109	334054211	149
0484150110	334055211	149
0484150111	334055201	149
0484150112	334054201	149
0484150113	334055211	149
0484150114	334054211	149
0484150204	334054201	149

Reference	Haldex A.M.	Page
0484152002	334007001	148
0484152004	334007001	148
4842613	312013014	138
0484350001	334047001	109
484451011	313019021	126
04845	124100101	197
4876480901	120311101	181
4880708	70957C	28
488486	90215	117
488784	92573	124
489832	89464	117
489834	87295	117
49000000100	905002001	218
4901186M1	024043109	196
4901308M91	950532014	220
4901382M1	025040609	219
4901383M1	025040509	219
4902400120	950338100	114
0490429	355018011	154
49100005800	003038009	168
49100009000	025015719	196
49100009100	035005609	218
4912302M91	950320002	176
4917947M91	950532032	221
49208200000	310005011	125
4940871	72085C	30
49500102001	601013011	162
49500102004	602005001	162
49500112000	351008022	155
49500112001	350027002	155
49500112002	350026002	155
49500232000	357012031	104
49500452000	612035011	102
49500452004	612032001	102
49500462000	352012001	152
49500462002	356006011	159
49500462003	352006201	152
49500462004	356022011	159
49500466000	352045001	153
49500562000	360014001	113
49500572000	329007001	152
49500702001	314001001	158
49500722000	355018011	154
49500832000	338021001	100
49500902001	314012003	142
49501112000	360009141	107
49501152001	352032030	105
49504602000	352019011	153
495050	352012001	152
495060	950364418	91
495088	352042001	107
495147	334077001	109
495206	314012004	142
49520712002	356005102	164
49530011000	334047001	109
49615200001	612025001	113
49617200000	003038009	168
49622200000	025002109	170
49637200000	950338100	114
49800002100	310005011	125
49800008400	315019011	123
49800013300	334054211	149
49800013400	334025031	148
49800013500	334055211	149
49800013600	334055201	149

Reference	Haldex A.M.	Page
49800014100	334063001	149
49800024900	120351101	181
49800025000	120361101	181
49810008200	315016001	122
49810008300	315016011	122
49810013200	334007001	148
49810014000	334072001	149
49810014200	334071001	149
49810014400	334043001	148
49810014600	334054201	149
49810014700	334054211	149
49810015000	334055201	149
49810015100	334055211	149
49820013701	334028001	148
49902200000	344028011	191
49910003100	312013014	138
49910003200	312013015	138
49910003300	312013031	138
49910003500	312017014	138
49910003600	312019011	138
49910003700	312019012	138
49910007300	314012001	142
49910007400	314012004	142
49910007800	314060001	141
49910008500	320003103	143
49910009300	314012002	142
49910010500	329006121	146
49910010700	329006341	146
49910016900	338021001	100
49910018100	340005001	187
49910018200	340008001	187
49910018300	340011001	187
49910018400	340013001	187
49910018500	340026001	187
49910018600	340029001	187
49910018700	340034201	187
49910018800	341004011	189
49910021100	344008501	190
49910021500	344019101	190
49910028100	350001101	155
49910028600	350020201	155
49910029000	350026002	155
49910029400	350028001	155
49910029500	351001141	155
49910029700	351006021	155
49910030500	352001001	152
49910030700	352005401	152
49910030800	352007401	152
49910031100	352011101	163
49910031300	352011122	163
49910032700	355018001	154
49910034000	356001001	159
49910034200	356006011	159
49910034500	356010011	164
49910035000	357004021	104
49910036300	360009141	107
49910036500	360009241	107
49910050100	601002001	162
49910050200	601002021	162
49910050300	601013011	162
49910050600	602005001	162
49910054100	613005001	162
49910183100	612035021	102
49920005201	313019021	126
49920007701	314059001	141

Reference	Haldex A.M.	Page
49920029901	351008022	155
49920031201	352011102	163
49920032701	355018011	154
49920032901	355018071	154
49920034401	356009011	164
49920128501	352012001	152
0049962	025015409	128
0049983	026000709	171
4P2975	33060039	137
4U7965	N4170AB	193
4V3832	33090001	218
4W0005	76995	73
4W0010	76996	73
4W0015	76979	73
4W0020	76980	73
4W0025	76986	73
4W0100	76012	70
4W0110	76924	70
4W0200	76878	72
4W0270	76902	73
4W0300	84579	73
4W0310	76660	72
4W0320	45424	71
4W0900	76046	72
4W1000	72788D	43
4W1005	72875D	44
4W1010	72876D	45
4W1015	79023D	49
4W1020	79022D	48
4W1025	79004D	47
4W1030	72576C	38
4W1035	72251C	33
4W1040	72581C	38
4W1045	72875D	44
4W1050	79022D	48
4W1055	72261C	33
4W1060	72268C	33
4W1065	72256C	33
4W1070	72359C	34
4W1075	72948S	47
4W1080	70949C	28
4W1085	79097C	50
4W1090	79098C	51
4W1095	79006C	48
4W1105	72253C	33
4W1110	72239C	33
4W1115	70802C	26
4W1120	70803C	26
4W1125	72053C	30
4W1130	72008C	29
4W1135	72007C	29
4W1150	72255C	33
4W1160	72238C	33
4W1165	72104C	31
4W1170	79183C	53
4W1175	72103C	31
4W1180	79160C	52
4W1185	79051C	49
4W1190	79088C	50
4W1205	79028C	49
4W1210	79029C	49
4W1215	70969C	28
4W1220	70970C	28
4W1225	79030C	49
4W1230	79031C	49

Reference	Haldex A.M.	Page
4W2000	70823C	26
4W2005	70871C	27
4W2010	72523C	36
4W2015	72524C	37
4W2020	72538C	37
4W2025	72539C	37
4W2030	72534C	37
4W2035	72543C	37
4W2040	72059C	30
4W2045	70954C	28
4W2050	80009C	62
4W2055	80008C	62
4W2060	80001C	62
4W2065	80000C	62
4W2070	79208C	53
4W2075	79209C	54
4W2080	79212C	54
4W2085	72758C	42
4W2090	79211C	54
4W2095	79210C	54
4W2100	70775C	25
4W2105	72542C	37
4W2110	72536C	37
4W2115	72525C	37
4W2120	72537C	37
4W2125	72526C	37
4W2130	72213C	32
4W2135	80011C	62
4W2140	80010C	62
4W2145	80009C	62
4W2150	70867C	27
4W2155	72174C	31
4W2160	72173C	31
4W2165	80008C	62
4W2170	72181C	32
4W2175	72199C	32
4W2180	72406C	35
4W2185	72403C	35
4W2190	72404C	35
4W2195	72422C	35
4W2200	72420C	35
4W2205	72421C	35
4W2210	72664C	40
4W2215	72663C	40
4W2220	72660C	40
4W2225	79015C	48
4W2230	79014C	48
4W2235	72180C	32
4W2240	79013C	48
4W2245	79016C	48
4W2250	72662C	40
4W2255	72667C	40
4W2260	72661C	40
4W2265	72745C	42
4W2270	72744C	42
4W2275	72678C	41
4W2280	72782C	43
4W2285	72723C	42
4W2290	72724C	42
4W2295	72726C	42
4W2300	72783C	43
4W2305	72540C	37
4W2310	70893C	27
4W2315	70945C	28
4W2320	70626C	24

Reference	Haldex A.M.	Page
4W2325	70859C	26
4W2330	70624C	24
4W2335	72367C	35
4W2340	72441C	36
4W2345	72439C	36
4W2350	72440C	36
4W2355	70583C	24
4W2360	72825C	44
4W2365	70512C	24
4W2370	70634C	24
4W2375	72364C	34
4W2380	72401C	35
4W2385	72402C	35
4W2390	70582C	24
4W2395	72548C	37
4W2400	72608C	39
4W2405	12254C	23
4W2410	12255C	23
4W2415	12256C	23
4W2420	72596C	39
4W2425	72609C	39
4W2430	70532C	24
4W2435	70627C	24
4W2440	70706C	25
4W2445	70753C	25
4W2450	70832C	26
4W2455	70833C	26
4W2460	70905C	27
4W2470	70918C	27
4W2475	70943C	28
4W2480	70944C	28
4W2485	70977C	28
4W2490	70978C	28
4W2495	72105C	31
4W2500	72106C	31
4W2505	72203C	32
4W2510	72204C	32
4W2515	72535C	37
4W2520	72665C	40
4W2525	72666C	40
4W2530	72668C	40
4W2535	72669C	40
4W2540	72670C	40
4W2545	72671C	40
4W2550	72673C	40
4W2555	72674C	40
4W2560	72675C	41
4W2565	72715C	41
4W2570	72716C	41
4W2575	72717C	41
4W2580	72718C	41
4W2585	72727C	42
4W2590	72728C	42
4W2595	72826C	44
4W2600	72892C	45
4W2605	72893C	45
4W2610	79205C	53
4W2615	79206C	53
4W2620	79223C	54
4W2625	79224C	54
4W2630	79296C	56
4W2635	79297C	56
4W2640	79299C	56
4W2645	79300C	56
4W2650	70510C	23

Reference	Haldex A.M.	Page
4W2655	70511C	24
4W2660	72915C	46
4W2665	72916C	46
4W2670	72407C	35
4W2675	72541C	37
4W2680	72663C	40
4W2685	72906C	46
4W2690	72907C	46
4W2695	72672C	40
4W2700	70894C	27
4W2705	72676C	41
4W2710	72654C	40
4W2715	72211C	32
4W2720	72212C	32
4W2725	72886C	45
4W2730	72887C	45
4W2735	79442C	58
4W2740	79443C	58
4W2745	70810C	26
4W2750	72038C	30
4W2755	72039C	30
4W2760	72530C	37
4W2765	70754C	25
4W2770	70762C	25
4W2775	72459C	36
4W2780	72460C	36
4W2785	72688C	41
4W2790	72689C	41
4W2795	79017C	48
4W2800	79018C	48
4W2805	70824C	26
4W2810	70825C	26
4W2815	79007C	48
4W2820	79008C	48
4W2825	70986C	29
4W2830	72070C	30
4W2835	70530C	24
4W2840	70917C	27
4W2845	72177C	32
4W2850	72664C	40
4W2855	80008C	62
4W2860	72326C	34
4W2865	72393C	35
4W2870	79628C	59
4W2875	79629C	60
4W2880	72546C	37
4W2885	72677C	41
4W2890	70785C	25
4W2895	70786C	25
4W2900	72719C	41
4W2910	79289C	55
4W2915	72804C	43
4W2920	79294C	55
4W2925	79295C	55
4W2930	72809C	43
4W2935	72854C	44
4W2940	79301C	56
4W2945	79302C	56
4W2950	72069C	30
4W2955	79177C	53
4W2960	72330C	34
4W2965	70720C	25
4W2970	70931C	28
4W2975	72592C	39
4W2980	79019C	48

Reference	Haldex A.M.	Page
4W2985	72145C	31
4W2990	80009C	62
4W2995	72361C	34
4W3000	72816C	43
4W3005	72815C	43
4W3010	72405C	35
4W3015	72416C	35
4W3020	72853C	44
4W3025	72457C	36
4W3030	72462C	36
4W3035	72461C	36
4W3040	79310C	56
4W3045	79311C	56
4W3050	79309C	56
4W3055	79308C	56
4W3060	70891C	27
4W3065	72855C	44
4W3070	72553C	38
4W3075	80001C	62
4W3080	80000C	62
4W3085	79020C	48
4W3090	79021C	48
4W3095	72362C	34
4W3100	72333C	34
4W3105	72597C	39
4W3110	72598C	39
4W3115	79225C	54
4W3120	79226C	54
4W3125	70772C	25
4W3130	70771C	25
4W3135	72785C	43
4W3140	72784C	43
4W3145	80012C	62
4W3150	80013C	62
4W3155	72810C	43
4W3160	70809C	26
4W3165	79227C	54
4W3170	70930C	28
4W3175	79430C	57
4W3180	79429C	57
4W3185	79197C	53
4W3190	79198C	53
4W3195	79150C	52
4W3200	79151C	52
4W3205	79011C	48
4W3210	72720C	41
4W3215	79153C	52
4W3220	79152C	52
4W3225	72646C	40
4W3230	72647C	40
4W3235	79286C	55
4W3240	79287C	55
4W3245	72746C	42
4W3250	72747C	42
4W3255	72014C	29
4W3260	72015C	29
4W3265	79216C	54
4W3270	79217C	54
4W3275	79431C	57
4W3280	79432C	57
4W3285	70990C	29
4W3290	70991C	29
4W3295	72641C	39
4W3300	72939C	46
4W3305	72656C	40

Reference	Haldex A.M.	Page
4W3310	72655C	40
4W3315	72666C	40
4W3320	72665C	40
4W3325	79156C	52
4W3330	79157C	52
4W3335	79220C	54
4W3340	79219C	54
4W3345	79229C	54
4W3350	79228C	54
4W3355	72446C	36
4W3360	72447C	36
4W3365	79185C	53
4W3370	79213C	54
4W3375	79214C	54
4W3380	70892C	27
4W3385	70919C	27
4W3400	79207C	53
4W3410	79163C	52
4W3415	79162C	52
4W3420	79218C	54
4W3425	79024C	49
4W3430	79025C	49
4W3435	79696C	60
4W3440	72417C	35
4W3445	72418C	35
4W3450	72429C	36
4W3455	72428C	36
4W3465	72035C	29
4W3470	72034C	29
4W3475	72033C	29
4W3480	72178C	32
4W3485	79304C	56
4W3490	79305C	56
4W3495	70903C	27
4W3500	72085C	30
4W3505	72586C	38
4W3515	72603C	39
4W3520	72729C	42
4W3525	72730C	42
4W3530	72817C	43
4W3535	72408C	35
4W3540	79348C	56
4W3545	79347C	56
4W3550	79105C	51
4W3555	79106C	51
4W3560	79454C	58
4W3565	79455C	58
4W3570	79456C	58
4W3575	72591C	39
4W3580	72604C	39
4W3585	72760C	42
4W3590	72759C	42
4W3595	79250C	55
4W3600	79251C	55
4W3605	72858C	44
4W3610	79071C	50
4W3615	79055C	49
4W3620	72643C	39
4W3625	79215C	54
4W3635	72431C	36
4W3640	72430C	36
4W3645	72929C	46
4W3650	72930C	46
4W3655	72544C	37
4W3660	72545C	37

Reference	Haldex A.M.	Page
4W3665	72547C	37
4W3670	72357C	34
4W3675	72358C	34
4W3680	79040C	49
4W3685	79041C	49
4W3690	79221C	54
4W3695	79222C	54
4W3700	72704C	41
4W3705	72705C	41
4W3710	72725C	42
4W3715	79453C	58
4W3720	72895C	45
4W3725	79195C	53
4W3730	79196C	53
4W3740	72419C	35
4W3745	79064C	50
4W3750	79063C	50
4W3755	79441C	58
4W3760	72680C	41
4W3775	72179C	32
4W3780	70869C	27
4W3790	72679C	41
4W3795	72054C	30
4W3800	72055C	30
4W3805	72721C	41
4W3810	72722C	42
4W3815	72811C	43
4W3820	72812C	43
4W3825	79009C	48
4W3830	79010C	48
4W3835	79012C	48
4W3840	79306C	56
4W3850	79312C	56
4W3855	79313C	56
4W3875	79351C	57
4W3895	72065C	30
4W3900	79056C	49
4W3905	79079C	50
4W3935	72654C	40
4W3940	72425C	35
4W3950	72928C	46
4W3955	72921C	46
4W3960	72922C	46
4W3965	79396C	57
4W3970	79397C	57
4W3975	72833C	44
4W3980	72834C	44
4W3985	72060C	30
4W3990	72061C	30
4W4000	79493C	58
4W4005	79494C	58
50000003700736	950320012	176
50000003700752	950355012	177
5000012541	355018011	154
5000029286	79199C	53
5000029287	79200C	53
5000031229	70608C	24
5000031230	70609C	24
5000036371	315019011	123
5000036376	314001001	158
5000037898	76086	72
5000037954	70621C	24
5000037955	70622C	24
5000038237	70619C	24
5000038238	70620C	24

Cross Reference

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
500004101	612035041	102	50007898894	79015C	48	050021	350026002	155	5010260087	79478C	58
0500004103	612035041	102	50007898895	79016C	48	5002188	950312003	175	5010260088	79479C	58
5000071569	314013003	142	5000789892	79013C	48	050022	350027002	155	5010260089	79476C	58
5000121755	314059001	141	5000789894	79015C	48	500222	334055201	149	5010260090	79477C	58
5000121925	314001001	158	5000789895	79016C	48	500228	334054241	149	5010260115	79308C	56
5000121974	314001001	158	5000790256	71200	120	050024	351022001	156	5010260116	79309C	56
5000181085	310005011	125	5000791212	79017C	48	5002407	360009141	107	5010260117	79310C	56
50001909	050001909	218	5000791213	79018C	48	5002842	950532014	220	5010260118	79311C	56
5000242207	329006121	146	5000792110	315016001	122	5002843	950532015	220	5010260344	79292C	55
5000260900	78340	76	5000792176	71201	120	500308723	78968	124	5010260345	79293C	55
5000284127	314014001	142	5000810635	45908	71	5003230	352019011	153	5010260363	78210	116
5000288487	90362	133	5000815111	74374S	72	5003250	031000909	112	5010260379	79312C	56
5000296064	73620	130	5000816365	79005D	48	5004749	950531010	220	5010260380	79313C	56
5000296065	73622	130	5000819916	71034	128	5006000753	78165	131	5010260410	334064001	149
5000296318	76878	72	5000820778	71036	128	5006000754	78166	131	5010260451	78219	116
5000296336	47359	72	5000820779	71058	129	500908723	78968	124	5010260510	78752	116
5000296794	71054	129	5000820786	73444	130	5010013393	79020C	48	5010260511	78217	116
5000297583	73687S	130	5000820845	81374	73	5010013394	79021C	48	5010260522	78210	116
5000297585	73615	130	5000877206	334064001	149	5010037900	79019C	48	5010260640	78210	116
5000435797	334064001	149	5000877207	334063001	149	5010056228	71200	120	5010260641	78210	116
5000435826	334063001	149	5000882316	70975C	28	5010056685	79013C	48	5010422396	78210	116
5000438152	334063001	149	5000882317	70976C	28	5010056686	79014C	48	5010422630	315031001	123
5000438153	334064001	149	5000928591	70542C	24	5010067156	79628C	59	5010512098	92796	124
5000440154	334063001	149	5000928592	70543C	24	5010067157	79629C	60	0501205935	72326C	34
5000440155	334064001	149	5000992	950532011	220	5010067916	71200	120	0501206318	72385C	35
5000442713	334063001	149	05001	041013609	128	5010067917	71201	120	0501207555	72641C	39
5000442714	334064001	149	050012	350027002	155	5010098831	79288C	55	05013064	1362430001	185
5000443693	315019011	123	050017	003038009	168	5010098832	79289C	55	05013084	120351101	181
5000443694	315019011	123	5001825530	51326	72	5010098860	79294C	55	0501309389	72203C	32
5000445830	79011C	48	5001825536	76046	72	5010098861	79295C	55	0501309398	72203C	32
5000445898	79012C	48	5001825537	76660	72	5010098862	79296C	56	0501309399	72204C	32
5000448779	313019021	126	5001826574	74372S	72	5010098863	79297C	56	0501312502	003561409	194
5000467382	70856C	26	5001826575	74489S	72	5010098893	79292C	55	05013134	352045001	153
5000467831	70855C	26	5001826594	74992S	72	5010098894	79293C	55	0501313425	003568009	194
5000467832	70856C	26	5001826800	78964	132	5010098989	83377	120	0501313697	120916311	182
5000468241	334004001	148	5001826801	78801S	132	5010098990	83378	120	0501314043	72872C	44
5000470830	70896C	27	5001826803	78171S	131	5010104014	71208	120	0501314349	72931C	46
5000470831	70897C	27	5001826804	78169S	131	5010136324	71208	120	0501314350	72932C	46
5000470912	70899C	27	5001826851	74579S	72	5010136367	71200	120	0501314479	72688C	41
5000504467	72137C	31	5001829394	74707S	72	5010136368	71201	120	0501314480	72689C	41
5000504468	72138C	31	5001829535	74488S	72	5010145883	79286C	55	0501314644	120341201	181
5000538742	314013005	142	5001829592	74860S	72	5010145884	79287C	55	0501314854	120335100	181
5000546557	355018071	154	5001829671	78190	131	5010152965	79303C	56	0501317229	79430C	57
5000568146	70881C	27	5001829705	74418S	72	5010163808	340053001	187	0501317230	79429C	57
5000568147	70880C	27	5001829726	74733S	72	5010197577	79440C	57	0501317231	79430C	57
50005811	334077001	109	5001829728	74696S	72	5010197578	79441C	58	0501317231C	79430C	57
5000587468	314060001	141	5001831179	74627S	72	5010201995	79298C	56	0501319332	120331101	181
50006042	031000209	172	5001831975	74991S	72	5010216246	79290C	55	05013224	338051101	100
5000607007	334063001	149	5001831976	47268	71	5010216247	79291C	55	502500208	313019021	126
5000608011	334055201	149	5001832936	74402S	72	5010216843	79299C	56	502500601	030350909	215
5000608012	334025031	148	5001833008	74716S	72	5010216844	79300C	56	502503208	315016001	122
5000785203	79152C	52	5001833009	74812S	72	5010216904	79301C	56	502504601	340011001	187
5000785204	79153C	52	500183308	74716S	72	5010216905	79302C	56	502506901	030351509	215
5000785205	79150C	52	5001833222	78701S	132	5010216951	71200	120	502524208	024004609	219
5000785206	79151C	52	5001833941	74573S	72	5010216952	71201	120	502524408	024016509	128
5000787083	612032001	102	5001834639	90363	134	5010251314	71216	120	502525408	027010909	128
5000787230	79431C	57	5001834640	78170S	131	5010251479	78211	116	5029160	059008109	173
5000787231	79432C	57	5001836895	78730S	132	5010251480	78209	116	5029442	059008609	173
5000787264	79007C	48	5001837979	74597S	72	5010251481	78210	116	5029500	313019021	126
5000787265	79008C	48	5001843732	83377	120	5010260023	79306C	56	050305	355018011	154
5000787631	346022001	185	5001843735	83378	120	5010260024	79307C	56	50354	351014001	162
5000788696	79009C	48	5001843738	83379	120	5010260027	79304C	56	050355	003033609	194
5000788697	79010C	48	5001846880	71376	129	5010260028	79305C	56	50378	207012001	152
5000789789	334064001	149	05002	041013609	128	5010260085	79474C	58	504017778	92796	124
5000789790	334064001	149	0500200005	315004002	140	5010260086	79475C	58	504029066	90554147	103

Reference	Haldex A.M.	Page
504135446	92796	124
5042600	315016001	122
050457	030350209	215
050458	030351209	215
050459	030360809	215
050460	030351709	215
050461	030352009	215
050462	030352209	215
050499	612035021	102
050505	360009241	107
050500	612025001	113
050512	314012004	142
050519	338021001	100
050528	314012004	142
505835	100101364	66
505839	104401201	67
50583992164	104401201	67
505840	104501201	68
50584092165	104501201	68
05060000	356013011	159
050601	356010031	164
50734	338021001	100
507808	314001001	158
508342	364357001	89
50900332000	950364411	91
5100127001	315019001	123
5100366000	334055201	149
5100367000	334025031	148
5100408000	334063001	149
5100409000	334064001	149
5100516000	90054007	103
051007	120331101	181
5100749000	612025001	113
5100801000	329007001	152
5100817000	950364211	82
5100866000	016700809	96
051009	120341101	181
5100911000	314013001	142
5100970001	612035011	102
5100971001	612032001	102
5100980000	950364214	83
51009909	051009909	113
5101148000	78127	116
5101303000	950364212	83
5101346000	612035031	102
5101369000	003575709	111
051017	120361101	181
5104305	026003209	171
5104306	026003309	128
5104570	023003909	169
5104571	023004009	169
5104943	012010409	168
51065	027503109	96
510657	027504509	97
510658	027503109	96
510659	027504309	96
510660	027503309	96
5106659	950531001	220
5107117	027010909	128
51084118620	68470020	220
51140	612025001	113
511447808	560030001	144
511447882	560030001	144
511454	024005109	219
511494	352011122	163

Reference	Haldex A.M.	Page
05120003	315019011	123
512164	027503509	96
512165	042548109	97
51290	334047001	109
051403	334064001	149
051404	334063001	149
051417	334028001	148
051425	334054201	149
051432	310005011	125
051443	200015001	148
051460	031000909	112
51523	601002021	162
051630	352054X53	106
0517452100	100101041	65
0517452200	100001125	64
0517452300	100001128	64
0517452340	100001021	64
0517452610	100001721	65
0517452800	100001025	64
0517454690	104407401	68
0517454700	104507401	68
0517456710	72877C	45
0517456720	72878C	45
0517456810	72885C	45
0517456820	72884C	45
0517465130	100001760	65
0517482020	72875D	44
0517482021	72875D	44
0517482022	72875D	44
0517482030	72876D	45
0517482031	72876D	45
0517482032	72876D	45
0517482091	72883C	45
0517482092	72883C	45
0517482110	72645C	40
0517482112	72645C	40
0517482120	72876D	45
0517482122	72876D	45
0517482130	72883C	45
0517482132	72883C	45
0517482140	72876D	45
0517482142	72876D	45
0517482200	72883C	45
0517482202	72883C	45
0517482210	72875D	44
0517482212	72875D	44
0517482220	72875D	44
0517482222	72875D	44
0517482240	72876D	45
0517482242	72876D	45
0517482260	72883C	45
0517482262	72883C	45
0517482310	72876D	45
0517482312	72876D	45
0517482320	72883C	45
0517482322	72883C	45
517482392	80019D	62
0517482400	72883C	45
0517482402	72883C	45
0517482430	72883C	45
0517482432	72883C	45
0517482450	72883C	45
0517482452	72883C	45
0517482470	72876D	45
0517482472	72876D	45

Reference	Haldex A.M.	Page
0517482490	72875D	44
0517482492	72875D	44
0517482562	72876D	45
0517482632	72875D	44
0517482633	72875D	44
0517482642	72883C	45
0517482672	72875D	44
0517482742	72875D	44
0517482802	72883C	45
517490180	72173C	31
517490190	72654C	40
0517490200	80009C	62
0517490210	80001C	62
0517496630	72173C	31
518051	950364081	80
51810100000	950364081	80
51812600002	003791909	96
51813000001	950364081	80
5194795	92695	124
5199	338051101	100
051A13833	351008022	155
051A18649	351008022	155
51RS801882	93680	118
520358	76668	72
5225701	361007201	161
52305	70803C	26
52306	70802C	26
5236214	025009109	196
5241140010	314060001	141
5246	950364503	84
052557	334055211	149
052558	334054211	149
052560	352011122	163
52671/400	352028014	105
5269	904054001	115
52755	028027909	166
52922	032253013S	215
52923	315019011	123
52924	032400001S	217
052A13685	334054241	149
052A13832	601013011	162
052A13834	120351201	181
052A13837	207012001	152
052A13887	200015001	148
052A26537	339023001	150
052A26538	339022001	150
052A26539	339023001	150
052A3925	334055201	149
052A3926	334054201	149
052A3929	602005001	162
052A3933	120361201	182
0530079	024026609	195
053027000	120351201	181
053027001	124100101	197
053033000	003033609	194
5317658671	950532032	221
5317658672	950532015	220
5317658715	024041709	219
5317658721	950532014	220
5317659010	560025041	144
053534	338051101	100
5360121647654	022009219	195
537146	72268C	33
537183	76878	72
537189	76660	72

Reference	Haldex A.M.	Page
537189/01	84579	73
053750	003480209	168
0537537	72558C	38
0537538	72534C	37
537539	72534C	37
0538470	72586C	38
0538471	72587C	38
5397195	361007305	161
053A22853	341032011	189
54000709	054000709	173
54001409	054001409	220
54002309	054002309	220
54002409	054002409	220
54002909	054002909	220
54003009	054003009	220
54009409	054009409	113
54010409	054010409	220
0005401172	041013609	128
541025	340008001	187
541038	315019011	123
541041	310005011	125
0054202924	125160400	183
0054203924	125160400	183
0054206024	120920326	182
0054206324	120920323	182
0054206424	120920322	182
0054206524	120920325	182
0054206624	120920324	182
0054206824	120920326	182
0054207124	120920323	182
0054207224	120920322	182
0054207324	120920325	182
0054207424	120920324	182
0054207624	125240400	183
0054207724	125240403	183
0054207824	125240404	183
0054207924	125240401	183
0054208018	344026101	190
0054208024	125240402	183
0054208324	125240403	183
0054208424	125240404	183
0054208524	125240401	183
0054208624	125240402	183
0054208724	125200406	183
0054208824	125200405	183
0054208924	125200406	183
0054209024	125200405	183
054296	950364026	90
54300116310	72599C	39
5430016304	72603C	39
5430016305	72602C	39
5430016310	72599C	39
5430016341	72604C	39
5430016393	72601C	39
5430021417	059509409	87
5430021496	950364504	84
5430021497	75961004	98
5430021498	75961002	98
5430053192	79535C	59
5430053193	79536C	59
5430060288	79683C	60
5430060289	79684C	60
0005430080	73716S	130
5430260288	79683C	60
5430260289	79684C	60

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
0054327401	91790	124	00557562	312013014	138	05842	003575709	111	5W2405	029000109	172
054417	352061101	106	0559722	334007001	148	05843	612025001	113	5W2413	030350209	215
0544420010	1362430001	185	5600711	950320002	176	584333	314014001	142	5W2416	315019001	123
0544440010	1351624004	185	5601586	024026609	195	05844	025046609	112	5W4089	950532014	220
0544444010	346187001	186	5601799	950531005	220	05870	003567809	194	5W4979	054011509	173
5465301811	79372C	57	5602778	950343001	198	05870092	340005001	187	5W5024	024041709	219
5465301911	79398C	57	56028909	056028909	113	05870159	042002009	112	5W5086	026003309	128
5465301921	79399C	57	056127	612035021	102	05870225	315016011	122	5W5087	029000409	172
5465302011	79396C	57	056128	612025001	113	05870753	356010011	164	5W5198	025009109	196
5465302021	79397C	57	056224	950338023	114	05870829	601002021	162	5W5199	026003209	171
5465303111	79407C	57	5631129300	352042001	107	05870837	601013011	162	5W5214	011100009	168
5465303121	79408C	57	056316	352061111	106	05872	003567909	194	5W5220	003005209	168
5465303211	79394C	57	05640700	100002163	65	05873	003568009	194	600403	003480209	168
5465303221	79395C	57	566104	950532032	221	05874	003568309	194	006007	352006201	152
5465303311	79501C	58	56641	003038009	168	058774	950364408	91	006009	601013011	162
5465303411	79662C	60	5677	352047030	105	058775	950364408	91	006010	120341101	181
5465303421	79663C	60	0005680002	345125110	184	058777	950364411	91	601002011	601013011	162
5465303511	79639C	60	57012109	057012109	197	058778	950364408	91	601002511	601013011	162
5465303521	79640C	60	57012209	057012209	197	05878	003033609	194	006011	356009011	164
5465303611	79643C	60	057029609	0120540090	194	587805	310005011	125	602002001	602005001	162
5465310099	76046	72	57029809	057029809	197	587808	314001001	158	602002101	602005001	162
0005481270	772445	131	0005705006	361007302	161	059001002	0323045135	215	006024	333004001	158
054943	352054133	106	570645108	025009109	196	059001004	0323060135	215	6034001	70799C	26
054962	352054E35	106	570645508	024010209	219	059001010	0324000015	217	6034002	70800C	26
054970	352045001	153	5710020000	554005001	107	059002003	315019011	123	6034008	70928C	28
055022	338047001	100	5710040000	554005001	107	59003209	059003209	128	6034010	70926C	27
00551482	313019021	126	5710400000	554005001	107	59008109	059008109	173	6034011	70927C	28
5516017677	334063001	149	571468808	024013509	219	59040909	059040909	173	6045	104407401	68
5516017678	334064001	149	5772570	031000909	112	59046009	059046009	113	6046	104507401	68
00552746	334064001	149	5772580	310005011	125	59046409	059046409	113	60506556B	79023D	49
00553564	334063001	149	5772590	350026002	155	005912	364338011	88	605307700	602005001	162
554005011	352053001	107	5772591	350027002	155	0592534	027010109	172	605331000	329007001	152
5566672	360009241	107	5772620	030350509	215	0592535	016167409	169	605332000	314001001	158
5567765	612017001	102	5772621	030351509	215	0592536	027010209	172	0608151	950320002	176
5567766	612025001	113	5772622	030362009	215	05937	541033011	188	0608162	950312003	175
5567767	003575709	111	5772640	345125110	184	59381	554005001	107	0608980	950343002	198
557044	950532014	220	5772641	1362430001	185	005950	352061101	106	6108981	950364504	84
557045	950532015	220	5772660	333004001	158	59500463	022018309	166	6108982	75961002	98
557046	950531010	220	5772671	356023011	159	59507609	059507609	86	6108983	75961004	98
055716	338057101	101	5772680	314001001	158	59507709	059507709	86	61148210	744275	72
055717	338058101	101	5772690	352019011	153	59507809	059507809	87	611484	70859C	26
05574404	312017041	138	057A18179	352044001	153	59508809	059508809	87	61148410	744275	72
05574412	343031062	192	057A18278	352053001	107	59508909	059508909	87	61148411	51326	72
05574414	024026609	195	057A3931	612035011	102	59509809	059509809	87	611484X	70859C	26
05574415	950320002	176	057A5558	352028011	105	59512309	059512309	97	611485	70986C	29
05574416	024002709	195	057A5699	338021001	100	59512409	059512409	97	6114851	742685	72
0557482021	72875D	44	057A6006	310005011	125	59512509	059512509	97	611485X	70986C	29
0557482031	72876D	45	057A7782	360009341	107	5966	100001021	64	6116124	950364301	80
0557482121	72875D	44	057A7911	612032001	102	5968	100001721	65	61162711	78396	76
0557482190	72875D	44	58010709	058010709	220	5969	100001128	64	6116277	76025	76
0557482200	72876D	45	5801108031	79126C	51	0597275	361006201	161	612004001	612035041	102
0557482220	72875D	44	5801108032	79127C	51	059849	338051101	100	612004121	612035041	102
0557482270	72876D	45	5801108076	79520C	59	59854	350036011	159	612012001	612025001	113
0557482430	72875D	44	5801108078	79521C	59	0059972648	024002109	170	612015001	612035041	102
0557482432	72875D	44	05802814	338021001	100	0059972848	024001709	195	612017051	612017061	102
0557482440	72876D	45	5804	364317001	81	0059972948	024038209	170	612017071	612035011	102
0557482442	72876D	45	5807518	042548109	97	0059973148	024038309	170	612017091	612035021	102
0557482552	72875D	44	5807519	042548009	97	0059973548	024002609	219	612018001	612035011	102
0557482592	72876D	45	5810111404	72633C	39	0059973748	024024709	170	612019001	612035041	102
0557482652	72875D	44	5810111405	72634C	39	0059974148	024030709	219	612024001	612032001	102
0557482672	72876D	45	5813801	200015001	148	059A13836	352019011	153	612031002	612031011	102
0557482682	72875D	44	5813847	612035021	102	059A13838	356022011	159	612048001	612048101	102
0557482872	72875D	44	5815183410	76046	72	059A13839	333004001	158	612048011	612048111	103
0557482873	80019D	62	05825	334028001	148	059A24269	364317001	81	612048021	612048121	103
0557482932	72875D	44	583512	329006361	146	5W1819	950531013	220	612048031	612048131	103

Reference	Haldex A.M.	Page
612048041	612048141	103
612048051	612048151	103
612048061	612048161	103
612048071	612048171	103
612048081	612048181	103
612048091	612048191	103
612051	72145C	31
6120513	63008	72
6128381	75610828	85
613031	75961112	95
006133	334055211	149
006138	314001001	158
006139	329007001	152
6145	950364407	91
614608	334004001	148
006151	031000909	112
61577721	314060001	141
615781	334063001	149
615800	314001001	158
61599528	355018011	154
61692	334028001	148
6174200238	70954C	28
6174200338	80000C	62
6174200438	80001C	62
61825	350027002	155
61845	030350509	215
6194200038	80008C	62
6194200138	80009C	62
6194200238	80008C	62
6194200338	80009C	62
6194200638	80001C	62
6194200738	80000C	62
0620003	332005021	107
6200081000	950364301	80
6200327000	950364303	95
6200892000	003774009	86
6200909000	003733509	86
6201026000	950364207	80
6201318100	003824309	86
6204200038	70753C	25
6204200138	70754C	25
6204200238	70867C	27
6204200338	70867C	27
62048	356009011	164
6214200038	72174C	31
6214200138	72173C	31
06216739	334053221	149
06216745	030350609	215
06216759	028003009	166
621695060141	77497	116
621695740030	71868S	129
621695810100	78964	132
621714010161	78141S	131
621714020131	90362	133
62171402031	90362	133
621716100021	77359S	131
6234200038	72054C	30
6234200138	72055C	30
6234200238	72054C	30
6234200338	72055C	30
6234200438	72039C	30
6234200538	72038C	30
6234200638	72039C	30
6234200738	72038C	30
6234200838	70870C	27

Reference	Haldex A.M.	Page
6234200938	70870C	27
6234201238	80008C	62
6234201338	80009C	62
6234201438	80008C	62
6234201538	80009C	62
6234201838	72056C	30
6234230174	84423	73
62530144628844	71200	120
6254200638	70950C	28
626343	72688C	41
626344	72689C	41
6264200024	120916309	182
6264200124	120916310	182
627180	72928C	46
6274200024	120920334	182
6274200124	120920335	183
63015	76994	73
63035	84579	73
63036	81374	73
063054006	340029031	187
06310024	79013C	48
06310025	79014C	48
06310030	79022D	48
06310070	100101047	65
00063148	950364501	84
632565	334063001	149
632566	334064001	149
0632717	52717	72
6330320	054003009	220
633101440	70823C	26
633104280	72330C	34
633104590	70905C	27
633104610	72459C	36
633104620	72460C	36
633104690	72462C	36
633104700	72461C	36
633104950	70905C	27
633105040	79005D	48
633105050	72253C	33
633105620	72267C	33
633106140	72647C	40
633106150	72646C	40
633106650	72326C	34
633107430	72921C	46
633107440	72922C	46
633107720	72249C	33
633107870	72688C	41
633107880	72689C	41
006336	334028001	148
633615	79056C	49
636318	79079C	50
63707	054011509	173
637203730	361007001	161
637205960	315016001	122
637206660	601013011	162
637208960	200015001	148
637209980	350026002	155
637210470	334055201	149
637210480	334054201	149
637210490	120341101	181
637210500	120351201	181
637210520	031000909	112
637210540	120331201	181
637210920	207012001	152
637211280	352019011	153

Reference	Haldex A.M.	Page
637211320	310005011	125
637211370	602005001	162
637211380	601013011	162
637211390	355018011	154
637211410	357004021	104
637211440	355093001	154
637211530	355018011	154
637211560	612035011	102
637211570	612032001	102
637211600	612025001	113
637211620	3280021001	100
637211630	329007001	152
637211740	360009241	107
637212070	338021001	100
637212080	950364101	80
637212100	059507709	86
637212110	059507809	87
637212170	950364502	84
637212180	950364501	84
637212440	950364103	80
637212450	950364702	95
637213380	950364407	91
637213390	950364412	91
637214000	950364411	91
637214010	950364050	90
637214020	950364054	90
637214030	950364026	90
637214040	950364408	91
637410180	003038009	168
637412110	950338100	114
637412450	021048309	111
637412460	051009909	113
637412480	003535309	168
637412490	950364401	98
63778	340029001	187
639205	71034	128
639206	71036	128
639207	71038	128
639208	71058	129
639209	73481S	130
639210	73614	130
639216	73176S	129
639217	73561S	130
639218	78193	131
639305	73620	130
639326	71311	123
639329	73084S	129
639806	73651S	136
6400013642790	950364801	80
6400013642791	950364802	80
6400013642792	950364803	80
6400013643480	950364418	91
064053	003038009	168
064054	003535309	168
6410010425077	042507709	86
6410019503644	950364401	98
641953	90361	133
641954	86791S	133
0064206524	125240405	183
0064206624	125240406	184
64310	345125110	184
644255	314014001	142
064756002	030200209	217
064889	031000909	112
00649	120351201	181

Reference	Haldex A.M.	Page
064910000	030350509	215
065001009	065001009/40	218
065013265	312013014	138
065013565	312013014	138
0650225	021016309	169
0650257	026003309	128
65039716	33600263	174
65039717	33600262	174
65039718	33600051	174
65039719	33600265	174
6503972	RNT26	179
65039721	33600264	174
65039722	N295NB	178
65039723	33600025	174
65039724	33600244	174
6503973	MR3033	178
6503975	MR3034	178
6503979	EQ2614	178
065057001	355018011	154
065058601	355093001	154
00651	310005011	125
6512221	84579	73
6516221	84579	73
651623	72364C	34
651624	10937C	22
651625	10938C	22
651626	72362C	34
6516261	74902S	72
651630	10939C	22
651777	72367C	35
651852	70986C	29
6518525	70986C	29
6519543	950364303	95
6524200038	80008C	62
6524200138	80009C	62
6524200238	72596C	39
652568	72362C	34
652626	72362C	34
6527786	950364218	98
653147	206002001	122
65350922	92693	124
00654	314012001	142
654172	79121C	51
6544200038	72597C	39
6544200138	72598C	39
654730	92693	124
6547301	92693	124
6547302	71327	129
6547304	77362S	131
655081	120916311	182
6550811	025040709	196
6554200038	80000C	62
6554200138	80001C	62
00656	352032045	105
6562501	78964	132
6562502	90362	133
6562503	78801S	132
6562504	77435S	131
6562505	78949S	132
065626005	025015519	196
06563410210	024006709	170
06563414258	024036009	196
656995104	79429C	57
656995105	79430C	57
0657381	71325	123

Reference	Haldex A.M.	Page
657572	86576	117
6575723	78701S	132
6575725	77244S	131
658011	87189	117
6580114	77434S	131
0658095	100101365	66
6584200038	72597C	39
6584200138	72598C	39
6584200238	80008C	62
6584200338	80009C	62
658659	77359S	131
65LHD005	338051101	100
65RF1002	310005011	125
65RF005	031000909	112
65RKE018	315016001	122
65RPK004	334047001	109
066017430	320053001	143
006602	602005001	162
006605	612025001	113
660741350	950364710	95
00661	003607619	110
661465300611	72428C	36
661465300811	72429C	36
6634001	024008009	219
6634290144	314012002	142
6634290244	314012003	142
6634291640	355093001	154
006635	334054211	149
006636	334028001	148
66373392163	100101364	66
663772	100101364	66
663773	100101364	66
06642300	100001025	64
006652	120351101	181
006653	120361101	181
665465303211	79394C	57
665465303221	79395C	57
66600011202	950532015	220
66650551	532132011	218
066721	612035031	102
67113	314001001	158
6711717657	315004003	140
67119	364094031	84
67120	334047001	109
67121	341004011	189
6712767125	360009341	107
67128	357012031	104
67131	352022011	107
67132	554005001	107
67133	315019011	123
67135637211330	351008022	155
67138	356006011	159
67139637206260	356009011	164
67140	356005102	164
006714851	72019C	29
006715	350036001	159
6724022696	532132011	218
6731275	950532023	221
6731276	950532015	220
6737	100101743	66
006757	950610030	92
067597	357012031	104
6792562	71230	119
6795651	71230	119
6795914	71239	119

Reference	Haldex A.M.	Page
68320827	120916309	182
68320828	120916310	182
68321183	120920314	182
68321184	120920315	182
68322991	120916318	182
68322992	120916319	182
68322993	120920314	182
68322994	120920315	182
06848	340005001	187
6863906	70833C	26
6863907	70832C	26
6864707	70571C	24
6864708	70572C	24
6869601	70859C	26
6888509	334063001	149
6888511	334064001	149
068904	350036011	159
0689062	76283S	130
6899	100002568	65
6900/0104	024041709	219
6900/0117	950532039	221
6900/0127	950532015	220
6900/0137	024013509	219
6900/0140	950549001	221
006908	352018011	153
006909	003561409	194
6954207038	79132C	51
6969/F	70571C	24
6970/F	70572C	24
6976	314096501	141
0698405	76660	72
69889	003561409	194
69890	003033609	194
69891	003480209	168
69892	310005011	125
69894	030351209	215
69895	601013011	162
69897	120351101	181
6994200538	72919C	46
6994200638	72920C	46
699433	79403C	57
699434	79402C	57
6U8379	RN55N	199
7000024	356022011	159
7000163	950364045	82
7000173	950364081	80
7000174	950364024	90
7000178	950364407	91
7000289	059008009	173
7000327W	79004D	47
7000378285	92671	124
7000386	024026609	195
7000395	344028001	190
7001240	054002909	220
700163P	950364045	82
7007446	357012031	104
7007532	334064001	149
7007533	334063001	149
7008419	356010031	164
7008472	601013001	162
7010420	356005102	164
7010804	024044309	128
070112507	70706C	25
070114304	70772C	25
070114305	70771C	25

Reference	Haldex A.M.	Page
70115331	70753C	25
70115348	80001C	62
70119	310005011	125
70188	334004001	148
7021607	312019012	138
7021788	312019011	138
070265600	72661C	40
7027146	352037251	105
070276000	72203C	32
070276010	72688C	41
070276011	72689C	41
070276100	72204C	32
070277000	70720C	25
70303498	90268	117
70313300	87296	117
70313302	87337	117
70313304	87282	117
70313308	90548	118
7032212	351022001	156
7034138	352028014	105
70369129	93096	118
704003	334004001	148
7041101	027001309	128
70618	72253C	33
70635	72713C	41
70636	72714C	41
70639	72715C	41
70640	72716C	41
70646	72805C	43
70647	72806C	43
70649	72912C	46
70661	72654C	40
70662	72744C	42
70663	72745C	42
70664	79106C	51
70665	79105C	51
70666	72655C	40
70667	72656C	40
70668	72657C	40
70669	72658C	40
70670	72746C	42
70671	72747C	42
70672	72669C	40
70673	72668C	40
70695	79200C	53
70696	79199C	53
70698	72948S	47
70703	72903C	45
70704	79697C	60
70705	79698C	60
70707	79193C	53
70709	72253C	33
70710	79150C	52
70711	79151C	52
70712	79152C	52
70713	79153C	52
70722	79210C	54
70723	79211C	54
70724	72717C	41
70725	72718C	41
70730	79223C	54
70731	79224C	54
70734	79212C	54
70738	72901C	45
70739	72902C	45

Reference	Haldex A.M.	Page
70740	72905C	46
70760	80000C	62
70761	80001C	62
70765	72913C	46
70770	79194C	53
70781	72904C	45
70782	72914C	46
70801	72947C	47
70804	79023D	49
70807	79221C	54
70808	79222C	54
70818	72253C	33
70834	72671C	40
70835	72670C	40
70846	79202C	53
70847	79225C	54
70848	79226C	54
70849	72719C	41
70850	72720C	41
70857	79215C	54
7086	120351101	181
70864	72662C	40
70874	72251C	33
70877	72948S	47
70878	72660C	40
70879	72661C	40
7088	120361101	181
70882	72256C	33
70887	72255C	33
70888	79201C	53
70900	72721C	41
70901	72722C	42
70902	72667C	40
70907	79226C	54
70908	79225C	54
70909	72723C	42
70910	72724C	42
70911	79198C	53
70912	79197C	53
70913	72906C	46
70914	72907C	46
70915	72915C	46
70916	72916C	46
7092	003033609	194
70920	79178C	53
70921	72668C	40
70922	72669C	40
70923	72670C	40
70924	72671C	40
7093	003561409	194
70937	72663C	40
70938	72664C	40
70941	72908C	46
70947	72173C	31
70948	72174C	31
70951	70950C	28
70952	80000C	62
70953	80001C	62
70958	79218C	54
70959	79022D	48
70960	72238C	33
70961	72239C	33
70962	79225C	54
70963	79226C	54
70964	79223C	54

Reference	Haldex A.M.	Page
70965	79224C	54
70966	70775C	25
70967	70771C	25
70968	70772C	25
70971	72758C	42
70972	79453C	58
70973	72895C	45
70974	72654C	40
70981	79431C	57
70982	79432C	57
70983	72948S	47
70984	72581C	38
70985	72909C	46
71004	71201	120
71011	71200	120
71017	71202	120
71018	71200	120
71019	71209	120
71061	71206	120
71073	71203	120
71077	71230	119
71087	71201	120
71089	71208	120
71090	71200	120
7109611	023002209	169
7109621	025009709	196
71213	83377	120
71214	83378	120
71236	78130	116
71247	71240	119
071260	950364405	90
071263	003791909	96
71303	71323	123
71307	71325	123
71308	71317	123
71312	71311	123
71314	71313	123
71321	71317	123
71329	71327	129
71342	71341	123
71351	71347	123
71353	71341	123
71360	92695	124
71361	92693	124
71364	92795	124
71368	92695	124
71369	92693	124
71377	92693	124
71523	352018001	153
71524	351008022	155
07160	338021001	100
07161	612032001	102
71750733	312013014	138
71752510	329020281	147
71756	92693	124
00717960	532132011	218
718984	72214C	32
0000719762	314060001	141
72001	72665C	40
72002	72666C	40
7200402	021011609	194
7200405	021016309	169
72005	79007C	48
72006	79008C	48
72009	72910C	46

Reference	Haldex A.M.	Page
72010	72876D	45
7201013	022006109	169
72012	79205C	53
72013	79206C	53
72021	72725C	42
72022	72672C	40
72023	72673C	40
72024	72674C	40
72025	72675C	41
72026	72676C	41
72027	72677C	41
72036	80011C	62
72037	80010C	62
72040	80012C	62
72041	80013C	62
72057	79023D	49
72062	80008C	62
72063	80009C	62
72066	79023D	49
72071	72416C	35
72089	79009C	48
72090	79010C	48
72091	79348C	56
72092	79347C	56
72093	79203C	53
72094	79204C	53
72095	72260C	33
72099	79011C	48
72100	79012C	48
72107	72523C	36
72108	72524C	37
72109	72525C	37
72110	72526C	37
72111	72527C	37
72116	72529C	37
72117	72530C	37
72119	72255C	33
72122	72942C	46
72123	72943C	46
72124	72791C	43
72125	72792C	43
72126	72944C	47
72127	72064C	30
72139	72531C	37
72144	72568C	38
72152	72782C	43
72153	72783C	43
72158	79217C	54
72159	79216C	54
72160	79013C	48
72161	79014C	48
72162	79015C	48
72163	79016C	48
72164	72532C	37
72165	72533C	37
72166	72678C	41
72167	72726C	42
72170	72548C	37
721815X	72815C	43
7218450008	351008022	155
7219049608	315016001	122
72193	72403C	35
72194	72404C	35
72195	72405C	35
72196	72406C	35

Reference	Haldex A.M.	Page
72197	72534C	37
72202	72535C	37
72208	79207C	53
72210	79218C	54
72223	72536C	37
7222330008	340026001	187
7222350008	340005001	187
7222360008	340008001	187
72224	72537C	37
72232	72784C	43
72233	72785C	43
72234	80008C	62
72235	80009C	62
72236	79453C	58
72237	72727C	42
72246	79271C	55
72247	72825C	44
72248	72826C	44
72250	72948S	47
72252	72758C	42
72254	79023D	49
72258	72581C	38
72263	72876D	45
72266	79022D	48
72270	79006C	48
72271	72876D	45
72274	79004D	47
72301	72539C	37
72302	72538C	37
72303	79208C	53
72304	79209C	54
72305	72540C	37
72308	70867C	27
72309	72541C	37
72310	72542C	37
72311	72543C	37
72312	72544C	37
72313	72545C	37
72314	72546C	37
72315	72804C	43
72318	79017C	48
72319	79018C	48
72320	79210C	54
72321	79211C	54
72322	79212C	54
72327	72547C	37
72328	79019C	48
72329	79696C	60
72337	79213C	54
72338	79214C	54
72339	79195C	53
72340	79196C	53
72342	72548C	37
72346	79020C	48
72347	79021C	48
72348	79215C	54
72349	72893C	45
72350	72892C	45
72351	79225C	54
72352	79226C	54
72368	79040C	49
72369	79041C	49
72378	79693C	60
72383	72558C	38
72384	72550C	38

Reference	Haldex A.M.	Page
72388	72729C	42
72389	72730C	42
7238959908	334055201	149
7238969908	334054201	149
7238979908	334063001	149
7238989908	334064001	149
72394	79628C	59
72395	79629C	60
7241230008	351008022	155
72414	79205C	53
72415	79206C	53
72434	79216C	54
72435	79217C	54
72436	72551C	38
72438	79218C	54
72442	72553C	38
72444	72802C	43
72445	72803C	43
72455	79219C	54
72456	79220C	54
72464	72654C	40
72467	72662C	40
72468	72893C	45
72469	72892C	45
72474	79348C	56
72475	79347C	56
72476	72665C	40
72477	72666C	40
72478	72729C	42
72479	72730C	42
72482	79453C	58
72483	72727C	42
72484	79453C	58
72485	72895C	45
72486	72663C	40
72487	72664C	40
72488	72825C	44
72489	72826C	44
72490	72654C	40
72491	72660C	40
72492	72661C	40
72500	79225C	54
72501	79226C	54
72502	79197C	53
72503	79198C	53
72504	79199C	53
72505	79200C	53
72506	79221C	54
72507	79222C	54
72508	79223C	54
72509	79224C	54
72512	79225C	54
72513	79226C	54
72514	79201C	53
72515	79202C	53
07253	333004001	158
72561	79203C	53
72562	79204C	53
72578	79227C	54
72579	72727C	42
72580	72728C	42
72593	80008C	62
72594	80009C	62
7260302	025015519	196
72616	80001C	62

Cross Reference

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
72617	80000C	62	72961	72730C	42	07434500000	028003009	166	765040	030200609	217
72620	72663C	40	72962	72654C	40	7446181017	92695	124	76643	356005102	164
72621	72664C	40	72963	72662C	40	7446181018	71311	123	76661	84579	73
72622	72662C	40	72965	79205C	53	74518	345125110	184	76669	76670	72
72623	72654C	40	72966	79206C	53	74585	72180C	32	7670057	100315921	66
72624	72660C	40	72967	79207C	53	7469	355094001	146	7670058	100215921	66
72625	72661C	40	72968	79208C	53	75061089	950364301	80	76790	352018001	153
72626	72666C	40	72969	79209C	54	75061213	950364602	95	7684/F	72457C	36
72627	72665C	40	72970	79210C	54	75061232	950364104	82	76987	78396	76
72628	79347C	56	72971	79211C	54	75061314	903030001	99	7701012134	70545C	24
72629	79348C	56	72972	79212C	54	75061321	950364303	95	7701012135	70544C	24
72630	72825C	44	72973	79213C	54	75061356	950364101	80	7701015855	52717	72
72631	72826C	44	72974	79214C	54	75061413	950364102	80	007706	950364411	91
72632	72654C	40	72975	79215C	54	75061453	950364111	95	77305	78209	116
7264434	024017209	170	72977	79693C	60	75061471	950364111	95	77306	78210	116
72659	72747C	42	72978	79216C	54	75139	352007401	152	77317	78211	116
72690	79368C	57	72979	79217C	54	75180	025002109	170	77343	86791S	133
72691	79369C	57	72980	79218C	54	754730	92693	124	77348	78801S	132
72702	79005D	48	72981	79219C	54	0755247	72695C	41	77430	78964	132
72703	72875D	44	72982	79220C	54	0755248	72696C	41	77433	78801S	132
72731	79228C	54	72983	79221C	54	0755616	72704C	41	77470	87297	117
72732	79229C	54	72984	79222C	54	0755617	72705C	41	7771/F	72417C	35
72738	79286C	55	72985	79223C	54	75610003	950364504	84	7772/F	72418C	35
72739	79287C	55	72986	79224C	54	75610031	75061334	94	77876	350026002	155
72740	79288C	55	72987	79225C	54	75610242	950364501	84	77878	352012001	152
72741	79289C	55	72988	79226C	54	75610267	950364502	84	77901	310005011	125
72750	72828C	44	72989	79227C	54	75610347	950364112	98	77909	79080C	50
72763	72876D	45	72990	79228C	54	75611588	950364710	95	77939	340026001	187
72770	79581C	59	72991	79229C	54	75611789	950364108	98	77941	340008001	187
72771	79582C	59	72992	79695C	60	75611833	950364110	98	77970	334054211	149
72786	79290C	55	72993	79440C	57	75611912	950364711	98	77972	334055211	149
72787	79291C	55	72994	79441C	58	75611959	950364104	82	77977	314013002	142
72796	79292C	55	72995	79550C	59	75612155	950364501	84	78000360391	315019011	123
72797	79293C	55	72996	79551C	59	75612452	950364701	95	78114	78984	117
72798	79294C	55	72997	79304C	56	75612592	950364108	98	78115	78985	117
72799	79295C	55	72998	79305C	56	75663	120331101	181	78139	87346S	133
72807	79105C	51	730105	72948S	47	75664	357012031	104	78153	87347S	133
72808	79106C	51	730121	72256C	33	75678	357012031	104	78200	92671	124
72813	79296C	56	730385	71311	123	75770930	315016001	122	78202	78986	117
72814	79297C	56	730577	207012001	152	75870710	301110028	137	78212	78217	116
72824	79298C	56	73071675	33090009	193	75870822	023004209	169	78214	78219	116
72829	72446C	36	73355	120341101	181	75870823	023004609	169	78275	90361	133
72830	72447C	36	73434	340013001	187	75870824	039001909	172	78276	90363	134
72831	72408C	35	73435	340008001	187	75870826	059009009	173	78284	92695	124
72835	79299C	56	7345	100002163	65	75870827	059009109	173	78285	92671	124
72836	79300C	56	007355	950364103	80	75870828	024006109	170	78484	025002109	170
72838	79301C	56	7362855	023011809	170	75870830	023005209	169	78616	92573	124
72839	79302C	56	7364289	024041709	219	75961113	950364101	80	78650	78988	117
72840	79303C	56	73667	78193	131	76013	76924	70	78664	71059	129
72851	79786C	61	73668	90362	133	76016	76046	72	78691	87348S	133
72852	79787C	61	007367	950364413	91	76017	76046	72	78707S	89125S	133
72865	79695C	60	007368	950364413	91	76019	76953	76	78715	78186S	131
72891	79348C	56	007369	950364054	90	76024	76035	76	07875	612035071	102
72949	72660C	40	007370	950364054	90	0762286	025033909	171	78756	87337	117
72950	72661C	40	007382	950364413	91	762289	025034709	171	78795	78990	117
72951	72663C	40	73950101	351001141	155	0762291	026012109	172	78839	89203	133
72952	72664C	40	73950102	352001001	152	0762294	029006409	172	78881	78964	132
72953	72654C	40	0740321	72608C	39	0762961	025010209	196	78883	92060	118
72954	72665C	40	0740322	72609C	39	762951	376102	220	78908	89477S	133
72955	72666C	40	0074207118	346022001	185	0007631010	361006201	161	007891	352045001	153
72956	72728C	42	0074207424	125160400	183	76319	356001011	159	007894	950364081	80
72957	72727C	42	0074207724	125240400	183	765000	030200109	217	78950	78186S	131
72958	72825C	44	0074207824	125240402	183	765010	030200209	217	78987	87297	117
72959	72826C	44	0074207924	125240401	183	765020	030200309	217	78989	87337	117
72960	72729C	42	74259	74566S	72	765030	030200409	217	79000	79306C	56

Reference	Haldex A.M.	Page
79000360310	314001001	158
79001	79307C	56
79033	79442C	58
79034	79443C	58
79045	79474C	58
79046	79475C	58
79047	79476C	58
79048	79477C	58
79049	79478C	58
79050	79479C	58
79072	79564C	59
79073	80001C	62
79074	80000C	62
79075	79308C	56
79076	79309C	56
79077	79310C	56
79078	79311C	56
79100360011	314060001	141
79100360093	334055201	149
79124	79312C	56
79125	79313C	56
79161	79428C	57
79190	79641C	60
79191	79642C	60
79231	72948S	47
79235	72788D	43
79256	79535C	59
79257	79536C	59
79275	79677C	60
79276	79678C	60
79314	70949C	28
79315	70969C	28
79316	70970C	28
79317	72007C	29
79318	72008C	29
79319	72238C	33
79320	72239C	33
79321	72948S	47
79322	79006C	48
79323	72576C	38
79324	72581C	38
79325	72645C	40
79326	79005D	48
79327	72875D	44
79328	72710C	41
79329	72827C	44
79330	72948S	47
79331	79005D	48
79332	79006C	48
79333	79035D	49
79334	79038C	49
79335	79039C	49
79336	79043C	49
79337	79044C	49
79338	79052C	49
79339	79053C	49
79340	79086C	50
79341	79087C	50
79342	79090C	50
79343	79240C	54
79464	79724C	61
79465	79683C	60
79466	79684C	60
79497	79713C	60
79498	79714C	60

Reference	Haldex A.M.	Page
7950/F	72568C	38
79502	72053C	30
79514	79208C	53
79515	79209C	54
7955/F	72150C	31
79552	79619D	59
7956/F	72151C	31
79572	79725C	61
79573	79726C	61
79631	79006C	48
79735	79696C	60
7984736	025045309	196
7984737	025035209	196
79IP94102	361006302	161
79IS94103	361006201	161
80018	80041C	63
8002534	567006001	104
80084	80176C	63
80085	80177C	63
80086	80183C	63
80087	80178C	63
80088	80179C	63
8008863	100001021	64
80092	80180C	63
80093	80181C	63
080110802	70775C	25
080250000	72177C	32
08040002	310005011	125
80506556B	79023D	49
805106556B	79022D	48
8065	310005011	125
008070	028028009	166
81056106150	79216C	54
81056106206	79216C	54
8114010324	054001409	220
8114010574	054002309	220
8114010804	054002909	220
8114010814	054003009	220
81157016031	341004011	189
812001101	950800201	80
812010001	950800202	80
812011001	950800203	80
8122397	025038209	196
8122460	78990	117
81255200021	361007201	161
81258187000	950310014	121
81259330034	041011009	112
81259376031	91936	70
81259376032	91935	70
81259376033	91936	70
81259376034	91935	70
81259376047	91936	70
81259376048	91936	70
81259376049	91935	70
81259376050	91936	70
81259376051	91935	70
81259376052	91935	70
81259376053	91935	70
81259376054	91936	70
81259376055	91935	70
81259376056	91936	70
81259376057	91935	70
813001301	950800302	83
813001302	950800302	83
813003301	950800303	83

Reference	Haldex A.M.	Page
814001001	950800471	93
814001011	950800472	93
814001021	950800473	93
814001031	950800474	93
814001041	950800475	93
814001051	950800476	93
814001301	950800431	92
814001311	950800432	92
814001321	950800433	92
814001331	950800434	92
814001501	950800451	93
814001511	950800452	93
814001521	950800453	93
814001531	950800454	93
814001541	950800455	93
814001551	950800456	93
814002201	950800421	92
814002211	950800423	92
814002221	950800422	92
814002231	950800424	92
814003101	950800401	92
814003111	950800402	92
814003121	950800403	92
814003131	950800404	92
814003141	950800405	92
814003151	950800406	92
814004101	950800411	92
814004111	950800412	92
814004401	950800441	92
814004411	950800443	93
814004421	950800442	92
814004431	950800444	93
814004441	950800445	93
814004451	950800446	93
814004461	950800447	93
814010001	950800461	93
814010011	950800462	93
814010021	950800463	93
814010031	950800464	93
814012001	950800481	93
814012011	950800482	93
814012021	950800483	93
814012031	950800484	93
814012041	950800485	93
8143202	310005011	125
8143275	352007401	152
8143448	338050101	100
814344800	338050101	100
81436066008	355018011	154
81436106004	338021001	100
81436106025	612017001	102
81436106055	612035041	102
81436106072	950338001	113
81436106085	950338002	114
81436106102	950338006	114
81436106103	338032001	100
81436106107	950338008	114
81436106134	338021001	100
81436109103	338032001	100
81436130016	950338100	114
8144006	340008001	187
8144073	120331101	181
8144093	120341101	181
8144113	120351101	181
8144133	120361101	181

Reference	Haldex A.M.	Page
8144183	950364214	83
8144197	350026003	155
8144198	350026002	155
8144199	350028001	155
8144200	350026002	155
8144201	350027002	155
8144212	351008022	155
8144225	352018011	153
8144226	601013011	162
8144230	352011102	163
8144232	352006201	152
8144234	352011122	163
8144237	602005001	162
8144260	334055201	149
8144263	334054211	149
8144265	334054201	149
8144267	334055211	149
8144268	334055201	149
8144280	334028001	148
8144301	314001001	158
8144310	314012004	142
8144322	315004121	140
8144326	315019001	123
8144328	315019011	123
8144343	352019011	153
8144353	355018011	154
8144356	356001001	159
8144363	356009011	164
8144366	356010011	164
8144373	357001002	104
8144397	360009241	107
8144736	612032001	102
8144737	612025001	113
8146021	003561409	194
8146022	003033609	194
8146107	025048209	171
8146320	950351004	177
8150001	030350209	215
8150009	030350509	215
8150010	030350609	215
8150015	030350909	215
8150021	030351509	215
8150022	030362009	215
8150023	030351209	215
8150029	030360809	215
8150030	030351709	215
8150031	030351809	215
8150032	030351609	215
8150035	030352109	215
8150036	030352009	215
8150040	030352209	215
815011001	815001001	99
81504106279	346022001	185
81504106285	346022001	185
81504106428	950346005	198
81504106429	950346006	198
81504330022	024060109	196
81506100005	74863S	72
8150610002	74862S	72
8150610005	74863S	72
815061010174	79213C	54
815061011175	79214C	54
815061012161	79195C	53
815061013160	79196C	53
815061014167	79215C	54

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
815061015167	79215C	54	81506106165	79208C	53	81506106256	80177C	63	81512206035	334004001	148
815061017173	79693C	60	81506106166	79209C	54	81506106258	80183C	63	81512206038	334025031	148
815061018176	79205C	53	81506106167	79215C	54	81506106259	80178C	63	81512206040	334025031	148
815061019177	79206C	53	81506106169	79226C	54	81506106260	80179C	63	81512206041	334004001	148
815061020178	79216C	54	81506106170	79225C	54	81506106261	80180C	63	81512206049	334055201	149
815061021179	79217C	54	81506106173	79693C	60	81506106262	80181C	63	81512206064	334054211	149
815061022180	79218C	54	81506106174	79213C	54	81506106263	80176C	63	81512206067	334025031	148
815061023180	79218C	54	81506106175	79214C	54	81506106264	80177C	63	81512206068	334063001	149
815061024182	79219C	54	81506106176	79205C	53	81506106266	80183C	63	81512206069	334064001	149
815061025181	79220C	54	81506106177	79206C	53	81506107154	79211C	54	81512206070	334055211	149
815061026189	79197C	53	81506106178	79216C	54	81506108151	79212C	54	81512206075	334055201	149
815061027190	79198C	53	81506106179	79217C	54	81506109151	79212C	54	81512206091	334066001	149
815061028086	79199C	53	81506106180	79218C	54	81506120002	47263	71	81512206096	334064001	149
815061029087	79200C	53	81506106181	79220C	54	81506140001	51326	72	81512206097	334063011	149
815061030191	79221C	54	81506106182	79219C	54	8150920	030200609	217	81512206098	334064011	149
815061031192	79222C	54	81506106183	79203C	53	81511016077	345020001	184	81512300009	334047001	109
815061032188	79223C	54	81506106184	79204C	53	81511016079	345020001	184	81512306200	334047001	109
815061033187	79224C	54	81506106187	79224C	54	81511016080	345019002	184	81512600051	71376	129
815061034170	79225C	54	81506106188	79223C	54	81511016081	345019001	184	81512606002	315019001	123
815061035169	79226C	54	81506106189	79197C	53	81511016082	345019002	184	81512606003	315019011	123
815061036101	79201C	53	81506106190	79198C	53	81511016083	345019001	184	81512606004	71323	123
815061037101	79201C	53	81506106191	79221C	54	81511016101	345020001	184	81512606014	315016001	122
815061038091	79202C	53	81506106192	79222C	54	81511016104	345019002	184	81512606018	315016021	122
815061039091	79202C	53	81506106193	79207C	53	81511016105	345019001	184	81512606040	315019001	123
815061040183	79203C	53	81506106194	79227C	54	81511016107	345020001	184	81512606041	315019001	123
815061041184	79204C	53	81506106197	72651C	40	81511016110	345019002	184	81512606050	92693	124
815061042194	79227C	54	81506106199	79229C	54	81511016111	345019001	184	81512606051	71376	129
815061043194	79227C	54	81506106200	79228C	54	81511016113	345020001	184	81512606052	71327	129
81506106063	79203C	53	81506106201	79695C	60	81511016114	345019002	184	81512606060	78165	131
81506106064	79204C	53	81506106203	79220C	54	81511016115	345019001	184	81512606062	92693	124
81506106065	79194C	53	81506106204	79219C	54	81511016246	340053001	187	81512606063	92671	124
81506106067	70615C	24	81506106205	79217C	54	81511016247	950340014	198	81512706002	310005011	125
81506106077	79224C	54	81506106206	79216C	54	81511016259	950340013	198	81521016054	357012021	104
81506106078	79223C	54	81506106207	79214C	54	81511016300	340076002	188	81521016076	312013014	138
81506106079	79221C	54	81506106208	79213C	54	81511016301	340076001	188	81521016083	312013014	138
81506106080	79222C	54	81506106209	79215C	54	81511016307	340079003	188	81521016085	312013014	138
81506106081	79212C	54	81506106210	79209C	54	81511016344	120912305	182	81521016096	312017041	138
81506106082	79194C	53	81506106211	79208C	53	81511016349	120924315	183	81521016097	312017041	138
81506106083	79210C	54	81506106212	79211C	54	81511016350	120924315	183	81521016112	312013014	138
81506106084	79211C	54	81506106213	79210C	54	81511016352	120916306	182	81521016114	312013014	138
81506106085	79193C	53	81506106214	79205C	53	81511016360	120912305	182	81521016119	312013014	138
81506106086	79199C	53	81506106215	79206C	53	81511016441	340079001	188	81521016122	357012021	104
81506106087	79200C	53	81506106216	79227C	54	81511016442	340079002	188	81521016123	312013014	138
81506106091	79202C	53	81506106217	79207C	53	81511016443	340079003	188	81521016132	312013014	138
81506106098	79215C	54	81506106218	79222C	54	81511016456	950340017	198	81521016139	312013014	138
81506106101	79201C	53	81506106219	79221C	54	81511016461	950340018	198	81521016145	312017041	138
81506106108	79198C	53	81506106220	79223C	54	81511027001	340005001	187	81521016146	312017041	138
81506106109	79197C	53	81506106221	79224C	54	81511130002	0220007090	195	81521020022	90362	133
81506106123	79218C	54	81506106222	79225C	54	81511130015	025040709	196	81521020023	762845	131
81506106126	79225C	54	81506106223	79226C	54	81511130016	025045409	196	81521020024	788015	132
81506106127	79226C	54	81506106225	79693C	60	81511130018	025040909	196	81521026078	78130	116
81506106128	79223C	54	81506106226	79218C	54	81511320003	025048209	171	81521026146	78964	132
81506106129	79224C	54	81506106227	79695C	60	81511340008	029006009	196	81521026167	78130	116
81506106132	76046	72	81506106228	79228C	54	81512206002	334043001	148	81521026177	78130	116
81506106137	79207C	53	81506106229	79229C	54	81512206010	334063001	149	81521030010	027018009	172
81506106139	79206C	53	81506106231	79212C	54	81512206016	334043001	148	81521036220	320060103	143
81506106140	79205C	53	81506106234	79209C	54	81512206017	334004001	148	81521086001	950310009	134
81506106149	79217C	54	81506106235	79208C	53	81512206024	334063001	149	81521086004	950310014	121
81506106150	79216C	54	81506106246	79725C	61	81512206025	334064001	149	81521086006	950310014	121
81506106151	79212C	54	81506106247	79726C	61	81512206026	334063001	149	81521086008	950310014	121
81506106153	79210C	54	81506106251	80180C	63	81512206027	334064001	149	81521086010	950310014	121
81506106154	79211C	54	81506106252	80181C	63	81512206031	334063001	149	81521086012	950310014	121
81506106157	79218C	54	81506106253	80176C	63	81512206032	334064001	149	81521086018	950310014	121
81506106160	79196C	53	81506106254	80179C	63	81512206033	334054211	149	81521086019	950310014	121
81506106161	79195C	53	81506106255	80178C	63	81512206034	334043001	148	81521086020	950310014	121

Reference	Haldex A.M.	Page
81521086021	950310014	121
81521086023	950310014	121
81521086026	950310014	121
81521089004	950310014	121
81521089006	950310014	121
81521089008	950310014	121
81521089010	950310014	121
81521089012	950310014	121
81521089018	950310014	121
81521089019	950310014	121
81521089020	950310014	121
81521106013	314014001	142
81521106020	314012003	142
81521106021	314012003	142
81521106040	314012005	142
81521106041	314014001	142
81521106049	314013008	142
81521156009	356006011	159
81521166010	355018071	154
81521166013	355018071	154
81521166014	355018071	154
81521166019	355018071	154
81521166020	355018071	154
81521166021	355018071	154
81521166022	355018071	154
81521166023	355018071	154
81521166033	355018071	154
81521166035	355018071	154
81521166036	355018011	154
81521166037	355018071	154
81521166047	355018071	154
81521166049	355018071	154
81521206003	314001001	158
81521206004	314001001	158
81521206029	314001001	158
81521306138	320060122	143
81521306143	320060101	143
81521306144	320060111	143
81521306148	320060102	143
81521306149	320060112	143
81521306150	320060102	143
81521306151	320060112	143
81521306157	320062111	143
81521306159	320060121	143
81521306160	320060122	143
81521306161	320063113	143
81521306162	320063112	143
81521306163	320063122	144
81521306164	320063101	143
81521306165	320063111	143
81521306167	320063121	144
81521306176	950320020	176
81521306177	320060113	143
81521306179	320060103	143
81521306180	320060123	143
81521306181	320063114	143
81521306182	320063102	143
81521306184	320063123	144
81521306187	320060121	143
81521306189	320060123	143
81521306190	320060111	143
81521306191	320060113	143
81521306192	320060101	143
81521306193	320060103	143
81521306202	320063121	144

Reference	Haldex A.M.	Page
81521306203	320063122	144
81521306204	320063123	144
81521306205	320063114	143
81521306206	320063111	143
81521306207	320063112	143
81521306208	320063101	143
81521306209	320063102	143
81521306218	320060101	143
81521306219	320060102	143
81521306220	320060103	143
81521306221	320060111	143
81521306222	320060112	143
81521306223	320060113	143
81521306224	320060121	143
81521306225	320060122	143
81521306226	320060123	143
81521306227	320063101	143
81521306228	320063102	143
81521306229	320063103	143
81521306230	320063111	143
81521306231	320063112	143
81521306232	320063113	143
81521306233	320063114	143
81521306234	320063121	144
81521306235	320063122	144
81521306236	320063123	144
81521306237	320062111	143
81521306258	320063104	143
81521309220	320060103	143
81521309227	320063101	143
81521309229	320063103	143
81521309230	320063111	143
81521309231	320063112	143
81521309233	320063114	143
81521309234	320063121	144
81521309235	320063122	144
81521309236	320063123	144
81521360008	025034709	171
81521360009	025031409	171
81521506003	355093001	154
81521506005	355093001	154
81521506000	314060001	141
81521516005	314060001	141
81521516007	314060001	141
81521516009	314060001	141
81521516024	314060001	141
81521516043	950314005	175
81521516045	314060001	141
81521516050	314060001	141
81521516053	314060001	141
81521516055	314060001	141
81521516058	314059001	141
81521530023	025034409	171
81521530024	026000709	171
81521536001	003508909	168
81521536003	003005919	168
81521550010	029006409	172
81521550036	027044509	128
81521570015	026012009	172
81521570028	026013709	112
81521580010	016167409	169
81521580013	025031309	112
81521600002	314014001	142
81521606046	314014001	142
81521630006	026012109	172

Reference	Haldex A.M.	Page
81521630007	025003209	170
81521630017	027010109	172
81521630018	027010209	172
81522206070	334055211	149
81523016015	329006361	146
81523016028	329006121	146
81523016040	329006121	146
81523016044	329006341	146
81523016051	329006341	146
81523016169	329024071	146
81523016170	329024071	146
81523107002	328008031	145
81523206052	950320012	176
81523206115	320052011	143
81523206116	320052011	143
81523206119	320053001	143
81523206134	320059001	143
81523360022	025013109	170
81544016019	313019021	126
81544016028	313019021	126
81544016029	313019021	126
81544016031	950313002	134
81544016033	950313003	134
81544016036	313019021	126
81544030001	027010909	128
81544410030	027011019	128
81544500001	027001309	128
0815469	003567809	194
81547017003	310005011	125
08161250	003033609	194
8161310	120341101	181
8161320	350026002	155
08164954Z	70880C	27
08164956B	70609C	24
08164958D	70608C	24
08164985H	46355	71
08166250H	79150C	52
08166251J	79151C	52
08166252K	79152C	52
08166253L	79153C	52
8167100012	059044809	173
81671100012	059044809	173
8175820	334007001	148
08175830	120361201	182
8176380	350019001	155
0819054	065000109	218
819136	79267C	55
819137	79268C	55
81922010029	057018009	197
81930200730	52717	72
81954900056	016197809	194
81954900083	016278909	194
8196083	79428C	57
81964100653	025014209	171
81964200191	025033609	196
81964200419	025052819	196
81964200461	025034009	196
81964200465	025052819	196
81964200487	025056409	196
81965010903	025022609	196
81965010918	024038209	170
81965010919	024038309	170
81965010922	024032809	170
81965010929	024002109	170
81965020123	025033709	112

Reference	Haldex A.M.	Page
81965020261	024024709	170
81965020300	024027609	128
81965020384	024006909	170
81965100050	025053209	196
81966010270	025015409	128
81966010302	47268	71
81974860226	025034909	171
81976020141	021051109	195
81976020176	021017109	195
81976500026	022009219	195
8198461	0220021090	195
81996	92502	69
81998033225	79208C	53
81998033226	79209C	54
81999	93840	69
0821241	360009241	107
8224243	336000006	174
82261090	33600016	174
8226424	33600006	174
8226963	70893C	27
8226964	70894C	27
8226998	33600262	174
8226999	33600236	174
8228229	33600267	174
8228230	33700284	174
8228242	70859C	26
8228243	70986C	29
8228543	70986C	29
8228868	33600264	174
8228869	33600269	174
8228930	RNT26	179
8228932	EQ2630	178
8235000415	72758C	42
8238000415	72758C	42
8238000835	72758C	42
8241016231	100001125	64
8241037367	100001021	64
8243000562	100002166	65
082460300	72660C	40
82460800	72931C	46
082460820	72931C	46
082460830	72932C	46
82520522370	025040809	196
0825552	357004025	104
8263002001	329007001	152
82632	90571	70
82633	90572	70
827197	71233	119
827197001	71059	129
8283000151	100002163	65
82830003040	70720C	25
82830003080	70716C	25
82830003090	70717C	25
82830003110	76050	72
82830003360	72016C	29
82830005520	72014C	29
82830005530	72015C	29
82830005620	100002167	65
82830005890	72017C	29
82830005900	72018C	29
82830006480	72758C	42
82830007530	72416C	35
82830007570	70989C	29
82830080000	334047001	109
82830280000	340005001	187

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
82830310000	340008001	187	83401	041013709	128	8512206026	334063001	149	86968	87282	117
82830560000	334007001	148	83413	78949S	132	8521306223	320060113	143	86969	87297	117
82830570000	334043001	148	83414	87332S	133	8550578	72367C	35	86970	90269S	133
8283187000	315019011	123	83416	90549S	134	8550903	72145C	31	86971	78949S	132
82832740000	310005011	125	83437	73614	130	8550963	72364C	34	86972	87332S	133
82833200000	314013003	142	83439	78193	131	8551324	N295SW	179	86973	78104S	131
82833250000	352005401	152	83440	78801S	132	8551325	N10380B	178	86986	87348S	133
82834590000	352011101	163	83441	78150S	131	8565	350026002	155	86992	79005D	48
82836140000	031000909	112	83457	71036	128	8572	351008022	155	87010	78703S	132
8283618000	314001001	158	83458	73620	130	8576	352007401	152	87014	71200	120
82836718400	022017409	195	83459	73622	130	0862024	361007201	161	87015	83377	120
82836730000	120361101	181	83463	87298	117	8624	601013011	162	87016	71216	120
82837700000	602005001	162	83466	87333S	133	863101	70532C	24	87017	83377	120
8283793000	350026002	155	83479	73615	130	86320828	120916310	182	87018	83378	120
82839120000	315016001	122	83480	71034	128	86332	90572	70	87019	83379	120
82839170000	601002021	162	0834984	72151C	31	86333	90571	70	87020	78217	116
82839372000	345228158	184	8391290	340026011	187	86403	89464	117	87021	78752	116
82839378450	016278909	194	08397610	340005001	187	86404	89446S	133	87023	78730S	132
82839378460	025040709	196	8398385	70978C	28	86499	87295	117	87024	90363	134
82839690000	344019151	190	8398386	70977C	28	86522	76086	72	87025	78990	117
82839697090	025015629	196	00000008406642	334072001	149	86523	76087	72	87026	78988	117
82839700000	344019101	190	84122	90572	70	86524	47268	71	87046	87347S	133
82850000790	72372C	35	8412253	950532015	220	86525	51326	72	87065	74527S	72
82850000800	72373C	35	8412254	024043109	196	86526	74372S	72	87066	74527S	72
82850000810	72374C	35	84123	90571	70	86527	74374S	72	008714/200	024043109	196
82850000820	72375C	35	8412417	025040209	219	86529	74402S	72	87169090	003033609	194
82850000890	79041C	49	8412904	361007302	161	86530	74418S	72	87169090006	030350909	215
82850000900	79040C	49	84139	90572	70	86531	74488S	72	87172	78988	117
82850000910	72371C	35	84140	90571	70	86532	74489S	72	87173	78990	117
82850000920	72370C	35	0084200624	125240403	183	86533	74573S	72	87192	90268	117
82850002130	72592C	39	0084200724	125240404	183	86535	74579S	72	87283	78990	117
82850002140	72591C	39	0084201224	125200406	183	86536	74597S	72	87339	78717S	132
82850004150	72758C	42	0084201324	125200405	183	86537	74627S	72	87340	90549S	134
82850005140	10421	71	0084202424	125240405	183	86538	74696S	72	87407	89724	74
82850005150	10420	71	0084202524	125240406	184	86539	74707S	72	87531	92502	69
82850005370	79041C	49	0084205024	1351624010	185	86540	74716S	72	008783	950531010	220
82850005380	79040C	49	0084205124	1351624011	185	86541	74733S	72	87979	93839	69
82850005390	79041C	49	0084205918	346022001	185	86542	74812S	72	88011440201	003561409	194
8285000910	72371C	35	84255216007	361007001	161	86543	74860S	72	88021400311	003033609	194
82852450000	72426C	35	8436516	950532014	220	86544	74991S	72	881999250073	92695	124
82852460000	72427C	36	843684	70526C	24	86545	74992S	72	88259020025	041013609	128
82852780000	334063001	149	843685	70530C	24	86546	76660	72	88504106001	344010001	190
82852790000	334064001	149	8445	100101364	66	86562	45908	71	88504106205	334004001	148
82853885530	003568009	194	8446	100401204	66	86563	47359	72	88504106206	344008201	190
82854100000	352007401	152	8447	100501204	66	86564	52717	72	88512306200	334047001	109
82854415080	120920315	182	84489	350001101	155	86573	76046	72	88512606004	71323	123
82854425050	120920314	182	84492	601013011	162	86599	73687S	130	88512606006	92671	124
82854425060	120920314	182	84498	334047001	109	866101	70532C	24	885373	72261C	33
82854945650	78964	132	84499	357001004	104	008671	80019D	62	885374	72875D	44
82855360000	334063011	149	84521516002	314059001	141	86744	71058	129	885381	76995	73
8288760006	065000109	218	0084522	75610828	85	86745	73444	130	885382	76996	73
8288769466	065001009/40	218	8460	031000909	112	86748	78701S	132	885394	76012	70
083122	950364422	91	8460826	950355004	177	86758	78949S	132	0886744	356006011	159
083147	338052101	100	8462846	027011019	128	86760	90572	70	89000360407	345403157	184
083166	364357001	89	08463280	120331201	181	86761	90571	70	89000360408	345403158	184
83221	78964	132	8463G	364317001	81	86770	90572	70	89000360444	334043001	148
83334	71034	128	00000008474733	310005011	125	86771	90571	70	8901103280	340013001	187
83343	90216S	133	84818079004	315019011	123	86797	78169S	131	008907	315016011	122
83347	87296	117	84890	76046	72	86798	78190	131	89100360003	314060001	141
83357	87296	117	8506904	71311	123	86805	71847S	129	89100360010	315016001	122
83358	87337	117	8506944	71341	123	86844	78964	132	89100360022	357012031	104
83359	87282	117	85100231	70978C	28	008692	950532015	220	89100360023	332005141	107
83360	87297	117	85100929	78831S	132	86931	76878	72	89100360130	334063001	149
83364	90215	117	85102156	950338022	114	86966	87296	117	89100360131	334064001	149
83400	041013609	128	85105601	87333S	133	86967	87337	117	89141	78990	117

Reference	Haldex A.M.	Page
89142	78988	117
89156	78703S	132
89157	78988	117
89158	78990	117
89187	92534S	134
89199174124	023003709	195
89199175744	950344002	198
89199184274	003400819	194
89199200294	950344006	198
89199283284	024026909	195
89199351024	950344006	198
89199491914	78165	131
89200440743	72643C	39
89208	78990	117
89211	92751	124
89212	92752	124
89218	78988	117
89224	87282	117
89288	87296	117
89289	87337	117
89290	87282	117
89292	90548	118
89329	92796	124
89335	92796	124
89447	78964	132
89456	78949S	132
89457	87332S	133
8947	72553C	38
89531	92502	69
89533	93840	69
89540	92503	69
8958012100	124100101	197
8958012102	124100101	197
8958013102	003033609	194
8958015132	124100101	197
89659	92008	75
8968	100101047	65
89690	93835	69
8970700704	024027609	128
8970700754	024027609	128
8970711104	024033509	170
8970711194	024033509	170
89712	92503	69
8971204954	025045309	196
8971205054	0220004090	195
8971205164	025040709	196
8971205200	025040809	196
8971205264	025040809	196
8971205304	0220007090	195
8971205364	025040909	196
8971205464	0220021090	195
89715	93840	69
89717	93839	69
89718	93839	69
89719	92503	69
89720	93840	69
89721	93839	69
89726	93836	69
8974010	905002001	218
897432239	601013011	162
89755	92503	69
8975500204	025048209	171
89765	92010	75
89774	93836	69
89797	92560	69

Reference	Haldex A.M.	Page
89894	92560	69
89895	92502	69
8991402004	028003009	166
8991402024	028002609	166
8991402034	028003109	166
8991446304	028027909	166
8991446314	028028009	166
89915	93836	69
89945	92559	69
89947	92502	69
89952	92503	69
89954	93840	69
89975	92808	69
8997605100	059512309	97
8999999	612035011	102
08BAV58100	067001802	213
08MIL58102	067001502	213
8U5852	950532032	221
8U7966	950532037	221
9000100	72788D	43
9000400	103007001	67
90015	92573	124
9001800024	351022001	156
9002105	79023D	49
09002113	79149C	52
9002121	79144C	52
9002122	79145C	52
9002137	79142C	52
9002138	79143C	52
9002153	72751C	42
9002154	72752C	42
90022	77244S	131
9002201	72869C	44
9002202	72870C	44
09002209	79138C	51
09002210	79139C	51
9002221	79269C	55
9002222	79270C	55
9002224	79144C	52
9002225	79145C	52
9002233	79146C	52
9002234	79147C	52
9002251	79142C	52
9002252	79143C	52
09002265	79140C	51
09002266	79141C	52
9002281	79148C	52
900231	334055201	149
900232	334025031	148
900235	310005011	125
90024	78801S	132
900241	350026002	155
900244	315019001	123
900249	120351201	181
900250	120361201	182
900251	003033609	194
900255	356009011	164
900256	601013001	162
900258	003480209	168
900279	120331101	181
900302	350028001	155
900304	334063001	149
900314	120341201	181
900316	334028001	148
90040	78988	117

Reference	Haldex A.M.	Page
90041	78990	117
90050	91935	70
90051	91936	70
90052	91935	70
90053	91936	70
90054	91935	70
90062	78682S	132
9007270	70823C	26
9007271	70824C	26
9007272	70825C	26
9007273	70871C	27
9007807	10869C	22
9007808	10868C	22
9009999	950364111	95
09012061	72837C	44
901457	067002002	213
903/02703	054002409	220
903/02706	950532022	220
903025001	903045001	99
903025011	903045001	99
903027001	903045001	99
903029001	903045001	99
903220900910	312013014	138
90323	92797	124
903539001	903054241	180
90393	90364	134
90394	71376	129
90395	87255	133
90396	71053	128
90397	73618	130
009046	338021001	100
905027001	903045001	99
905027011	903045001	99
90506	78988	117
90533	91936	70
90534	91936	70
90535	91935	70
90536	91936	70
90537	91935	70
90538	91935	70
90554266	90554151	142
90554658	90554663	103
90575	78728S	132
90576	78945S	132
9057805	33900009	197
09057814	33900049	197
09058797	RN55V	199
90588	78964	132
09058826	RN55AC	199
9059225	RN55V	199
906313	054002409	220
906314	054002909	220
09063181	33090009	193
90645	93835	69
90677	92503	69
90678	93840	69
90679	93839	69
90694	93837	69
09069694	N4194	193
90717	92502	69
90734	93836	69
90803	91936	70
90804	91935	70
90805	91936	70
90806	91935	70

Reference	Haldex A.M.	Page
90810430145	310005011	125
9088578	378731	197
91030	92502	69
91031	92559	69
911	059507709	86
9113311	70762C	25
91141	92793	124
91177	92797	124
91211	92808	69
91251	93835	69
91319	78164	131
91320	78240	132
91392	78964	132
914244	72216C	32
914245	72215C	32
914248	72217C	32
914249	72218C	32
914264	72804C	43
914265	72408C	35
914266	72356C	34
914268	72828C	44
915284	72802C	43
915285	72803C	43
915286	72446C	36
915287	72447C	36
0915522	023003709	195
0915525	024026909	195
9176111419	81374	73
91794	93835	69
917980	72802C	43
917981	72803C	43
917982	72804C	43
917983	72618C	39
917985	72828C	44
918095000	361007302	161
918096000	329020201	147
918568000	003535309	168
918569000	028027909	166
919627963201	329020251	147
009197	79183C	53
919826239101	350026002	155
919855	68470020	220
92038	92992	124
92048	93096	118
9206260004	71341	123
92067	92560	69
9210020000	340026001	187
9210030000	340005001	187
9210040000	340008001	187
9210060000	340013001	187
0092162	100101366	66
0092163	100101367	66
0092164	100401204	66
0092165	100501204	66
92189	92797	124
92190	92573	124
92199	92503	69
0092419	72532C	37
0092420	72533C	37
92528	93522	134
9253201390	346022001	185
9253703000	1362030001	185
9253713000	1362430001	185
9253713080	1362430001	185
9253723000	1363030001	185

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
92561	92925	118	9405709	009405709	218	9454200438	80014C	62	9500800050	030352009	215
92562	92923S	134	0094205818	346022001	185	9454200538	80012C	62	9501000020	030352209	215
92563	92926	118	0094206918	344025001	190	9454200638	80013C	62	950310013	950310014	121
92564	92924S	134	0094209218	344024001	190	9454200738	80011C	62	950338009	950338013	114
0926440	059509409	87	0094209318	344050001	191	9454200838	80010C	62	950338011	950338013	114
0926479	75961004	98	9424200038	80008C	62	9454200938	80030C	62	950338017	041011909	112
0926491	75961002	98	9424200138	80009C	62	9454201038	80165C	63	950338018	950338022	114
92673	92939	124	9424200238	80000C	62	9454201138	80166C	63	950338028	950338022	114
92755	90572	70	9424200338	80001C	62	9454201218	90571	70	950364001	950364218	98
92756	90571	70	9424200438	80000C	62	9454201238	80163C	63	950364008	950364219	98
92757	90571	70	9424200538	80001C	62	9454201318	90572	70	950364010	950364102	80
92758	90572	70	9424200638	70753C	25	9454201338	80164C	63	950364011	950364103	80
92774	92502	69	9424200738	70754C	25	9454201438	80167C	63	950364012	950364503	84
92776	93836	69	9424200838	80009C	62	9454201518	90571	70	950364019	950364081	80
92777	93837	69	9424200938	80008C	62	9454201618	90572	70	950364025	950364408	91
92779	93839	69	9424201038	72174C	31	0945424	003038009	168	950364027	950364410	91
92810	93840	69	9424201138	72173C	31	0945425	003535309	168	950364028	950364411	91
09285107	93836	69	9424201238	80008C	62	0945427	950364081	80	950364029	950364412	91
09291063	92010	75	9424201338	80009C	62	0945428	950364406	90	950364030	950364413	91
92959	92796	124	9424209338	80001C	62	0945429	950610030	92	950364032	950364405	90
93001236	79100C	51	0945000	334054201	149	0945434	314012004	142	950364034	950364406	90
93160850	72330C	34	0945012	334055201	149	0945445	025015719	196	950364035	950364407	91
93162150	71376	129	0945014	310005011	125	0945447	356005102	164	950364060	950364220	98
93162151	71327	129	0945037	030200109	217	0945448	025002109	170	950364073	950364420	91
9317026	72876D	45	0945051	334028001	148	0945450	357004051	104	950364720	950610040	92
09319013	100001021	64	0945060	030200309	217	0945451	333004001	158	950364733	000700042	94
9319019	100001721	65	0945066	030200209	217	0945458	350019001	155	950364812	903046001	99
09319035	79649C	60	0945071	340026011	187	0945459	352011121	163	950364813	903046001	99
9319179	79542C	59	0945072	340005001	187	0945462	340029001	187	9504100040	030350209	215
09319299	80126C	63	0945073	340008001	187	0945469	003561409	194	9504150010	030363609	215
9320021000	313019021	126	0945074	340011001	187	0945470	1362430001	185	9504150050	030363609	215
93304	92695	124	0945075	340013001	187	0945474	612025001	113	9504200030	030350509	215
93348	93729	118	0945077	334063001	149	0945481	352045001	153	9505200030	030350609	215
9340110000	355018001	154	0945078	334064001	149	0945514	003402109	194	9505300020	030350909	215
9343000010	315019001	123	0945079	350027002	155	0945515	003402009	194	9505300030	030350909	215
9343000020	315018001	123	0945091	054002509	113	0945525	364328001	94	9505370010	030351309	215
9343000030	315019011	123	0945114	352011102	163	0945526	950364418	91	9505400010	030351509	215
9343010000	315016001	122	0945116	356009011	164	0945527	364357011	89	9505600020	030351809	215
9347010400	314059001	141	0945121	054002909	220	0945540	950364702	95	950612002	950612001	114
9347010410	314059001	141	0945124	355018011	154	9455420018	90571	70	9507400020	030351209	215
9347010480	314059001	141	0945152	120361101	181	9455420118	90572	70	09510019	334047001	109
9347020400	314060001	141	0945154	120341101	181	9455420218	90571	70	9517283	87297	117
9347020420	314059001	141	0945157	120331101	181	9455420318	90572	70	9518357	79564C	59
9347021000	314059001	141	0945159	120311101	181	9455420618	90571	70	9518619	92695	124
9347021010	314059001	141	0945173	356010011	164	9455420718	90572	70	9519475	92695	124
9347021100	314059001	141	0945176	028003009	166	9455420918	90571	70	9520020000	334047001	109
9347022300	314060001	141	0945181	334007001	148	9455421018	90572	70	9522000110	334054201	149
9347022500	314059001	141	0945184	350020201	155	9455421218	90571	70	9522000210	334055201	149
9347022600	315016001	122	0945337	352007401	152	9455421318	90572	70	9522000220	334054201	149
9347022607	314059001	141	0945339	350026002	155	9455421518	90571	70	9522000340	334072001	149
9347023000	314059001	141	0945341	601013011	162	9455421618	90572	70	9522000370	334071001	149
9347023200	314059001	141	0945357	031000909	112	9455421818	90571	70	9522002120	334063001	149
9347023300	314059001	141	0945358	352012001	152	9455421918	90572	70	9522002210	334063001	149
9347023400	314059001	141	0945362	352011122	163	9455422118	90571	70	9522002220	334064001	149
9347023407	314059001	141	0945371	352006201	152	9455422218	90572	70	9523212	87337	117
9347023800	314059001	141	0945378	356006011	159	945622	343031061	192	9524585	79677C	60
9347023910	314059001	141	0945392	003480209	168	9464200838	80010C	62	9524586	79678C	60
09359910	345125110	184	0945393	601002021	162	947364419	364307001	88	9524856	79359C	57
09370658	378731	197	0945397	031000909	112	9474200738	80011C	62	9524857	79360C	57
09371925	378723	197	0945401	357012031	104	9484200538	80012C	62	9543311002	70764C	25
09392757	RN55R	199	0945420	351008022	155	9494200638	80013C	62	0954345	950364301	80
09398540	120351101	181	9454200038	80008C	62	9499591	950035004	175	0954461	75061334	94
09398550	003033609	194	9454200138	80009C	62	9500600030	030360809	215	958128	351022001	156
09404042	76980	73	9454200238	80000C	62	9500600040	030351709	215	0960126400	120331101	181
09404043	76979	73	9454200338	80001C	62	9500800020	030352009	215	0960126600	120311101	181

Reference	Haldex A.M.	Page
0960126700	003561409	194
0960126800	003033609	194
0960126900	352012001	152
0960138000	310005011	125
0960141100	315019001	123
960151002	903045001	99
0960152300	351008022	155
0960152400	352012001	152
0960162100	030350609	215
0960162300	030350209	215
0960163700	030200109	217
0960170900	334054201	149
0960171000	334055201	149
0960176100	334028001	148
9608041089N	312019012	138
9619021017	030350209	215
9619021028	361007001	161
9619021044N01	315016001	122
9619021045N	356001001	159
9619021057N	030350909	215
9619021059N	314001001	158
9619021061N	312013014	138
9619021062	030200209	217
9619021065	313019021	126
9630010000	352012001	152
9630010010	352012001	152
9630010120	352012001	152
9630010130	352012001	152
9630010137	352012001	152
9630010500	352044001	153
9630010510	352045001	153
9630010520	352044001	153
9630010530	352045001	153
9630060010	352018001	153
9660051001	039005709	173
9660051002	023012009	170
9660051003	023011909	170
9661101000N	340029001	187
9696380	334055211	149
09696390	334054211	149
9696400	310005011	125
9696420	030350909	215
9696430	315019001	123
09696451	030200209	217
9696480	334028001	148
9698010	351008022	155
9698020	356009011	164
9698040	601013011	162
9698060	352018011	153
9698090	003480209	168
9699330	315019011	123
9700899	950532015	220
9700900	950532023	221
9703002400	312013031	138
9710020000	351009021	156
9710020032	950351004	177
9710021100	351008022	155
9710021500	351008022	155
9710021507	351008022	155
9710021510	351022001	156
9710021520	351022001	156
9710021527	351022001	156
9710022000	351009021	156
9710025200	350026003	155
9710025300	612025001	113

Reference	Haldex A.M.	Page
9710025310	350026002	155
9710025320	350026003	155
9710025330	350026002	155
9710025337	350026002	155
9710025470	350026002	155
9710025600	350027002	155
9710025700	350027002	155
9710025707	350027002	155
9710026100	350028001	155
9710026200	350028001	155
9710026207	350028001	155
97166208	338051101	100
97166293	393477001	113
0972003	75611715	97
9730010100	355018011	154
9730010107	355018011	154
9730010120	355018011	154
9730010130	355018011	154
9730010200	355018071	154
9730010207	355018071	154
9730012100	355018001	154
9730012200	355018071	154
9730012600	355018071	154
9730090000	355094001	146
9730090010	355094001	146
9730090017	355094001	146
9730110000	355018011	154
9735000000	356006011	159
9735000180	356023001	159
9735000310	356013011	159
9735000380	356022011	159
973500510	356022011	159
9735390000	334047001	109
9735390008	334077001	109
9735480000	301205101	137
9735480008	301205101	137
973614	73614	130
973616	73616	130
9750010000	356009011	164
9750010007	356009011	164
9750010010	356009011	164
9750010020	356009011	164
9750010210	356009011	164
9750015000	356010011	164
9750015007	356010031	164
9750020010	356005102	164
9750020030	356005102	164
9750020050	356005102	164
9750020170	356005103	164
9753001000	312013012	138
9753001010	312013014	138
9753001100	312017014	138
9753001110	312017012	138
9753001120	312013015	138
9753001180	312013014	138
9753001400	312013031	138
9753001410	312013014	138
9753001510	312017041	138
9753001580	312017041	138
9753005000	312013012	138
9753005020	312013014	138
9753030610	312042001	138
9753034410	312013015	138
9753034470	312017012	138
9753034477	312013012	138

Reference	Haldex A.M.	Page
9753034600	312029014	138
9753034610	312030001	138
9753034640	312013014	138
9753034730	312030001	138
9753034737	312013014	138
9753034740	312030001	138
9753034747	312030001	138
975303480	312013031	138
9753035030	312017041	138
9757002030	601013011	162
976017	76046	72
976522	76672	72
976902	76902	73
097774	72679C	41
0097775	72680C	41
0978621	75610828	85
0978622	75610828	85
0980246	RNT26	179
0980298	EQ2614	178
0980327	33600261	174
0980356	33600264	174
0980379	33600048	174
0980385	33600263	174
0980408	33600265	174
98103066	352018011	153
98232	78340	76
98233	76035	76
98236	76035	76
98237	76025	76
983267	352030001	153
9865019	315019011	123
0986864	378763	220
0009884168	025034909	171
0989345	75612302	98
99000360155	315019011	123
99073101	315016001	122
99100330822	72430C	36
99100330823	72431C	36
99100340001	104406401	68
99100340002	104506401	68
99100360003	314059001	141
9911200714	067001802	213
9911200814	067001902	213
99214	78396	76
0009942637	022000109	128
99560369	344028001	190
9957299	87296	117
9957311	87337	117
9957312	87282	117
9957313	87297	117
99700986323	357004025	104
99707883193	022018309	166
99708412904	361007302	161
99708474825	334053221	149
99708475179	361007305	161
00997774	72679C	41
99900025	90554147	103
0099972448	024007409	111
0099974248	024008809	170
A0004232907	77362S	131
A0024322807	71323	123
A04020115	950364710	95
A04040411	950364711	98
A050100673	950364407	91
A050100687	950364072	90

Reference	Haldex A.M.	Page
A05010136	120361201	182
A05010152	1362030001	185
A05020212	352006201	152
A05020214	352018031	153
A05020218	207012001	152
A05020315	355018011	154
A05020701	315004031	140
A05021005	352032035	105
A05021006	360009141	107
A05021008	352047048	105
A05021202	361007001	161
A05021203	003607619	110
A05030395	352011122	163
A05030407	334077001	109
A05060201	334028001	148
A05080102	065000109	218
A05100201	031000909	112
A05100202	310005011	125
A05100601	950364418	91
A05100606	950364418	91
A05100660	950364081	80
A05100662	950364047	82
A05100673	950364407	91
A05101310	950364031	90
A05101319	364317001	81
A05110206	357012031	104
A05110522	357012031	104
A05150101	314001001	158
A05900002	120361201	182
A05910002	329020251	147
A06010601	100001021	64
A06010603	79023D	49
A06010607	76672	72
A2343G	356023021	159
A2658	014718309	169
A2660	357012031	104
A2662	120350203	181
A2664	120331201	181
A4037350	79082C	50
A4037351	72180C	32
A4037441	79092C	50
A4039176	206005401	122
A4403	100014753	65
A4407	351022001	156
A4408	351012001	162
A4409	355018001	154
A4410	205004001	158
A4412	352019001	153
A4417	314012002	142
A4419	314013001	142
A4422	338021001	100
A4428	612035011	102
A4429	612032001	102
A4432	KN44061	68
A4437	950364103	80
A4438	950364045	82
A481452187	355094001	146
A481700061	315019001	123
A5887	N30200AG	167
A5888	N30200AE	166
A5980	102060001	66
A5983	207012001	152
A5984	207013001	152
A5985	102172001	66
A5986	103003001	67

Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page	Reference	Haldex A.M.	Page
A5987	121150003	183	AC474AA	334064001	149	AE5102	314001001	158	APSA10473	355018001	154
A5988	102062201	66	AC475AA	334064001	149	AE5115	314001001	158	APSA7440A5	315019001	123
A60212M85A02	950364417	91	AC476BA	334055201	149	AE7104	514007011	142	ARD1112833	72660C	40
A60212M85A04	950364425	91	AC477BA	334055201	149	AFA4271019	334064001	149	ARFA4271004	120361201	182
A77315M80A10	314012003	142	AC570A	355018011	154	AJA06294	102922291	67	ARFA4271703	120351201	181
A9100	950364101	80	AC570D	355018071	154	AJA06295	102923341	67	ARG1112834	72661C	40
A911D	950364104	82	AC586A	355093001	154	AJA0638006	120341101	181	ARJB0092702	76902	73
A9120	950364108	98	AC596A	355094001	146	AJA0638012	120351101	181	ARJB0743701	79022D	48
A9130	950364502	84	ACHA096	339019001	149	AJA0638013	120361101	181	ARJB0743701	79022D	48
A9140	950364501	84	ACHA097	339018001	149	AJA077743	100114075	66	AS001	72788D	43
A9150	75611817	85	ACHA493	76660	72	AJA09061	75612409	98	AS2900	350020201	155
A9170	75061374	99	ACHA874	334063001	149	AJA09141	950364110	98	AS3000	351008022	155
A9190	950364503	84	ACHA875	334064001	149	AJA0956001	310005011	125	AS3002	351008022	155
A96000230	950364110	98	ACHE048	71311	123	AJA09921	102916351	67	AS3011	351022001	156
A96016159	352011122	163	ACU3627	70943C	28	AJB0092001	79022D	48	AS3012	351022001	156
A97000076	LAMPMOD	98	ACU3628	70944C	28	AJB0114001	75612411	98	AS3016	351022001	156
A97000175	950364081	80	ACU3629	70945C	28	AJB0184001	950364501	84	AS3018	351022001	156
A97000178	950364406	90	ACU5202	950364301	80	AJB0742/A	79006C	48	AS3050	351008022	155
A97000180	950364401	98	ACU5698	334063001	149	AJB0743001	79022D	48	AS3051	351008022	155
A97000188	059507609	86	ACU5847	33600264	174	AJB4090	364357001	89	AS3052	351008022	155
A97000377	950364710	95	ACU5895	33600007	137	AJB0742/A	79006C	48	AS3101	350026002	155
A97000378	950364711	98	ACU5897	33600264	174	AJB0743001	79022D	48	AS3102	350026003	155
AA50019001	950364418	91	ACU5898	33600265	174	AJC00241	0270510090	172	AS7000	350027002	155
AAU3347	70841C	26	ACU5989	33600265	174	AJC00282	124100301	197	AS7100	350028001	155
AAU3348	70840C	26	ACU6280	72086C	30	AJR8417	364307021	88	ASA0016001	364328001	94
AAX0182001	030350509	215	ACU6980	72105C	31	AJU1765	68470020	220	ASA0017001	950364418	91
AB2451	329006121	146	ACU6981	72106C	31	AJV3320	950364081	80	ASA0018001	364328001	94
AB2823	355094001	146	ACU7724	72405C	35	AJV4085	364328001	94	ASA0020001	364357001	89
AB2840	355094001	146	ACU7725	72406C	35	AJV4086	950364419	91	ASA0021001	338051101	100
ABA00002	364194001	87	ACU7738	72191C	32	AJV4087	950364418	91	ASN92631	206001611	122
ABA00003	364215001	87	ACU7739	72192C	32	AJV4088	364358001	89	ASX0003005	334055211	149
ABA00004	950364036	90	ACU7740	72403C	35	AJV4089	950364425	91	ASX0003006	334054211	149
ABA00005	950364407	91	ACU7741	72404C	35	AJV4090	364357001	89	ASX0003008	334055201	149
ABA00006	950364026	90	ACU8042	334064001	149	AJV4091	364317001	81	ASX0003009	334054201	149
ABA00007	950364412	91	ACU8342	72401C	35	AJV4093	338051101	100	ASX0009001	356010031	164
ABA00008	950364411	91	ACU8343	72402C	35	AJV5599	950364426	91	ASX0009002	356009011	164
ABA00010	950364033	90	ACU8344	72403C	35	AJV5600	950364422	91	ASX0010001	355018011	154
ABA00012	950364081	80	ACU8345	72404C	35	AJV7016	364343001	88	ASX0014018	120331101	181
ABA00013	950364031	90	ACU8346	72405C	35	AJV7948	364385001	81	ASX0014022	345125110	184
ABA00015	950364405	90	ACU8347	72406C	35	AJX09763	602005001	162	ASX0020001	612035011	102
ABA00018	003768209	94	ACU8348	72407C	35	AJX4584	338021001	100	ASX0182001	030350209	215
ABA00020	950364081	80	ACU8710	334054201	149	AJX8832	120340203	181	ASX0182004	030350909	215
ABU7097	74433S	72	ACU8711	334055201	149	AJX9389	72788D	43	ASX0182006	030351209	215
ABU7098	74434S	72	ADE848M11A01	352035P36	105	AJX9397	76995	73	ASX0182008	030351609	215
ABU7565	0250503090	166	AE1201	332005021	107	AJX9399	76996	73	ASX0182010	030351709	215
ABU7569	200019001	174	AE1203	332005021	107	AJZ9486	71311	123	ASX0182011	030352009	215
ABU7570	200020001	174	AE2100	334047001	109	AJZ9487	76281S	130	ASX0182013	030352209	215
ABU7572	200018001	148	AE2110	334007001	148	AJZ9527	003768209	94	ASX0182015	030360809	215
ABU8278	45425	71	AE4138	314060001	141	AL23653001	74565S	72	ASX0198001	314001001	158
ABU9003	63008	72	AE4158	314059001	141	AL34691001	74597S	72	ASX0199008	314012001	142
ABVBKR	350027002	155	AE4170	314059001	141	ALB130	601013011	162	ASX0199010	314012003	142
AC130AX	312013031	138	AE4178	314059001	141	AMNB1213	72788D	43	ASX0199011	314012004	142
AC132BX	312013015	138	AE4205	554005001	107	AMNB1214	76995	73	ASX0199012	314012005	142
AC132FKK	312013014	138	AE4214	352012001	152	AMNB1215	76996	73	ASX0245005	030200409	217
AC135BX	312013015	138	AE4215	352012001	152	AMNS300654/D	72788D	43	ASX0245007	030200609	217
AC135FX	312013014	138	AE4217	207012021	152	AMPB438	612035031	102	ASX0332001	360009241	107
AC135FKK	312013014	138	AE4230	352044001	153	AMPB724	950364214	83	ASX0352002	334028001	148
AC135G	312013012	138	AE4232	352012001	152	AMPB725	950364215	83	ASX0370001	338021001	100
AC152A	357012022	104	AE4247	352045001	153	AMPB726	950364301	80	ASX0498001	031000909	112
AC152AA	357012022	104	AE4257	207012001	152	AMPC139	612035011	102	ASX0512001	334064001	149
AC152DA	357012021	104	AE4261	352018001	153	AMPC182	84579	73	ASX0512002	334063001	149
AC470A	334063001	149	AE4262	352019011	153	AN30200AE	N30200AE	166	ASX0535001	351008022	155
AC471A	334064001	149	AE4264	352058001	153	AN30200AG	N30200AG	167	ASX0571002	350026002	155
AC472	334055201	149	AE4404	315016001	122	AP335	065001009/40	218	ASX0694001	352018011	153
AC473	334025031	148	AE5101	314001001	158	APSA10471	355018001	154	ASX0694003	352019011	153

Reference	Haldex A.M.	Page
ASX0703001	601013011	162
ASX0703002	601002021	162
ASX0724001	602005001	162
ASX0725001	612025001	113
ASX0917005	1362430001	185
ASX0948001	612032001	102
ASX1027001	003561409	194
ASX1028001	003033609	194
ASX1166001	329007001	152
ASX1247001	315019001	123
ASY55481	12141C	23
ASY55482	12142C	23
ASZ05041	356022011	159
ASZ05072	121150003	183
ASZ05321	355023061	154
ASZ07651	79022D	48
ASZ07652	72267C	33
ASZ07653	72359C	34
ASZ07654	72581C	38
ASZ07661	76668	72
ASZ07662	76670	72
ASZ08201	356005101	164
AT72180	72180C	32
AT72181	72181C	32
AT72199	72199C	32
AT72939	72939C	46
AT79133	79133C	51
AT79184	79184C	53
AT79461	79461C	58
AT79503	79503C	58
AT79504	79504C	58
AVD1358634	79442C	58
AVG1358635	79443C	58
AW1620	054002309	220
AW2227	054002909	220
AZRBODY19W	033016509	166
B05054	340029011	187
B050751	065000109	218
B085040000	376102	220
B090639	350027002	155
B090640	030350509	215
B090641	334055201	149
B090642	334054201	149
B090643	310005011	125
B090644	120341101	181
B090645	334028001	148
B090648	315019011	123
B090695	120351101	181
B090696	120331101	181
B090705	054002909	220
B090706	054002309	220
B090709	334071001	149
B090710	334072001	149
B090800	350020201	155
B090801	334007001	148
B090802	334043001	148
B091006	601013011	162
B091007	352018011	153
B091008	356009011	164
B091009	030351209	215
B091010	120351101	181
B091013	351008022	155
B091081	120361101	181
B091184	350026002	155
B091455	601002021	162

Reference	Haldex A.M.	Page
B091456	356009011	164
B091457	350026002	155
B091461	356005102	164
B091484	350026002	155
B091513	352018011	153
B091514	351008022	155
B091549	352011122	163
B091550	030360809	215
B091551	351022001	156
B1003	70867C	27
B1006	80000C	62
B1007	80001C	62
B1010	80011C	62
B1011	70867C	27
B1015	72173C	31
B1044	72540C	37
B1203	70949C	28
B1206	72261C	33
B1207	72788D	43
B1208	72788D	43
B1214	79005D	48
B1222	70949C	28
B4100	100101364	66
B4101	100401204	66
B4102	100501204	66
B4103	KN44051	68
B457010014	310005011	125
B510642	72204C	32
B510643	72203C	32
B8905001	334055211	149
B8905002	334054211	149
B8905003	310005011	125
B8905004	350026002	155
B8905005	030363609	215
B8905006	315019001	123
B8905035	334007001	148
B8905037	340026011	187
B8905056	340005001	187
B8905084	003033609	194
B8905092	343411001	192
B9056H	76878	72
B9070H	76995	73
B9071H	76996	73
B91513	352018011	153
BBU2342	84579	73
BBU2636	RNT26	179
BBU2637	MR3033	178
BBU2640	EQ2630	178
BBU2739	76035	76
BBU3470	N295NB	178
BBU3471	EQ2604	178
BBU4901	73342	129
BBU4904	71034	128
BBU4908	732005	129
BBU9681	33600006	174
BBU9750	72661C	40
BBU9758	72826C	44
BBU9759	72660C	40
BBU9760	72661C	40
BBU9761	72663C	40
BBU9763	72678C	41
BBU9767	72783C	43
BBU9768	72825C	44
BBU9770	70865C	26
BBU9774	70859C	26

Reference	Haldex A.M.	Page
BCU2077	72168C	31
BCU2782	71203	120
BCU5534	72420C	35
BCU5535	72421C	35
BCU5536	72422C	35
BCU5767	72439C	36
BCU5768	72440C	36
BCU5769	72441C	36
BCU6850	950364211	82
BFA010	72261C	33
BFA015	76916	73
BFA016	76918	73
BFA017	72581C	38
BFA018	72569C	38
BFA029	72788D	43
BFA029A	76995	73
BFA029B	76996	73
BFVA043	71311	123
BFVA075C	950364031	90
BFVA091	364194001	87
BFVA092	364215001	87
BFVA137	364338001	88
BFVA138	364358001	89
BFVA1389	950364423	91
BKR	352011102	163
BMA5AH	72788D	43
BR1100	352011101	163
BR1105	352011101	163
BR1106	352011121	163
BR1300	352011102	163
BR1305	352011102	163
BR1306	352011122	163
BR4370	601013011	162
BR5230	602005001	162
BR5282	602005001	162
BR5283	602005001	162
BR5330	602005001	162
BR5331	602005001	162
BR5363	602005001	162
BR5400	602005001	162
BR5401	602005001	162
BR5402	602005001	162
BR5409	602005001	162
BR5410	602005001	162
BR5411	602005001	162
BR5503	351014001	162
BR5504	602005001	162
BR5522	602005001	162
BR6624	351014001	162
BS3300	125160400	183
BS3401	120920326	182
BS3404	120920326	182
BS3409	120920323	182
BS3410	120920322	182
BS3411	120920325	182
BS3412	120920324	182
BS3413	125200406	183
BS3414	125200405	183
BS3501	125240400	183
BS3509	125240404	183
BS3514	125240403	183
BS3515	125240404	183
BS3516	125240401	183
BS3522	125240402	183
BS7309	1351624004	185

Reference	Haldex A.M.	Page
BS9304	1351624004	185
BS9349	346185001	186
BS9404	346187001	186
BV24802	320066001	144
BVU2403	33600263	174
BX3256	345125110	184
BX3402	120341101	181
BX3416	120341101	181
BX3417	120341101	181
BX3419	120340203	181
BX3507	120351101	181
BX3534	120351101	181
BX3535	120351201	181
BX3538	120350203	181
BX3604	120361101	181
BX3605	120361201	182
BX7408	1362030001	185
BX7518	1362430001	185
BX7612	1363030001	185
BY1402	340053001	187
BZ1101	340029001	187
BZ1104	340029001	187
BZ1110	340029001	187
BZ1200	340026001	187
BZ1201	340026011	187
BZ1400	340005001	187
BZ1600	340008001	187
BZ1700	340011001	187
BZ1800	340013001	187
BZ3365	120331101	181
BZ3370	120331101	181
BZ3374	120330201	181
BZ3433	345020001	184
BZ3438	345020001	184
BZ3507	003561409	194
BZ3533	345019001	184
BZ3534	345019002	184
BZ3537	345019001	184
BZ3538	345019002	184
BZ3605	120361101	181
BZ3664	120361101	181
BZ4119	343031061	192
BZ4150	343001001	192
BZ7408	346022001	185
BZ7420	346022001	185
C00201401	351033001	156
C0020281	352062101	106
C0596601	0220021090	195
CAL1984	70787C	26
CAL2240	70785C	25
CAL2241	70786C	25
CAL240	70785C	25
CEN7F212V24V	950611010	92
CF100282	0220508090	169
CF101046	76012	70
CF101425	103009001	67
CF1014257	103009001	67
CF101824	75611817	85
CF1018240	75611817	85
CF101835	75612411	98
CF1018350	75612411	98
CF101836	75612409	98
CF102778	76924	70
CF103854	87680	74
CF103855	91239	75

Reference	Haldex A.M.	Page
CF103859	89724	74
CF152406	612017001	102
CF1524064	612017001	102
CF152407	003575709	111
CF1524077	003575709	111
CF230454	79098C	51
CF230455	79097C	50
CF251097	76281S	130
CF252122	72876D	45
CF350001	334053311	149
CF3500015	334053311	149
CF350002	334053301	149
CF3500028	334053301	149
CF350003	0220501090	169
CF350081	103003001	67
CF3500811	103003001	67
CF350082	102060031	66
CF3500824	102060031	66
CF350083	102062201	66
CF3500837	102062201	66
CF350092	206004001	122
CF350095	206001001	122
CF3500950	206001001	122
CF350165	0220005090	195
CF3501658	0220005090	195
CF350193	72256C	33
CF350194	0130503090	166
CF350195	0130504090	166
CF350549	72255C	33
CF3505492	72255C	33
CF350574	950364501	84
CF3505742	950364501	84
CF350759	310005011	125
CF3507597	310005011	125
CF350788	025040909	196
CF3507885	025040909	196
CF350823	102060291	66
CF3508237	102060291	66
CF350878	950364104	82
CF3508787	950364104	82
CF350928	334054201	149
CF3509281	334025031	148
CF350929	334055201	149
CF3509294	334055201	149
CF350938	120350203	181
CF350939	120340203	181
CF3509391	120340203	181
CF350944	356022011	159
CF350946	121150003	183
CF350960	950364110	98
CF351005	315019011	123
CF351018	0120540090	194
CF351030	025040809	196
CF3510306	025040809	196
CF351039	72143C	31
CF3510393	72143C	31
CF351052	124100101	197
CF351053	120454203	182
CF3510539	120454203	182
CF351056	124100121	197
CF3510568	124100121	197
CF351097	76281S	130
CF3510979	76281S	130
CF351101	314012002	142
CF351132	124100301	197

Reference	Haldex A.M.	Page
CF351145	120361201	182
CF3511457	120361201	182
CF351148	72103C	31
CF351149	76660	72
CF351152	120330201	181
CF3511525	120330201	181
CF351176	84579	73
CF351204	206001611	122
CF351310	102172001	66
CF3513109	102172001	66
CF351367	120464203	182
CF3513675	120464203	182
CF351368	121140003	183
CF3513688	121140003	183
CF351372	75611820	98
CF3513727	75611820	98
CF351384	102916351	67
CF351385	102917371	67
CF3513853	102917371	67
CF351389	102922291	67
CF351390	102923341	67
CF351420	351012001	162
CF3514205	351012001	162
CF351463	76668	72
CF351464	76670	72
CF351465	356022011	159
CF351474	0270510090	172
CF351495	612035011	102
CF3514954	612035011	102
CF351519	76668	72
CF351520	76668	72
CF351521	76916	73
CF3515217	76916	73
CF351522	76918	73
CF3515220	76918	73
CF351530	79022D	48
CF351531	72359C	34
CF351532	72261C	33
CF3515327	72261C	33
CF351534	72268C	33
CF351593	173709	128
CF351600	76668	72
CF351601	76668	72
CF351607	102317201	67
CF3516070	102317201	67
CF351630	76878	72
CF351631	027047009	172
CF351632	027047109	172
CF351633	027050209	112
CF351638	72581C	38
CF351657	601002021	162
CF3516575	601002021	162
CF351663	351022001	156
CF3516630	351022001	156
CF351679	356005101	164
CF351728	100215921	66
CF3517286	100215921	66
CF351733	207012001	152
CF3517338	207012001	152
CF351743	76902	73
CF351758	048007609	71
CF351760	003038609	168
CF351763	75610245	97
CF3517639	75610245	97
CF351768	0220021090	195

Reference	Haldex A.M.	Page
CF3517684	0220021090	195
CF351787	334047001	109
CF3517875	334047001	109
CF351794	601013011	162
CF3517943	601013011	162
CF351800	0430533090	166
CF351820	70949C	28
CF351827	72948S	47
CF351837	601002021	162
CF351853	45424	71
CF3518531	45424	71
CF351867	72581C	38
CF351889	352030001	153
CF351890	027049009	112
CF351891	352025011	153
CF351902	72267C	33
CF351915	352029001	153
CF351916	950364104	82
CF3519161	950364104	82
CF351929	351014001	162
CF3519297	351014001	162
CF351931	355018011	154
CF3519310	355018011	154
CF351953	602005001	162
CF3519530	602005001	162
CF351962	356012061	159
CF351964	314014012	142
CF3519640	314014012	142
CF351972	72569C	38
CF351977	027047009	172
CF3519776	027047009	172
CF351979	76916	73
CF351980	76918	73
CF351995	612017061	102
CF351996	351009021	156
CF352043	206005751	122
CF352047	314013002	142
CF3520477	314013002	142
CF352053	76902	73
CF352059	356022011	159
CF352076	950364047	82
CF352077	950364046	82
CF3520778	950364046	82
CF352078	950364045	82
CF3520781	950364045	82
CF352079	950364046	82
CF352093	003038009	168
CF3520930	003038009	168
CF352104	75061298	94
CF352118	71311	123
CF352122	72876D	45
CF352124	338021001	100
CF3521243	338021001	100
CF352136	334053201	148
CF3521366	334053201	148
CF352141	048007609	71
CF352145	76668	72
CF352148	950338100	114
CF352150	102172031	66
CF3521502	102172031	66
CF352170	310005011	125
CF352173	76672	72
CF352193	355018001	154
CF3521939	355018001	154
CF352194	100114075	66

Reference	Haldex A.M.	Page
CF352195	103006001	67
CF352196	103007001	67
CF352197	351008022	155
CF352234	79022D	48
CF352235	76986	73
CF352236	72788D	43
CF352237	76996	73
CF352238	76995	73
CF352265	612025001	113
CF352279	72788D	43
CF352282	79005D	48
CF352283	72875D	44
CF352285	79022D	48
CF352297	352042001	107
CF352373	120350203	181
CF352377	334063001	149
CF352378	334064001	149
CF352407	003480209	168
CF352411	027507809	71
CF352434	79005D	48
CF352437	042548009	97
CF352450	612035031	102
CF352498	950338100	114
CF352532	351009021	156
CF352536	207012021	152
CF352550	314013012	142
CF352551	357012031	104
CF352552	338051101	100
CF352557	72788D	43
CF352566	950352010	114
CF352587	950338027	114
CF352600	612035031	102
CF352601	314012004	142
CF352602	352044001	153
CF352610	352012001	152
CF352629	356022011	159
CF352641	90554273	103
CF352642	79183C	53
CF352653	612032001	102
CF35266	356023021	159
CF352662	356022021	159
CF352663	356022031	159
CF352665	356023011	159
CF352666	356023021	159
CF352682	352029001	153
CF352686	338052101	100
CF352687	338054001	100
CF352706	393477001	113
CF352707	338053101	100
CF352726	102060001	66
CF352727	102172001	66
CF352728	950338027	114
CF352729	356010011	164
CF352752	76902	73
CF352797	350036011	159
CF352896	352053001	107
CF35642	79183C	53
CF370573	950364101	80
CF3705739	950364101	80
CF370574	950364501	84
CF370575	950364108	98
CF3705755	950364108	98
CF370615	75611818	98
CF3706152	75611818	98
CF370680	75061334	94

Reference	Haldex A.M.	Page
CF3706806	75061334	94
CF370742	75961002	98
CF3707423	75961002	98
CF370743	75961004	98
CF3707436	75961004	98
CF370765	75612653	98
CF3707656	75612653	98
CF370767	75061374	99
CF3707672	75061374	99
CF370775	950364303	95
CF3707753	950364303	95
CF370782	950364502	84
CF3707821	950364502	84
CF370786	950364301	80
CF3707863	950364301	80
CF370841	950364112	98
CF3708419	950364112	98
CF371055	950364404	90
CF3710559	950364404	90
CF371057	950364102	80
CF3710575	950364102	80
CF371065	903030001	99
CF3710656	903030001	99
CF371115	903045001	99
CF3711150	903045001	99
CF371119	950364405	90
CF371165	950364405	90
CF3711655	950364405	90
CF371167	950364081	80
CF3711671	950364081	80
CF371176	950364026	90
CF371177	950364408	91
CF3711778	950364408	91
CF371178	950364024	90
CF3711781	950364024	90
CF371179	950364503	84
CF3711794	950364503	84
CF371189	950364401	98
CF3711891	950364401	98
CF371206	950364072	90
CF3712065	950364072	90
CF371236	950364407	91
CF371249	950364103	80
CF3712492	950364103	80
CF371343	364215001	87
CF371344	364194001	87
CF371345	950364031	90
CF371356	042507809	86
CF371406	950364072	90
CF371483	950364506	84
CF371497	950364425	91
CF371499	950364418	91
CF371510	950364420	91
CF371519	950364803	80
CF371521	950364806	83
CF371522	950364807	83
CF371523	950364075	98
CF371524	364317001	81
CF371537	950364801	80
CF371538	950364802	80
CF371539	950364804	80
CF371542	950364420	91
CF371556	364357001	89
CF371557	364358001	89
CF371724	903045001	99

Reference	Haldex A.M.	Page
CF371764	950364036	90
CF371768	950364402	90
CF371769	042566409	97
CF371934	950364072	90
CF371962	950364507	91
CF371963	950364418	91
CF371964	950364419	91
CF371976	950364026	90
CF371983	042507709	86
CF372027	003846709	86
CF372093	950364061	98
CF372106	003843309	86
CF372107	364385001	81
CF372203	003863709	86
CF372297	950364402	90
CF391508	207013001	152
CF3915082	207013001	152
CF411001	000700042	94
CF440198	75612108	95
CF440227	N30200AE	166
CF4402277	N30200AE	166
CF440385	950364702	95
CF4403852	950364702	95
CF440500	N30200AE	166
CF950153	121254003	183
CF9501539	121254003	183
CF950184	102060001	66
CF9501843	102060001	66
CF950242	120444203	182
CF9502428	120444203	182
CF950291	121264003	183
CF9502910	121264003	183
D10986	120330201	181
D1200100	338053101	100
D1200200	338021001	100
D1550000	355018011	154
D50730120	72788D	43
D50730121	76995	73
D50730122	76996	73
DAF46006	100101364	66
DAF46016	72530C	37
DAF46035	72538C	37
DAF46036	72539C	37
DB00026	361006201	161
DB1102	357012031	104
DB1103	357012031	104
DB1105	357012031	104
DB1106	357012031	104
DB1112	357012031	104
DB1113	357012021	104
DB1114	357012031	104
DB1116	357012031	104
DB1132	357012022	104
DB1141	357012021	104
DB2110	356009011	164
DB2113	356010031	164
DB2135	356009011	164
DB2139	356005103	164
DB9530	355018011	154
DD003786109	003786109	94
DD950364421	950364421	91
DFR8463B	334054241	149
DFR8464A	334055201	149
DH1452	33900082	197
DK3328	102925111	67

Reference	Haldex A.M.	Page
DL5822	334063001	149
DL5823	334064001	149
DLX05824	315016001	122
DLX05828	352011102	163
DLX05833	352011122	163
DLX05834	352012001	152
DLX05837	612035011	102
DLX05889	351008022	155
DR1111	312019011	138
DR2101	312013012	138
DR2107	312013012	138
DR2200	312013012	138
DR3200	312030001	138
DR3201	312017012	138
DR3208	312013031	138
DR3211	312017041	138
DR3214	312013014	138
DR3221	312013014	138
DR3223	312013015	138
DR3224	312013014	138
DR3231	312017041	138
DR3244	312013014	138
DR3500	312013014	138
DR3502	312030001	138
DR3537	312013014	138
DR4100	314013001	142
DR4101	314013003	142
DR4102	314013002	142
DR4104	314013003	142
DR4108	314013005	142
DR4110	314013001	142
DR4112	314013002	142
DR4116	314013005	142
DR4120	314013001	142
DR4122	314013002	142
DR4123	314013006	142
DR4125	314013003	142
DR4126	314013005	142
DR4128	314013003	142
DR4130	314013008	142
DR4201	314014001	142
DR4203	314014002	142
DR4204	314014001	142
DR4205	314014001	142
DR4209	314014005	142
DR4211	314014003	142
DR4217	314014001	142
DR4222	314014003	142
DR4230	314014001	142
DR4232	314014002	142
DR4235	314014003	142
DR4236	314014031	142
DR4239	314014005	142
DR4300	314012001	142
DR4301	314012004	142
DR4303	314012005	142
DR4304	314012002	142
DR4305	314012003	142
DR4309	314012005	142
DR4318	314012001	142
DR4321	314012005	142
DR4322	314012002	142
DR4323	314012003	142
DR4340	314012001	142
DR4341	314012004	142

Reference	Haldex A.M.	Page
DR4344	314012002	142
DR4345	314012003	142
DR4348	314012005	142
DR4350	314012003	142
DR4352	314012005	142
DR4354	314013001	142
DR4378	314012004	142
DR5102	314001001	158
E0070003	72788D	43
E0070056	76924	70
E0070057	76995	73
E0070058	76996	73
E1013274	72190C	32
E1013280	72189C	32
E124369	025011909	112
E127435	312013012	138
E127625	025033909	171
E127629	026012009	172
E127630	026012109	172
E127765	023011409	169
E127772	039005509	173
E127781	026000509	171
E4205	554005001	107
E4424151042	79059C	50
E4424151043	79060C	50
E5001846880	71376	129
E5001846882	71327	129
E75701019	340053001	187
E75701134	79094C	50
E75701137	79095C	50
E984018	72145C	31
EAY537336	79022D	48
EE1100	315019011	123
EE1103	315019001	123
EE4106	315016001	122
EE4206	315016021	122
EF10A	340035201	187
EF206AK	120341101	181
EF20AAK	120341201	181
EF246AK	120351101	181
EF24AAF	120351201	181
EF306AK	120361101	181
EK3030	950610040	92
EL073015	042548009	97
ELJ8004	003768209	94
EN914264	72804C	43
EN914266	72804C	43
ES10889962	70626C	24
ES10889963	70627C	24
ES10901188	70624C	24
ES10907244	70510C	23
ES10907245	70511C	24
ES10907246	70512C	24
ES5020	950364503	84
ES5021	364094031	84
ES8226963	70893C	27
ES8226964	70894C	27
ES8228242	70859C	26
ES8228243	70986C	29
ES8550578	72367C	35
ES8550903	72145C	31
ES8550963	72364C	34
ESACU3627	70943C	28
ESACU3628	70944C	28
ESACU3629	70945C	28

Cross Reference

Reference	Haldex A.M.	Page
ESACU6980	72105C	31
ESACU6981	72106C	31
ESB309350	950364405	90
ESBCU5534	72420C	35
ESBCU5535	72421C	35
ESBCU5536	72422C	35
ESBCU5767	72439C	36
ESBCU5768	72440C	36
ESBCU5769	72441C	36
ESBUU5769	72441C	36
ESCAL2240	70785C	25
ESCAL2241	70786C	25
EST902	950610040	92
EST91	352047040	105
EST92	950364081	80
ESXBU1001	72661C	40
ESXBU1005	72660C	40
ESXBU1009	72745C	42
ESXBU1010	72825C	44
ESXBU1012	72826C	44
ESXBU1019	72361C	34
ESXBU1020	79157C	52
ESXBU1021	79156C	52
ESXBU1024	79216C	54
ESXBU1027	79429C	57
ESXBU1028	79430C	57
ESXBU1030	79226C	54
ESXBU1032	79217C	54
ESXBU1033	79225C	54
EVO563	364358001	89
EVO564	364343001	88
EVO565	364317001	81
EVO813	950364423	91
EWV	315019011	123
EWVAUTO	315016001	122
F001009	334054201	149
F001017	334055201	149
F001084	310005011	125
F001122	351009021	156
F001394	950364081	80
F001424	356022011	159
F001513	206005751	122
F001548	314012002	142
F001742	124100101	197
F001793	352029001	153
F001807	352030001	153
F001858	352044001	153
F00185803	352044001	153
F001920	120350201	181
F001947	027049009	112
F001971	356006011	159
F002374	950364407	91
F002382	950364036	90
F002390	950364031	90
F002544	314013023	142
F002951	120350203	181
F003087	950364081	80
F003095	341032011	189
F003109	950364048	82
F003117	950364410	91
F003125	950364410	91
F003133	950364026	90
F003141	950364026	90
F003168	950364413	91
F003176	950364412	91

Reference	Haldex A.M.	Page
F003192	950364406	90
F003419	950364405	90
F004415	950364412	91
F004423	950364042	90
F004431	950364043	90
F004555	351008022	155
F004655	351008022	155
F004989	950364407	91
F005233	334054241	149
F00523300	334054241	149
F005349	950364420	91
F005659	364194001	87
F005667	364215001	87
F005853	950364031	90
F005888	950364405	90
F01011067	352035P36	105
F4003/F	10714C	22
F4004/F	10715C	22
F4105/F	70893C	27
F4106/F	70894C	27
F4127/F	72364C	34
F4211/F	72568C	38
F4238/F	72417C	35
F4239/F	72418C	35
F4240/F	72457C	36
F4348/F	72643C	39
F4419/F	72644C	40
F4706/F	79158C	52
F4707/F	79159C	52
F4714/F	79156C	52
F4715/F	79157C	52
F9141/F	72453C	36
FBU1190	74442S	72
FBU2974	74971S	72
FBU3726	76046	72
FBU3728	76046	72
FBU3732	950364504	84
FBU3744	74443S	72
FBU3933	76878	72
FBU4102	950364303	95
FBU4277	33600265	174
FBU4278	33600263	174
FBU4568	33600269	174
FBU4655	71327	129
FBU7515	950364218	98
FBU7869	76046	72
FBU9410	33600236	174
FC9327002	70576C	24
FC9327004	72362C	34
FE6737	100101743	66
FE7345	100002167	65
FK713930	100001721	65
FK713940	100101145	65
FK713950	100001021	64
FK713960	100001125	64
FL919/001	102925111	67
FL932/002	70576C	24
FL932/004	72362C	34
FL932/005	79169C	52
FL932005	79169C	52
FR14001	SPIAUNE	167
FR14002	SPIROUGE	167
FR630002	310005001	125
FR630006	334055201	149
FR630007	334054241	149

Reference	Haldex A.M.	Page
FR6300094	950364048	82
FR630013	352019011	153
FR63002	310005011	125
FR63006	334055201	149
FR63007	334054241	149
G338021001	338021001	100
G5500010	334055201	149
GRA351008022	351008022	155
GRA352019001	352019001	153
GRA950364104	950364104	82
H03079301	315004002	140
H03129501	950364710	95
H07018021VS	950549001	221
H8362	352011122	163
H8444	612025001	113
H8475	903045001	99
HB100046	79136C	51
HB100047	79137C	51
HB100393	79310C	56
HB100394	79311C	56
HB1501028512	N30200AG	167
HBU1180	EQ2630	178
HBU1816	EQ2614	178
HBU3058	71034	128
HBU7280	70986C	29
HBU7801	33600007	174
HBV2315	72688C	41
HRK6917	33600265	174
I59456	356006011	159
I76204	355018071	154
I76792	355018011	154
I84573/1	352011101	163
I84575/1	352011102	163
I84576/1	352011122	163
I88007	950610030	92
I98289	612032001	102
I99660	310005011	125
IB9CX	361006302	161
II16763004	950364503	84
ILAS009	361006102	161
INS0120044	031000909	112
INS0120045	356001011	159
IT1038	104401201	67
IT1039	104501201	68
IT137	103006001	67
K07235601	341004011	189
K074979	364307011	88
K074987	364307021	88
K2B1118SX	346022001	185
KAB2450	329006121	146
KAE4105	333004001	158
KB1000	72788D	43
KB1000D	80020D	62
KB1005	72875D	44
KB1010	72876D	45
KB1015	79023D	49
KB1015D	80024D	62
KB1020	79022D	48
KB1020D	80021D	62
KB1022	79022D	48
KB1025	79004D	47
KB1025D	80023D	62
KB1030	72576C	38
KB1035	72710C	41
KB1040	72581C	38

Reference	Haldex A.M.	Page
KB1065	72256C	33
KB1075	72948S	47
KB1080	70949C	28
KB1095	79006C	48
KB1105	72253C	33
KB1110	72239C	33
KB1115	70802C	26
KB1120	70803C	26
KB2010	72523C	36
KB2015	72524C	37
KB2020	72538C	37
KB2025	72539C	37
KB2030	72534C	37
KB2035	72543C	37
KB2040	72059C	30
KB2045	70954C	28
KB2050	80009C	62
KB2055	80008C	62
KB2060	80001C	62
KB2065	80000C	62
KB2070	79208C	53
KB2075	79209C	54
KB2080	79212C	54
KB2085	72758C	42
KB2090	79211C	54
KB2095	79210C	54
KB2100	70775C	25
KB2105	72542C	37
KB2110	72536C	37
KB2115	72525C	37
KB2120	72537C	37
KB2125	72526C	37
KB2130	72213C	32
KB2135	80011C	62
KB2140	80010C	62
KB2145	80009C	62
KB2150	70867C	27
KB2155	72174C	31
KB2160	72173C	31
KB2165	80008C	62
KB2170	72181C	32
KB2175	72199C	32
KB2180	72406C	35
KB2185	72403C	35
KB2190	72404C	35
KB2210	72664C	40
KB2215	72663C	40
KB2220	72660C	40
KB2225	79015C	48
KB2230	79014C	48
KB2235	72180C	32
KB2240	79013C	48
KB2245	79016C	48
KB2250	72662C	40
KB2255	72667C	40
KB2260	72661C	40
KB2265	72745C	42
KB2270	72744C	42
KB2275	72678C	41
KB2280	72782C	43
KB2285	72723C	42
KB2290	72724C	42
KB2295	72726C	42
KB2300	72783C	43
KB2305	72540C	37

Reference	Haldex A.M.	Page
KB2310	70893C	27
KB2315	70945C	28
KB2320	70626C	24
KB2325	70859C	26
KB2330	70624C	24
KB2335	70583C	24
KB2340	72441C	36
KB2345	72439C	36
KB2350	72440C	36
KB2360	72825C	44
KB2370	70634C	24
KB2375	72364C	34
KB2380	72401C	35
KB2385	72402C	35
KB2390	70582C	24
KB2395	72548C	37
KB2400	72608C	39
KB2420	72596C	39
KB2425	72609C	39
KB2430	70532C	24
KB2435	70627C	24
KB2440	70706C	25
KB2445	70753C	25
KB2450	70832C	26
KB2455	70833C	26
KB2470	70918C	27
KB2475	70943C	28
KB2480	70944C	28
KB2495	72105C	31
KB2500	72106C	31
KB2515	72535C	37
KB2520	72665C	40
KB2525	72666C	40
KB2530	72668C	40
KB2535	72669C	40
KB2540	72670C	40
KB2545	72671C	40
KB2550	72673C	40
KB2555	72674C	40
KB2560	72675C	41
KB2565	72715C	41
KB2570	72716C	41
KB2575	72717C	41
KB2580	72718C	41
KB2585	72727C	42
KB2590	72728C	42
KB2595	72826C	44
KB2600	72892C	45
KB2605	72893C	45
KB2610	79205C	53
KB2615	79206C	53
KB2620	79223C	54
KB2625	79224C	54
KB2630	79296C	56
KB2635	79297C	56
KB2640	79299C	56
KB2645	79300C	56
KB2650	70510C	23
KB2655	70511C	24
KB2660	72915C	46
KB2665	72916C	46
KB2670	72407C	35
KB2675	72541C	37
KB2680	72663C	40
KB2685	72906C	46

Reference	Haldex A.M.	Page
KB2690	72907C	46
KB2695	72672C	40
KB2700	70894C	27
KB2705	72676C	41
KB2710	72654C	40
KB2715	72211C	32
KB2720	72212C	32
KB2735	79442C	58
KB2740	79443C	58
KB2755	72039C	30
KB2760	72530C	37
KB2765	70754C	25
KB2785	72688C	41
KB2790	72689C	41
KB2795	79017C	48
KB2800	79018C	48
KB2815	79007C	48
KB2820	79008C	48
KB2825	70986C	29
KB2830	72070C	30
KB2835	70530C	24
KB2840	70917C	27
KB2850	72664C	40
KB2855	80008C	62
KB2865	72393C	35
KB2870	79628C	59
KB2875	79629C	60
KB2880	72546C	37
KB2885	72677C	41
KB2890	70785C	25
KB2895	70786C	25
KB2900	72719C	41
KB2905	79288C	55
KB2910	79289C	55
KB2915	72804C	43
KB2920	79294C	55
KB2925	79295C	55
KB2930	72809C	43
KB2940	79301C	56
KB2945	79302C	56
KB21400	340005001	187
KDK328	102925111	67
KDR2200	312013012	138
KDR3201	312017012	138
KDR3208	312013031	138
KK4128	334064001	149
KKGA16	334054201	149
KKGA22	334054211	149
KKGZ16	334064001	149
KKGZ22	334072001	149
KKLK	334028001	148
KKRA16	334055201	149
KKRA22	334055211	149
KKRZ22	334071001	149
KLP1828	301205101	137
KLTC0010	120340203	181
KLTC0011	120360201	181
KLTC0012	121254003	183
KLTC0014	120434203	182
KLTC0015	121234003	183
KLTC0016	120444203	182
KLTC0018	120454203	182
KLTC0019	120464203	182
KLTC0020	121264003	183
KLTC0021	314012004	142

Reference	Haldex A.M.	Page
KLTC0170	90554663	103
KLTC0126	71034	128
KO1317901	334064001	149
KO1318001	334063001	149
KSM3075KC	MA15777	186
KT40470	352018011	153
KT40480	338021001	100
KT70471	352019011	153
KU1100	334004001	148
KU1200	334007001	148
KU1304	334054211	149
KU1305	334055211	149
KU1306	334054201	149
KU1307	334055201	149
KU1310	334055201	149
KU1311	334054201	149
KU1319	334054201	149
KU1324	334054241	149
KU1901	334028001	148
KU4106	334043001	148
KU4108	334004001	148
KU4121	334063001	149
KU4124	334063001	149
KU4127	334043001	148
KU4128	334064001	149
KV4108	334043001	148
KW0377	905002001	218
KW2350/2	315019011	123
KW2961	205001001	158
KW2966	205001001	158
KZ100	340005001	187
KZ80	340026001	187
L1850087	79225C	54
L1850096	79226C	54
L2220055	79177C	53
L2230004	315019011	123
L2230005	315019011	123
L2250057	76902	73
LA2100	310005011	125
LA2103	310005011	125
LA2104	310005011	125
LA2105	310005011	125
LA4105	313019021	126
LA4127	313019021	126
LA4129	313019021	126
LA4131	313019021	126
LA8222	78985	117
LA8227	78986	117
LA8243	78984	117
LB046	334028001	148
LB047	334054201	149
LB048	334055201	149
LB053	310005011	125
LB061	350027002	155
LB065	030350209	215
LB067	315019011	123
LB068	030200109	217
LB075	345125110	184
LB082	003033609	194
LB090	340008001	187
LB091	030350909	215
LB092	030200209	217
LB093	340026011	187
LB106	120351101	181
LB147	1362430001	185

Reference	Haldex A.M.	Page
LB156	120361101	181
LB179	334054211	149
LB180	334055211	149
LB30246	030350909	215
LF22	310005011	125
LIZ94361	950364408	91
LIZ94362	950364408	91
LK1802	301205101	137
LL0095	70802C	26
LL0096	70803C	26
LP1316	301110028	137
LP1828	301205101	137
LS202AA	612035041	102
M002416	79004D	47
M003095	76012	70
M004438	103018001	67
M020108	950364045	82
M020167	950364081	80
M020272	120360201	181
M023557	76986	73
M023565	79004D	47
M042128	72788D	43
M042136	76672	72
M046514	79006C	48
M050082	79004S	48
M05913600	314012004	142
M05913601	314012004	142
M059802	338051101	100
M05980201	338051101	100
M059837	338053101	100
M059853	612035071	102
M05985301	612035071	102
M059934	341004011	189
M05994201	341004011	189
M068593	79023D	49
M070970	72788D	43
M070989	76995	73
M070997	76996	73
M071004	76924	70
M071101	72788D	43
M094527	72788D	43
M20006701	93840	69
M20012501	93840	69
M20012502	93840	69
M20012511	93839	69
M20012512	93839	69
M20012521	92808	69
M20012531	93835	69
M2360000	612035011	102
M2360100	612035011	102
M80001801	338051111	100
M800021/1	350036011	159
M80002101	350036011	159
M80002601	356001011	159
M8002101	350036011	159
M8003	003575709	111
M8039	100101047	65
M8047	100114075	66
M8050	102060031	66
M8053	102066001	66
M8062	103007001	67
M8350	350026002	155
M8351	351008022	155
M8388	355018001	154
M8389	355018011	154

Reference	Haldex A.M.	Page
M8390	355018071	154
M8413	356023011	159
M8443	602005001	162
M8447	612017061	102
M8452	612035031	102
M8477	903045001	99
M8484	950364081	80
M8486	950364047	82
M8488	950364061	98
M8493	950364111	95
M8522	950364408	91
M8556	352042011	107
M8569	018500409	85
M8587	018500309	85
M8600	334053261	149
M8602	334055211	149
M8603	334054211	149
M8608	027047009	172
M8610	027047109	172
M91002403	91015	75
M91002501	87405	74
M91002502	89794	74
M91002503	91011	74
M91002601	87406	74
M91002602	89541	74
M91002603	91012	74
M91002702	92010	75
M91002703	91239	75
M91002801	87408	74
M91003201	81918	76
M91004001	93840	69
M91004003	93840	69
M91004004	93839	69
M91004201	87680	74
M91004202	91013	75
M91004301	89723	74
M91004302	91014	75
M91005601	816585	73
M91005602	879165	74
M91005701	89925	74
M91005702	90693	74
M91005801	89927	74
M91005802	91019	75
M91005902	89924	74
M91006401	90693	74
M91006801	91010	70
M91006901	91236	75
MA15504	KSH202C	191
MAK4918	75610828	85
MAN60001	79223C	54
MAN60003	79208C	53
MAN60004	79209C	54
MAN6001	79223C	54
MAN60501	79224C	54
MAN60502	79213C	54
MAS9249	72788D	43
MAS9250	70802C	26
MAS9251	70803C	26
MAS9280	79097C	50
MAS9281	79098C	51
MAS9285	79028C	49
MAS9286	79029C	49
MAS9287	79051C	49
MAS9289	79160C	52
MAS9290	79183C	53

Reference	Haldex A.M.	Page
MB1207	320003103	143
MB21/0035/00	950532014	220
MB4658	320052011	143
MB4660	320053001	143
MB4805	320059001	143
MB4813	320060111	143
MB4814	320060121	143
MB4815	320060101	143
MB4820	320060112	143
MB4821	320060102	143
MB4825	320063122	144
MB4826	320063114	143
MB4827	320063101	143
MB4828	320063102	143
MB4833	320063123	144
MB4834	320063112	143
MB4835	320063111	143
MB4836	320063121	144
MB4837	320060103	143
MB4838	320060123	143
MB4841	320060122	143
MB4842	320060113	143
MBZ24	120351101	181
MEI0201	100001721	65
MEI0202	100001025	64
MEI0203	100001021	64
MEI0204	100101041	65
MEI0205	100001125	64
MEI0601	100014750	65
MEI0901	104407401	68
MEI0902	104507401	68
MEI1101	100101047	65
MEI1102	100101042	65
MEI1201	100101743	66
MEI1402	103007001	67
MEI1403	103006001	67
MEI1405	102060001	66
MEI1406	102172001	66
MEI1408	102062201	66
MEI1411	100014753	65
MEI1412	102066001	66
MER62043	80000C	62
MER62044	80001C	62
MG570181	380073490	166
MR23565701	79004D	47
MR3052	EQ2631	178
N/S903045001	903045001	99
N/S995328	950364303	95
N14990H	025047809	171
N15844BC	612036001	102
N20405KC	334055231	149
N50020	602005001	162
N6163002	030200209	217
N6314001	334063001	149
N6314002	334064001	149
N6315001	312013014	138
N6318001	315019011	123
N6318002	313019021	126
N6631001	030350909	215
N99999000224	334007001	148
N99999000225	310005011	125
N99999000226	350020201	155
N99999000227	030350909	215
N99999000228	315019011	123
N99999000229	030200209	217

Reference	Haldex A.M.	Page
N99999000660	340005001	187
N99999001234	120341101	181
N99999001235	003033609	194
N99999001238	030350509	215
N99999001239	030200109	217
N99999001251	334055211	149
N99999001252	334054211	149
NB1200	72999C	47
NB1202	76668	72
NB1206	76668	72
NB1213	72788D	43
NB1214	76995	73
NB1215	76996	73
NB1216	76012	70
NB1237	124100101	197
NB1401	90554147	103
NB1962	345125110	184
NB3000654/D	72788D	43
NB300654/D	72788D	43
NECM134	032304513S	215
NECM137	032306013S	215
NECM836	120351201	181
NECM839	120361201	182
NFRP563	334063001	149
NFRP571	334055201	149
NFRP575	334054241	149
NFVP149	333004001	158
NFVP197	602005001	162
NFVP209	601013011	162
NFVP407	310005011	125
NFVP509	124100101	197
NFVP521	612025001	113
NFVP695	352044001	153
NFVP761	314012004	142
NFVP773	356005102	164
NFVP803	612035011	102
NFVP815	351008022	155
NJK2833	76660	72
NRK3115	72559C	38
NRK3116	72560C	38
NRK3117	72563C	38
NRK3550	72588C	38
NS300325	79005D	48
NS300654/D	72788D	43
NWDL286	364317001	81
P02P07	315019011	123
P02P17A	RAUMOTIVE ROUGE	167
P02P17B	RAUMOTIVE JAUNE	167
P06001	120341201	181
P06002	120351201	181
P06003	120361201	182
P06006	124100101	197
P06007	334054241	149
P06008	334055201	149
P06009	351012001	162
P06010	601013011	162
P06011	351014001	162
P06020	351008022	155
P06021	207012001	152
P06024	338021001	100
P06025	355018011	154
P06028	612032001	102
P06029	314012001	142
P06030	352011122	163
P06033	360009241	107

Reference	Haldex A.M.	Page
P06037	314001001	158
P06038	352019011	153
P06039	333004001	158
P06040	356022011	159
P06051	612025001	113
P06098	032304513S	215
P06100	032306013S	215
P06P01	334055201	149
P06P02	334054241	149
P06P04A	601013011	162
P06P04B	601013001	162
P06P04C	003038009	168
P06P04D	351012001	162
P06P05	351008022	155
P06P05B	355018011	154
P06P06A	032304513S	215
P06P06B	032306013S	215
P06P08	314012104	142
P06P09A	120341201	181
P06P09B	120351201	181
P06P09C	120360201	181
P06P09E	1362430002	185
P06P09F	1363030001	185
P06P10	352019011	153
P06P11	352018001	153
P06P12	333001101	158
P06P13B	356022011	159
P06P21A	338021001	100
P06P21B	338051101	100
P06P22	352011122	163
P06P22A	612032001	102
P06P23	314001001	158
P06P24	360009241	107
P17147268	47268	71
P17174808	748085	72
P17179028	79028C	49
P17179029	79029C	49
P17179051	79051C	49
P17179097	79097C	50
P17179098	79098C	51
P17179183	79183C	53
P3500	90554147	103
P3515	48100287	113
P3555	90554615	108
P3596	90554273	103
PE046404	100001721	65
PG720183	33090000	193
PG721083	33090000	193
PG721083/301	RN55Y	199
PG75175	378731	197
PG75176	378723	197
PN0226	364328001	94
PN0227	364364031	89
PN0235	950364418	91
PN0237	950364702	95
PN0239	364096112	87
PN0280	364358001	89
R054970	352045001	153
R2111/F	79266C	55
R2112/F	79265C	55
R310MDV	315019011	123
R8200/55	76012	70
R8270/F	70893C	27
R8271/F	70894C	27
R8538/F	70986C	29

Reference	Haldex A.M.	Page
R8610/F	72361C	34
R8744/F	72147C	31
R8745/F	72148C	31
R8819/F	72149C	31
R8849/F	70931C	28
R8850/F	70930C	28
R8918/F	72140C	31
R8919/F	72141C	31
R9024/F	10938C	22
R9025/F	10937C	22
R9139/F	72452C	36
R9567/F	79062C	50
R9640/F	72815C	43
R9641/F	72816C	43
R9813/F	79071C	50
R9990/F	79170C	52
R9991/F	79171C	52
RE0009	329020421	147
RE1105	355018011	154
RE1110	355018011	154
RE1115	355018071	154
RE1121	355018071	154
RE2000	356006011	159
RE2102	356006011	159
RE2108	356006011	159
RE2220	355093001	154
RE2221	355093001	154
RN26ED	EQ2614	178
RN60C	RN60E	135
RU10X1	067001702	213
RU10X1,0	067001702	213
RU10X1,25/100M	067006002	214
RU10X1,25-100M	067006002	214
RU10X1,25-25M	067006001	214
RU10X1,5-100M	067001102	213
RU10X1,5-25M	067001101	213
RU10X1-100M	067001702	213
RU10X1-25	067001701	213
RU10X12525M	067006001	214
RU10X125M	067001701	213
RU10X1-25M	067001701	213
RU10X15	067001102	213
RU10X1-500M	067001703	213
RU10X1525M	067001101	213
RU10X7,5ZWART	067006002	214
RU10X75ZWART	067006002	214
RU10X8GEEL	067001702Y	213
RU10X8ROOD	067001702R	213
RU11X1,5-100M	067006802	214
RU11X1,5-25M	067006801	214
RU11X15	067006802	214
RU11X1525M	067006801	214
RU12X1,5	067001802	213
RU12X1,5-100M	067001802	213
RU12X1,525	067001801	213
RU12X1,525M	067001801	213
RU12X1,5-25M	067001801	213
RU12X1,5-500M	067001803	213
RU12X15	067001802	213
RU12X1525M	067001801	213
RU12X15-500M	067001803	213
RU15X1,5	067001902	213
RU15X1,5-100M	067001902	213
RU15X1,5-25M	067001901	213
RU15X15	067001902	213

Reference	Haldex A.M.	Page
RU15X15-100M	067001902	213
RU15X1525M	067001901	213
RU15X2	067006502	214
RU15X2-100M	067006502	214
RU15X225M	067006501	214
RU15X2-25M	067006501	214
RU16X2	067002002	213
RU16X2,0	067002002	213
RU16X2-100M	067002002	213
RU16X225M	067002001	213
RU16X2-25M	067002001	213
RU18X2	067002102	213
RU18X2-100M	067002102	213
RU18X225M	067002101	213
RU18X2-25M	067002101	213
RU4X1	067002202	214
RU4X1-100M	067002202	214
RU4X2ZWART	067002202	214
RU6X1	067001502	213
RU6X1-100M	067001502	213
RU6X125M	067001501	213
RU6X1-25M	067001501	213
RU8X1	067001602	213
RU8X1-100M	067001602	213
RU8X125M	067001601	213
RU8X1-25M	067001601	213
RU8X1-500M	067001603	213
RV44035	79007C	48
RV44036	79008C	48
RV44058	79013C	48
RV44059	79014C	48
RV44077	79151C	52
RV44078	79152C	52
RV44090	79015C	48
RV44091	79016C	48
RV44092	79017C	48
RV44093	79018C	48
RW6009	RW4009X	218
S00811801	612032001	102
S5001048	70919C	27
S5004035	72419C	35
S5005111	72182C	32
SAV999999	76672	72
SCA64502	72660C	40
SCA64506	72662C	40
SEB00039	351022001	156
SEB00256	612025001	113
SEB01315	003561409	194
SEB01316	003033609	194
SEB01321RL	003561409	194
SEB01322LL	003033609	194
SK5086	79005D	48
SK5087	76986	73
SPK/1262B	79310C	56
SPK246	030200209	217
SPK276	030200309	217
SR10411	120341201	181
SRK168	48100225	113
SV1280	612032001	102
SV1307	612035011	102
SV1395	612035021	102
SV1410	612032001	102
SV1460	612035011	102
SV1465	612032001	102
SV3111	338021001	100

Reference	Haldex A.M.	Page
SV3115	338051101	100
SV3157	338031611	100
SW721567	N4194	193
SW80-768PE	50131-00	209
SW80-769PE	50132-00	209
SW80-826PL	50216-00	209
SW80-967PL	50275-00	209
SZ1208	341004011	189
SZ1808	344010001	190
T0017649Z	79023D	49
T4400G	612035011	102
T4400GAL	612032001	102
T4401G	314012001	142
T4403G	315019011	123
T4404G	352028011	105
T4407G	357012031	104
T4412G	334054241	149
T4413G	334055201	149
T4414G	602005001	162
T4418G	333004001	158
T4419G	356022011	159
T4420G	120351201	181
T4422G	310005011	125
T4420G	124100101	197
T4493G	352044001	153
T4494G	351022001	156
T4400G	612025001	113
T7657G	338021001	100
T7658G	338051101	100
TA2003/2/20	329020321	147
TA2003/2/8	329020261	147
TA2004	329006341	146
TA2015	334004001	148
TA3010	315019001	123
TC807632	72585C	38
TC807634	72583C	38
TC807635	72584C	38
TP01004010	121254003	183
TP01004011	121264003	183
TP01004012	121140003	183
TP01004016	120454203	182
TP01014009	612017061	102
TP01015008	352044001	153
TP01015010	207012001	152
TP01015011	352019001	153
TP01016001X	950364104	82
TP01019007	352030001	153
TP01019008	352042001	107
TP01020001	950364506	84
TP01020003	950364502	84
TP01020004	950364501	84
TP01020005	950364503	84
TP01021004	N30200AG	167
TP01026003	612025001	113
TP01029001	950364108	98
TP01030001	950364045	82
TP01031005	334054211	149
TP01031006	334055211	149
TP01031007	334071001	149
TP01031008	334072001	149
TP01031009	334053311	149
TP02003001X	72788D	43
TP02003003X	79097C	50
TP02003004X	79098C	51
TP02003005X	72788D	43

Reference	Haldex A.M.	Page
TP02003006X	72261C	33
TP02003007X	79022D	48
TP02003008X	79005D	48
TP02003009X	79005D	48
TP02003040	102060001	66
TP02003041	102172001	66
TP02003047	102062201	66
TP02003058	100014753	65
TP02003059X	80020D	62
TP02006080	76660	72
TP02006087	048007609	71
TP02006091	76878	72
TP02006092	76670	72
TPO1023001	75611817	85
TS267	76012	70
TS522	76670	72
TS523	76668	72
TS525	76668	72
TS540	76668	72
TS542	76668	72
TS555	76668	72
TS573	76902	73
TS580	76878	72
TS667	76924	70
TS707	76902	73
TSG06911	76924	70
TSG06912	76924	70
TSG11981	612025001	113
TU310173	92671	124
TU310184	76284S	131
TU310188	71323	123
TU310192	90026	117
TU310199	041013609	128
TU31073	92671	124
U4103109	312019012	138
V6040020	314001001	158
VA12A	315019001	123
VB1206	030200109	217
VB1246	030200209	217
VB1276	030200309	217
VB1310	030200409	217
VB1396	030200609	217
VB3301206	030350209	215
VB33015206	030363609	215
VB3302206	030350509	215
VB3302246	030350609	215
VB3303246	030350909	215
VB3304246	030351509	215
VB3304276	030351209	215
VB3304310	030362009	215
VB3306246	030351809	215
VB3306276	030351609	215
VB3306310	030360809	215
VB3306396	030351709	215
VB3308396	030352009	215
VB33085276	030352109	215
VB3310396	030352209	215
VB3337246	030351309	215
VOE11059831	92060	118
VOE11707463	89477S	133
VOE3094628	89203	133
VPC3E	314014003	142
VPC4D	314012001	142
VPS40AA	314059001	141
W153/03	68470020	220

Reference	Haldex A.M.	Page
W48760012	329007001	152
X1811183	70893C	27
X1811184	70894C	27
X2052967	72361C	34
X2210966	70931C	28
X2210967	70930C	28
X39903M06A04	338021001	100
X6642781	33600049	174
X6652780	33600051	174
X6652781	33600033	174
X6652887	MR3034	178
XBU0029	73620	130
XBU1001	72661C	40
XBU1009	72745C	42
XBU1010	72825C	44
XBU1012	72826C	44
XH12132C	12132C	23
XH70627X	70627C	24
XH7062RX	70624C	24
XH72180/C	72180C	32
XH72181/C	72181C	32
XH72199/C	72199C	32
XH72939/C	72939C	46
XH79133/C	79133C	51
XH79184/C	79184C	53
XH8127/C	78127	116
XH950364211	950364211	82
XJA09601	75612108	95
Y00002656	025040809	196
Y00003274	76902	73
Y03277102	72457C	36
Y03280904	72417C	35
Y05686208	903045001	99
Y05690206	EQ2614	178
Y05690304	EQ2630	178
Y05690402	RNT26	179
Y05690500	MR3033	178
Y05694302	355018001	154
Y05705201	33600261	174
Y05705312	950364503	84
Y05706207	950364504	84
Y05714902	003575709	111
Y05723904	76660	72
Y05737405	33600260	174
Y05759605	78964	132
Y05786008	90362	133
Y05786106	77244S	131
Y05786805	84579	73
Y05848901	78801S	132
Y05849012	77112S	131
Y05849110	78712S	132
Y05854711	71847S	129
Y05889803	602005001	162
Y05890306	76284S	131
Y05906411	950364081	80
Y05953203	76902	73
Y10538610	72788D	43
Y11003303	950364045	82
Y11003369	950364408	91
Y11003370	950364408	91
Y11003660	950364401	98
Y11003661	950364081	80
Y11003675	950364104	82
Y11003682	950364401	98
Y505508	124100101	197

Reference	Haldex A.M.	Page
Y507335	059512309	97
Y507336	950364503	84
Y520180	950364501	84
Y520352	76668	72
Y537146	72268C	33
Y537183	76878	72
Y537184	76902	73
Y623188	120340203	181
Y623192	102172001	66
Y730012	121254003	183
Y730118	72261C	33
Y730578	207013001	152
Y731219/01	0430533090	166
Z351009021	351009021	156
ZB9022	950610040	92
ZQ40078	71053	128

Important notes:

If a part number appears in this catalogue, it does not necessarily mean it is currently available. For information on availability, refer to the Haldex European Price List, or contact Haldex directly.

The information contained within this catalogue has been compiled from various sources. While Haldex tries to ensure the accuracy of all data enclosed, we understand it is impossible to achieve 100% accuracy. Haldex hold no responsibility for any issues that may arise as a result of inaccurate data within this catalogue.

Haldex reserve the right to amend this information without notice or warning. For our most recent data, we ask you to refer to the Findex website on www.brake-eu.haldex.com.



Findex

www.brake-eu.haldex.com

The easy way to find the
correct Haldex product
for your application.



Issued by: Haldex Europe S.A.S., Weyersheim (Strasbourg), France

Haldex (www.haldex.com), headquartered in Stockholm, Sweden, is a provider of proprietary and innovative solutions to the global vehicle industry, with focus on products in vehicles that enhance safety, environment and vehicle dynamics.

Haldex is listed on the Stockholm Stock Exchange and has annual sales of nearly 8 billion SEK (approximately 870 Million Euro) with 4,600 employees.

Austria

Haldex Wien Ges.m.b.H.
Vienna
Tel.: +43 1 8 65 16 40
Fax: +43 1 8 65 16 40 27
E-Mail: info.austria@haldex.com

Belgium

Haldex N.V./S.A.
Balegem (Ghent)
Tel.: +32 9 363 90 00
Fax: +32 9 363 90 09
E-Mail: info.hbe@haldex.com

Brazil

Haldex do Brasil
São Paulo
Tel.: +55 11 213 55 000
Fax: +55 11 503 49 515
E-Mail: info@hbr.haldex.com

Canada

Haldex Ltd
Guelph, Ontario
Tel.: +1 519 826 7723
Fax: +1 519 826 9497
E-Mail: CSCanada@haldex.com

China

Haldex International Trading Co. Ltd.
Shanghai
Tel.: +86 21 5240 0338
Fax: +86 21 5240 0177
E-Mail: info@hcn.haldex.com

France

Haldex Europe SAS
Weyersheim (Strasbourg)
Tel.: +33 3 88 68 22 00
Fax: +33 3 88 68 22 09
E-Mail: info.heu@haldex.com

Germany

Haldex Brake Products GmbH
Heidelberg
Tel.: +49 6221 7030
Fax: +49 6221 703400
E-Mail: info@haldex.com

Hungary

Haldex Hungary Kft.
Szentlőrincváta
Tel.: +36 29 631 300
Fax: +36 29 631 301
E-Mail: info.hu.eu@haldex.com

India

Haldex India Limited
Nasik
Tel.: +91 253 2380094
Fax: +91 253 2380729
E-Mail: haldex@haldexindia ltd.com

Italy

Haldex Italia Srl.
Muggio (Milano)
Tel.: +39 039 278 23 50
Fax: +39 039 796 525
E-Mail: info@hit.haldex.com

Poland

Haldex Sp. z o.o.
Praszka
Tel.: +48 34 350 11 00
Fax: +48 34 350 11 11
E-Mail: info@haldex.net.pl

South Korea

Haldex Korea Ltd.
Seoul
Tel.: +82 2 2636 7545
Fax: +82 2 2636 7548
E-Mail: info@hkr.haldex.com

Russia

OOO Haldex RUS
Moscow
Tel.: + 7 495 747 59 56
Fax: +7 495 786 39 70
E-Mail: info.russia@haldex.com

Spain

Haldex España S.A.
Parets del Valles (Barcelona)
Tel.: +34 93 573 10 30
Fax: +34 93 573 07 28
E-Mail: haldexespana@haldex.es

Sweden

Haldex Brake Products AB
Landskrona
Tel.: +46 418 47 60 00
Fax: +46 418 47 60 01
E-Mail: info@hbpse.haldex.com

United Kingdom

Haldex Ltd.
Newton Aycliffe
Tel.: +44 1325 310 110
Fax: +44 1325 311 834
E-Mail: aycliffe.info@haldex.com

Haldex Brake Products Ltd.
Redditch
Tel.: +44 1527 499 499
Fax: +44 1527 499 500
E-Mail: info@haldex.com

USA

Haldex Brake Products Corp.
Kansas City MO
Tel.: +1 816 891 2470
Fax: +1 816 891 9447
E-Mail: hbsna@haldex.com

©2006, Haldex AB. This material may contain Haldex trademarks and third party trademarks, trade names, corporate logos, graphics and emblems which are the property of their respective companies. The contents of this document may not be copied, distributed, adapted or displayed for commercial purposes or otherwise without prior written consent from Haldex

